CAS-No.: 123-91-1 MSDS



## **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking


#### 1.1. Product identifier

Product form : Substance

:

EC-No. : 204-661-8 CAS-No. : 123-91-1 Product code : 0128B

Chemical structure :



#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225 Category 2 Serious eye damage/eye H319

rritation Category 2

irritation, Category 2

Carcinogenicity, Category H351

2

Specific target organ H335

toxicity — Single exposure, Category 3,

www.Labogens.com 08/04/2016 1/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory tract irritation

Full text of hazard classes and H-statements : see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; Xn; R11-19-36/37-40-66

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing vapours, dust, fume, gas.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name	Product identifier	%
1,4-DIOXANE SPECIALLY DRIED	(CAS-No.) 123-91-1 (EC-No.) 204-661-8	100

Full text of R- and H-statements: see section 16

www.Labogens.com 08/04/2016 2/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Chronic symptoms : Suspected carcinogen.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure,

rupturing closed containers, spreading fire and increasing risk of burns and injuries.

May form explosive peroxides.

### 5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

www.Labogens.com 08/04/2016 3/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to potential risk of explosion.

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a

well-ventilated area. Keep away from sources of ignition - No smoking. Obtain

special instructions before use. Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment.

Storage conditions : Heat sources. Direct sunlight. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Oxidizing agent.
Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : faint ether-like odor.

Odour threshold : No data available

pH : 6 - 8

Relative evaporation rate (butylacetate=1) : 2.7

Melting point : 10 - 12 °C

www.Labogens.com 08/04/2016 4/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point : No data available

Boiling point : 100 - 102 °C

Flash point : 12 °C

Auto-ignition temperature : 180 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Flammable solid.

Vapour pressure : 36 hPa at 20 °C

Relative vapour density at 20 °C : 3.03

Relative density : No data available

Density : 1.03 g/cm³ Relative gas density : 3.04

Solubility : No data available

Log Pow : -0.27

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : May form explosive peroxides.

Oxidising properties : No data available

Explosive limits : 0.02 - 0.22 vol %

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

#### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

#### 10.5. Incompatible materials

Oxidizing agent.

#### 10.6. Hazardous decomposition products

May release flammable gases. May form explosive peroxides.

www.Labogens.com 08/04/2016 5/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

pH: 6 - 8

Additional information : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation : Causes serious eye irritation.

8 - 6 :Ha

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

1,4-DIOXANE SPECIALLY DRIED (123-91-1)	
Log Pow	-0.27

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

www.Labogens.com 08/04/2016 6/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Additional information : Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to potential risk of explosion.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1165 UN-No. (IMDG) : 1165 UN-No. (IATA) : 1165 UN-No. (ADN) : 1165 UN-No. (RID) : 1165

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : DIOXANE
Proper Shipping Name (IMDG) : DIOXANE
Proper Shipping Name (IATA) : Dioxane
Proper Shipping Name (ADN) : DIOXANE
Proper Shipping Name (RID) : DIOXANE

Transport document description (ADR) : UN 1165 DIOXANE, 3, II, (D/E)
Transport document description (IMDG) : UN 1165 DIOXANE, 3, II (12°C c.c.)

Transport document description (IATA) : UN 1165 Dioxane, 3, II

Transport document description (ADN) : UN 1165 DIOXANE, 3, II

Transport document description (RID) : UN 1165 DIOXANE, 3, II

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### **IATA**

Transport hazard class(es) (IATA) : 3

www.Labogens.com 08/04/2016 7/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP1

### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2

www.Labogens.com 08/04/2016 8/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 1165

Tunnel restriction code (ADR) : D/E EAC code : •2YE

- Transport by sea

Limited quantities (IMDG) : 1 L : E2 Excepted quantities (IMDG) : P001 Packing instructions (IMDG) : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1 Tank special provisions (IMDG) : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG) : B

Flash point (IMDG) : 12°C c.c.

Properties and observations (IMDG) : Colourless liquid with an ether-like odour. Flashpoint: 12°C c.c. Explosive limits: 2%

to 22% Miscible with water. Harmful by inhalation.

MFAG-No : 127

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP1

www.Labogens.com 08/04/2016 9/11

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 2 Colis express (express parcels) (RID) : CE7 Hazard identification number (RID) : 33

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

1.4-DIOXANE SPECIALLY DRIED is not on the REACH Candidate List

1,4-DIOXANE SPECIALLY DRIED is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Immission Control Act - 12.BImSchV

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : 1,4-DIOXANE SPECIALLY DRIED is listed

SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

: The substance is not listed NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

#### **Denmark**

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

08/04/2016 10/11 www.Labogens.com

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-. H- and EUH-statements:

- un toxt of region and zero otation and		
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
F+	Extremely flammable	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 08/04/2016 11/11