## 1,4-DIOXANE FOR SYNTHESIS MSDS

**CAS No: 123-91-1 MSDS** 



## **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking


### 1.1. Product identifier

Product form : Substance

:

EC index no : 603-024-00-5
EC no : 204-661-8
CAS No : 123-91-1
Product code : 00126
Formula : C4H8O2

Chemical structure



Synonyms : Dioxane / Diethylene oxide

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

## 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Serious eye damage/eye H319

irritation, Category 2

Carcinogenicity, Category H351

www.Labogens.com 09/04/2015 1/11

## Safety Data Sheet

2

Specific target organ H335

toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

## Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 F; R11 Xi; R36/37 R19 R66

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H351 - Suspected of causing cancer

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Name : 1,4-DIOXANE For Synthesis

CAS No : 123-91-1 EC no : 204-661-8 EC index no : 603-024-00-5

www.Labogens.com 09/04/2015 2/11

## Safety Data Sheet

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated

clothing. Repeated exposure may cause skin dryness or cracking.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation. Symptoms/injuries after eye contact : Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure,

rupturing closed containers, spreading fire and increasing risk of burns and injuries.

May form explosive peroxides.

### 5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

## 6.2. Environmental precautions

Avoid release to the environment.

www.Labogens.com 09/04/2015 3/11

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to potential risk of explosion.

Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Keep away from sources of ignition - No

smoking.

Hygiene measures : Wash ... thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible products : Oxidizing agent. Incompatible materials : Heat sources.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : faint ether-like odor.

Odour threshold : No data available

pH : 6-8

www.Labogens.com 09/04/2015 4/11

## Safety Data Sheet

Relative evaporation rate (butylacetate=1) : 2.7

Melting point : 10 - 12 °C

Freezing point : No data available

Boiling point : 100 - 102 °C

Flash point : 12 °C

Auto-ignition temperature : 180 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour

Vapour pressure : 36 hPa at 20 °C

Relative vapour density at 20 °C : 3.03

Relative density : No data available

Density : 1.03 g/cm³ Relative gas density : 3.04

Solubility : No data available

Log Pow : -0.27

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : May form explosive peroxides.

Oxidising properties : No data available

Explosive limits : 0.02 - 0.22 vol %

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

### 10.4. Conditions to avoid

Open flame. Direct sunlight. Heat. Sparks. Overheating.

### 10.5. Incompatible materials

Oxidizing agent.

## 10.6. Hazardous decomposition products

May release flammable gases. May form explosive peroxides.

www.Labogens.com 09/04/2015 5/11

## Safety Data Sheet

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

pH: 6 - 8

Additional information : Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6 - 8

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

1,4-DIOXANE For Synthesis (123-91-1)	
Log Pow	-0.27

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

www.Labogens.com 09/04/2015 6/11

## Safety Data Sheet

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to potential risk of explosion.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1165 UN-No. (IMDG) : 1165 UN-No.(IATA) : 1165 UN-No. (ADN) : 1165 UN-No. (RID) : 1165

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : DIOXANE
Proper Shipping Name (IMDG) : DIOXANE
Proper Shipping Name (IATA) : DIOXANE
Proper Shipping Name (ADN) : DIOXANE
Proper Shipping Name (RID) : DIOXANE

Transport document description (ADR) : UN 1165 DIOXANE, 3, II, (D/E)
Transport document description (IMDG) : UN 1165 DIOXANE, 3, II (12°C c.c.)

Transport document description (IATA) : UN 1165 DIOXANE, 3, II
Transport document description (ADN) : UN 1165 DIOXANE, 3, II
Transport document description (RID) : UN 1165 DIOXANE, 3, II

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



### **IATA**

Transport hazard class(es) (IATA) : 3

www.Labogens.com 09/04/2015 7/11

## Safety Data Sheet

Hazard labels (IATA) : 3



### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

## - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2

Transport category (ADR) : 2
Special provisions for carriage - Operation : S2, S20

(ADR)

www.Labogens.com 09/04/2015 8/11

## Safety Data Sheet

Hazard identification number (Kemler No.) : 33

Orange plates

33 1165

: 127

Tunnel restriction code (ADR) : D/E EAC code : •2YE

## - Transport by sea

Limited quantities (IMDG) : 1 L : E2 Excepted quantities (IMDG) Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG) : B : 12°C c.c. Flash point (IMDG)

### - Air transport

MFAG-No

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3L

### - Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

## - Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

: TP1

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

www.Labogens.com 09/04/2015 9/11

## Safety Data Sheet

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

1,4-DIOXANE For Synthesis is not on the REACH Candidate List

1,4-DIOXANE For Synthesis is not on the REACH Annex XIV List

### 15.1.2. National regulations

### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 86)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### **Denmark**

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour

www.Labogens.com 09/04/2015 10/11

## Safety Data Sheet

H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer
R11	Highly flammable
R19	May form explosive peroxides
R36/37	Irritating to eyes and respiratory system
R40	Limited evidence of a carcinogenic effect
R66	Repeated exposure may cause skin dryness or cracking
F	Highly flammable
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11