CAS No: 90-15-3 MSDS



### MATERIAL SAFETY DATA SHEET (MSDS)


### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

CAS No : 90-15-3 Product code : 04756

Chemical structure



#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road,

Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

#### 1.4. **Emergency telephone number**

**Emergency number** : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye H318

irritation, Category 1

H312

Acute toxicity (dermal),

Category 4 Acute toxicity (oral),

H302

Category 4

Skin corrosion/irritation,

H315

Category 2

Specific target organ toxicity — Single

H335

exposure, Category 3,

09/04/2015 1/11 www.Labogens.com

### Safety Data Sheet

Respiratory tract irritation

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22 Xi; R41 Xi; R37/38

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS05 GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H312 - Harmful if swallowed or in contact with skin

H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : 1-NAPHTHOL AR

CAS No : 90-15-3

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/11

### Safety Data Sheet

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific

treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

www.Labogens.com 09/04/2015 3/11

### Safety Data Sheet

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-

ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 144.17 g/mol

Colour : Off white to brownish.

Odour : slight phenolic odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 94 - 96

Freezing point : No data available

Boiling point : 278 - 280

Flash point : 125 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

www.Labogens.com 09/04/2015 4/11

### Safety Data Sheet

Vapour pressure : 1 mm Hg at 940C

Relative vapour density at 20 °C : 4.5

Relative density : No data available

Solubility : Water: Practically insoluble in water

Log Pow : 2.85

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.008 - 0.05 vol %

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single : May cause respiratory irritation.

exposure)

www.Labogens.com 09/04/2015 5/11

### Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

1-NAPHTHOL AR (90-15-3)	
Log Pow	2.85

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 2811 UN-No. (IMDG) : 2811 UN-No.(IATA) : 2811 UN-No.(ADN) : 2811 UN-No. (RID) : 2811

www.Labogens.com 09/04/2015 6/11

### Safety Data Sheet

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : TOXIC SOLID, ORGANIC, N.O.S.

Proper Shipping Name (IMDG) : TOXIC SOLID, ORGANIC, N.O.S.

Proper Shipping Name (IATA) : TOXIC SOLID, ORGANIC, N.O.S.

Proper Shipping Name (ADN) : TOXIC SOLID, ORGANIC, N.O.S.

Proper Shipping Name (RID) : TOXIC SOLID, ORGANIC, N.O.S.

Transport document description (ADR)

: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, III, (E)

Transport document description (IMDG)

: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, III

Transport document description (IATA)

: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, III

Transport document description (ADN)

: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, III

Transport document description (RID)

: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, III

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



#### IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



#### ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



#### **RID**

Transport hazard class(es) (RID) : 6.1

www.Labogens.com 09/04/2015 7/11

## Safety Data Sheet

Danger labels (RID) : 6.1



#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : T2

Special provision (ADR) : 274, 614

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAH, L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Bulk : VC1, VC2, AP7

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates

60 2811

Tunnel restriction code (ADR) : E EAC code : 2X

#### - Transport by sea

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

www.Labogens.com 09/04/2015 8/11

### Safety Data Sheet

: P002 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-A EmS-No. (Spillage) Stowage category (IMDG) : A MFAG-No : 154

#### - Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y645
PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 670
PCA max net quantity (IATA) : 100kg
CAO packing instructions (IATA) : 677
CAO max net quantity (IATA) : 200kg
Special provision (IATA) : A3, A5
ERG code (IATA) : 6L

#### - Inland waterway transport

Classification code (ADN) : T2

Special provisions (ADN) : 274, 614, 802

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : T2
Special provision (RID) : 274, 614
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAH, L4BH

Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage - Bulk

(RID)

: VC1, VC2, AP7

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 60

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

www.Labogens.com 09/04/2015 9/11

### Safety Data Sheet

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

1-NAPHTHOL AR is not on the REACH Candidate List

1-NAPHTHOL AR is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 2944)

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Denmark**

: Young people below the age of 18 years are not allowed to use the product Recommendations Danish Regulation

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

#### **Chemical safety assessment**

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
R21/22	Harmful in contact with skin and if swallowed
R37/38	Irritating to respiratory system and skin
R41	Risk of serious damage to eyes

09/04/2015 10/11 www.Labogens.com

## Safety Data Sheet

Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11