

2-DIETHYLAMINOETHANOL FOR SYNTHESIS MSDS


CAS-No.: 100-37-8 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC Index-No. : 603-048-00-6
EC-No. : 202-845-2
CAS-No. : 100-37-8
Product code : 00102
Chemical structure :



Synonyms : N,N-Diethylethanolamine

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226
Category 3
Acute toxicity (oral), H302
Category 4
Acute toxicity (dermal), H312
Category 4
Acute toxicity (inhal.), H332
Category 4
Skin corrosion/irritation, H314

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Category 1B
Skin sensitisation, H317
Category 1

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R20/21/22
C; R34
R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : 2-DIETHYLAMINOETHANOL FOR SYNTHESIS
CAS-No. : 100-37-8
EC-No. : 202-845-2
EC Index-No. : 603-048-00-6

Full text of R- and H-statements: see section 16

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Harmful if inhaled.
Symptoms/effects after skin contact	: Harmful in contact with skin. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
-------------------------	--

6.4. Reference to other sections

No additional information available

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
Incompatible materials	: Heat sources.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Approved supplied air respirator

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 117.7 g/mol
Colour	: Clear Colorless.
Odour	: No data available
Odour threshold	: No data available
pH	: 10
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -70 °C
Freezing point	: No data available
Boiling point	: 158 - 161 °C
Flash point	: 50 °C
Auto-ignition temperature	: 320 °C
Decomposition temperature	: No data available

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: 1 hPa at 20 °C
Relative vapour density at 20 °C	: 4.05
Relative density	: No data available
Solubility	: Water: Soluble in water
Log Pow	: 0.3
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.014 - 0.117 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 10

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 10

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

2-DIETHYLAMINOETHANOL FOR SYNTHESIS (100-37-8)	
Log Pow	0.3

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2686
UN-No. (IMDG) : 2686
UN-No. (IATA) : 2686

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

UN-No. (ADN) : 2686
UN-No. (RID) : 2686

14.2. UN proper shipping name

Proper Shipping Name (ADR) : 2-DIETHYLAMINOETHANOL
Proper Shipping Name (IMDG) : 2-DIETHYLAMINOETHANOL
Proper Shipping Name (IATA) : 2-Diethylaminoethanol
Proper Shipping Name (ADN) : 2-DIETHYLAMINOETHANOL
Proper Shipping Name (RID) : 2-DIETHYLAMINOETHANOL
Transport document description (ADR) : UN 2686 2-DIETHYLAMINOETHANOL, 8 (3), II, (D/E)
Transport document description (IMDG) : UN 2686 2-DIETHYLAMINOETHANOL, 8 (3), II (46°C c.c.)
Transport document description (IATA) : UN 2686 2-Diethylaminoethanol, 8 (3), II
Transport document description (ADN) : UN 2686 2-DIETHYLAMINOETHANOL, 8 (3), II
Transport document description (RID) : UN 2686 2-DIETHYLAMINOETHANOL, 8 (3), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



IMDG

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



IATA

Transport hazard class(es) (IATA) : 8 (3)
Hazard labels (IATA) : 8, 3



ADN

Transport hazard class(es) (ADN) : 8 (3)
Danger labels (ADN) : 8, 3



RID

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Transport hazard class(es) (RID) : 8 (3)
Danger labels (RID) : 8, 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : CF1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BN
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 83
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •2W
APP code : A(fl)

- Transport by sea

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-C

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Stowage category (IMDG)	: A
Flash point (IMDG)	: 46°C to 60°C c.c.
MFAG-No	: 132

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 8F

- Inland waterway transport

Classification code (ADN)	: CF1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

- Rail transport

Classification code (RID)	: CF1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 83

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

2-DIETHYLAMINOETHANOL FOR SYNTHESIS is not on the REACH Candidate List

2-DIETHYLAMINOETHANOL FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 1288)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H302+H312+H332;H314;H317>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
R10	Flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R34	Causes burns
C	Corrosive

2-DIETHYLAMINOETHANOL FOR SYNTHESIS

Safety Data Sheet

Xn	Harmful
----	---------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.