CAS No: 60-24-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

CAS No : 60-24-2 : 04566 Product code

Chemical structure

.OH HS

: Thioethylene glycol / 2-Hydroxyethylmercaptan / BME / β-Mercaptoethano Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

1.4. **Emergency telephone number**

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301 Category 3 Acute toxicity (dermal), H310 Category 1 Acute toxicity H330 (inhalation:vapour)

Category 1

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye H318 irritation, Category 1 Sensitisation — Skin, H317 category 1

Hazardous to the aquatic H410

environment — Chronic

09/04/2015 www.Labogens.com 1/11

Safety Data Sheet

Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24/25 Xi; R41 Xi; R38 R43 N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H301 - Toxic if swallowed

H310+H330 - Fatal in contact with skin or if inhaled

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

2.3. Other hazards

No additional information available

Precautionary statements (CLP)

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : 2-MERCAPTOETHANOL AR/MOLECULAR BIOLOGY

CAS No : 60-24-2

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Gently wash with plenty of soap

and water. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 78.13 g/mol

Colour : Pale pinkish colour.

Odour : disagreeable odor.

Odour threshold : No data available

pH : 4.5 - 6 at 500 g/l at 20 °C

Relative evaporation rate (butylacetate=1) : No data available

Melting point : < -50 °C

Freezing point : No data available

Boiling point : 157 °C

Flash point : 68 °C

Auto-ignition temperature : 295 °C

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.76 hPa at 20 °C

Relative vapour density at 20 °C : 2.7

Relative density : No data available

Density : 1.114 g/cm³

Solubility : Water: Soluble in water

Log Pow : 0.056

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.023 - 0.18 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Fatal in contact with skin. Inhalation:vapour: Fatal if

inhaled.

Skin corrosion/irritation : Causes skin irritation.

pH: 4.5 - 6 at 500 g/l at 20 °C

Serious eye damage/irritation : Causes serious eye damage.

pH: 4.5 - 6 at 500 g/l at 20 °C

Respiratory or skin sensitisation : May cause an allergic skin reaction.

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified : Not classified Specific target organ toxicity (single

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

| 2-MERCAPTOETHANOL AR/MOLECULAR BIOLOGY (60-24-2) | |
|--|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

12.3. **Bioaccumulative potential**

| 2-MERCAPTOETHANOL AR/MOLECULAR BIOLOGY (60-24-2) | |
|--|-------|
| Log Pow | 0.056 |

12.4. **Mobility in soil**

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

Ecology - waste materials

: Hazardous waste due to toxicity.

6/11 09/04/2015 www.Labogens.com

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2966 UN-No. (IMDG) : 2966 UN-No.(IATA) : 2966 UN-No. (ADN) : 2966 UN-No. (RID) : 2966

14.2. UN proper shipping name

Proper Shipping Name (ADR) : THIOGLYCOL
Proper Shipping Name (IMDG) : THIOGLYCOL
Proper Shipping Name (IATA) : THIOGLYCOL
Proper Shipping Name (ADN) : THIOGLYCOL
Proper Shipping Name (RID) : THIOGLYCOL

Transport document description (ADR) : UN 2966 THIOGLYCOL, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 2966 THIOGLYCOL, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Transport document description (IATA) : UN 2966 THIOGLYCOL, 6.1, II, ENVIRONMENTALLY HAZARDOUS Transport document description (ADN) : UN 2966 THIOGLYCOL, 6.1, II, ENVIRONMENTALLY HAZARDOUS : UN 2966 THIOGLYCOL, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. **Packing group**

Packing group (ADR) : 11 Packing group (IMDG) : II : 11 Packing group (IATA) Packing group (ADN) : II Packing group (RID) : 11

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T1 Limited quantities (ADR) : 100ml Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15 Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S9, S19 (ADR)

Hazard identification number (Kemler No.) : 60

Orange plates

60 2966

: CV13, CV28

09/04/2015 8/11 www.Labogens.com

Safety Data Sheet

Tunnel restriction code (ADR) : D/E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 100 ml Excepted quantities (IMDG) : E4 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-A Stowage category (IMDG) : A MFAG-No : 153

- Air transport

: E4 PCA Excepted quantities (IATA) PCA Limited quantities (IATA) : Y641 PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 654 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 662 : 60L CAO max net quantity (IATA) : 6L ERG code (IATA)

- Inland waterway transport

Classification code (ADN) : T1 Special provisions (ADN) : 802 Limited quantities (ADN) : 100 ml Excepted quantities (ADN) : E4 : T Carriage permitted (ADN)

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T1 : 100ml Limited quantities (RID) Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02 Mixed packing provisions (RID) : MP15 Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BH : TU15 Special provisions for RID tanks (RID) Transport category (RID) : 2

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

: TP2

Colis express (express parcels) (RID) : CE5 Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

09/04/2015 9/11 www.Labogens.com

Safety Data Sheet

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

2-MERCAPTOETHANOL AR/MOLECULAR BIOLOGY is not on the REACH Candidate List

2-MERCAPTOETHANOL AR/MOLECULAR BIOLOGY is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 884)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product Recommendations Danish Regulation

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| Acute Tox. 1 (Dermal) | Acute toxicity (dermal), Category 1 |
|-----------------------|---|
| Acute Tox. 1 | Acute toxicity (inhalation:vapour) Category 1 |
| (Inhalation:vapour) | |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Sensitisation — Skin, category 1 |
| H301 | Toxic if swallowed |
| H310 | Fatal in contact with skin |

09/04/2015 10/11 www.Labogens.com

Safety Data Sheet

| H315 | Causes skin irritation |
|-----------|---|
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H330 | Fatal if inhaled |
| H410 | Very toxic to aquatic life with long lasting effects |
| R23/24/25 | Toxic by inhalation, in contact with skin and if swallowed |
| R38 | Irritating to skin |
| R41 | Risk of serious damage to eyes |
| R43 | May cause sensitisation by skin contact |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| N | Dangerous for the environment |
| Т | Toxic |
| Xi | Irritant |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11