CAS-No.: 109-09-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance


:

 CAS-No.
 : 109-09-1

 Product code
 : 2770P

 Formula
 : C5H4CIN

Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302 Category 4 Acute toxicity (dermal), H310 Category 1

Acute toxicity (inhal.), H330

Category 2

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye H318

irritation, Category 1

www.Labogens.com 08/06/2016 1/11

Safety Data Sheet

Specific target organ H335

toxicity — Single exposure, Category 3, Respiratory tract irritation Specific target organ

H373

toxicity — Repeated exposure, Category 2

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS06



GHS08



GHS09

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H302 - Harmful if swallowed.

H310+H330 - Fatal in contact with skin or if inhaled

H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P260 - Do not breathe vapours, spray, dust, fume, gas.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P284 - Wear respiratory protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

No additional information available

www.Labogens.com 08/06/2016 2/11

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | % |
|--------------------------------|--------------------|-----|
| 2-CHLOROPYRIDINE FOR SYNTHESIS | (CAS-No.) 109-09-1 | 100 |

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of water/.... Remove affected clothing and wash all exposed skin

area with mild soap and water, followed by warm water rinse. Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause damage to organs through prolonged or repeated exposure.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

www.Labogens.com 08/06/2016 3/11

Safety Data Sheet

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation

in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 113.55 g/mol Colour : Colourless.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -46 °C

Freezing point : No data available

www.Labogens.com 08/06/2016 4/11

Safety Data Sheet

Boiling point : 166 °C

Flash point : 68 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 2.2 hPa at 20°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.29 g/cm³ at 25°C Solubility : Water: 27 g/l at 20°C

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if

inhaled.

www.Labogens.com 08/06/2016 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2822 UN-No. (IMDG) : 2822

www.Labogens.com 08/06/2016 6/11

Safety Data Sheet

UN-No. (IATA) : 2822 UN-No. (ADN) : 2822 UN-No. (RID) : 2822

14.2. UN proper shipping name

Proper Shipping Name (ADR) : 2-CHLOROPYRIDINE
Proper Shipping Name (IMDG) : 2-CHLOROPYRIDINE
Proper Shipping Name (IATA) : 2-Chloropyridine
Proper Shipping Name (ADN) : 2-CHLOROPYRIDINE
Proper Shipping Name (RID) : 2-CHLOROPYRIDINE

Transport document description (ADR) : UN 2822 2-CHLOROPYRIDINE, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 2822 2-CHLOROPYRIDINE, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA)

: UN 2822 2-Chloropyridine, 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN)

: UN 2823 3 CHI OROPYRIDINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN)

UN 2822 2-CHLOROPYRIDINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID)

UN 2822 2-CHLOROPYRIDINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



www.Labogens.com 08/06/2016 7/11

Safety Data Sheet

RID

Transport hazard class(es) (RID) : 6.1 : 6.1 Danger labels (RID)



Packing group

: 11 Packing group (ADR) : II Packing group (IMDG) Packing group (IATA) : 11 Packing group (ADN) : 11 : 11 Packing group (RID)

14.5. **Environmental hazards**

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T1 Limited quantities (ADR) : 100ml : E4 Excepted quantities (ADR)

: P001, IBC02 Packing instructions (ADR) Mixed packing provisions (ADR) : MP15 Portable tank and bulk container : T7

instructions (ADR)

: TP2

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.)

Orange plates

60 2822

: D/E Tunnel restriction code (ADR) EAC code : 2X

- Transport by sea

Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2

08/06/2016 8/11 www.Labogens.com

Safety Data Sheet

: F-A EmS-No. (Fire) : S-A EmS-No. (Spillage) : A Stowage category (IMDG) Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Colourless oily liquid. Slightly miscible with water. Toxic if swallowed, by skin contact

or by inhalation.

- Air transport

PCA Excepted quantities (IATA) : E4 PCA Limited quantities (IATA) : Y641 PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 654 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 662 CAO max net quantity (IATA) : 60L ERG code (IATA) : 6L

- Inland waterway transport

: T1 Classification code (ADN) Special provisions (ADN) : 802 : 100 ml Limited quantities (ADN) Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP, TOX, A

: VE02 Ventilation (ADN) Number of blue cones/lights (ADN) : 2

- Rail transport

: T1 Classification code (RID) Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15 Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special : TP2

provisions (RID)

Tank codes for RID tanks (RID) : L4BH Special provisions for RID tanks (RID) : TU15 Transport category (RID) : 2

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE5 Hazard identification number (RID) : 60

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

2-CHLOROPYRIDINE FOR SYNTHESIS is not on the REACH Candidate List 2-CHLOROPYRIDINE FOR SYNTHESIS is not on the REACH Annex XIV List

08/06/2016 9/11 www.Labogens.com

Safety Data Sheet

15.1.2. National regulations

Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed : The substance is not listed SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Ontwikkeling

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product Recommendations Danish Regulation

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

: The substance is not listed

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

| Acute Tox. 1 (Dermal) | Acute toxicity (dermal), Category 1 |
|---------------------------|--|
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H315 | Causes skin irritation. |

08/06/2016 10/11 www.Labogens.com

Safety Data Sheet

| H318 | Causes serious eye damage. |
|------|--|
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 08/06/2016 11/11