CAS No: MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product code : 4093D

: 4M Hydrogen Chloride In Dioxane Synonyms

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses 1.2.1.

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. **Uses advised against**

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Corrosive to metals, H290

Category 1

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye H319

irritation, Category 2

Carcinogenicity, Category H351

Specific target organ H335

toxicity — Single

exposure, Category 3,

Respiratory tract irritation

Full text of classification categories and H statements : see section 16

1/10 www.Labogens.com

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

(!)



GHS02

GHS05

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H290 - May be corrosive to metals H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H351 - Suspected of causing cancer

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,4-Dioxane	(CAS No) 123-91-1 (EC no) 204-661-8 (EC index no) 603-024-00-5	84 - 87	Flam. Liq. 2, H225 Carc. 2, H351 Eye Irrit. 2, H319 STOT SE 3, H335
Hydrochloric acid	(CAS No) 7647-01-0 (EC no) 231-595-7 (EC index no) 017-002-01-X	14 - 15.5	Skin Corr. 1B, H314 STOT SE 3, H335

www.Labogens.com 2/10

Safety Data Sheet

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remo

: Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Gently wash with plenty of

soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. If you feel unwell,

seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : Heating may cause a fire or explosion.

Hazardous decomposition products in

case of fire

Corrosive vapours. Thermal decomposition generates: Toxic fumes may be

released.

5.3. Advice for firefighters

Precautionary measures fire : Keep away from combustible materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

www.Labogens.com 3/10

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Store in a dry place. Store in a closed container. Store in

a well-ventilated place.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.
Colour : No data available

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : -17 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

www.Labogens.com 4/10

Safety Data Sheet

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.05 g/cm³

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Highly flammable liquid and vapour. Stable under normal conditions. May cause or intensify fire; oxidizer.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks. Finely divided metals.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

www.Labogens.com 5/10

Safety Data Sheet

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2924 UN-No. (IMDG) : 2924 UN-No.(IATA) : 2924

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

www.Labogens.com 6/10

Safety Data Sheet

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated

Transport document description (ADR)

: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II, (D/E)

: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II

: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II

: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (8)
Danger labels (ADR) : 3, 8



IMDG

Transport hazard class(es) (IMDG) : 3 (8)
Danger labels (IMDG) : 3, 8



IATA

Transport hazard class(es) (IATA) : 3 (8) Hazard labels (IATA) : 3, 8



ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

www.Labogens.com 7/10

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FC
Special provision (ADR) : 274
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T11

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BH

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 338

Orange plates

338 2924

: TP2, TP27

Tunnel restriction code (ADR) : D/E
EAC code : •3WE
APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank appaid provisions (IMDG) : TD2 TD

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire): F-EEmS-No. (Spillage): S-CStowage category (IMDG): BStowage and handling (IMDG): SW2

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y340
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 363
CAO max net quantity (IATA) : 5L
Special provision (IATA) : A3
ERG code (IATA) : 3CH

- Inland waterway transport

Not regulated

www.Labogens.com 8/10

Safety Data Sheet

- Rail transport

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to AwSV,

Annex 1)

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Add boilingpoint Store unit : Add boilingpoint

Classification remarks : Add boilingpoint; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

9/10 www.Labogens.com

Safety Data Sheet

Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 10/10