

CAS-No.: 64-19-7 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product form : Substance : EC Index-No. : 607-002-00-6 EC-No. 200-580-7 : CAS-No. : 64-19-7 Product code : 00006 Chemical structure : ЭΗ H_3 : Ethanoic Acid Synonyms Relevant identified uses of the substance or mixture and uses advised against 1.2. 1.2.1. **Relevant identified uses** Industrial/Professional use spec : Industrial For professional use only 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 931677775, +91 7707855700 sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number

: +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226 Category 3 Skin corrosion/irritation, H314 Category 1A

Full text of H statements : see section 16

Safety Data Sheet


Specific concentration limits:

(10 =<C < 25) (10 =<C < 25) (25 =<C < 90) (90 =<C < 100) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Corr. 1B, H314 Skin Corr. 1A, H314

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] R10 C; R35 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available



2.3. **Other hazards**

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Name	Product identifier	%
ACETIC ACID GLACIAL AR (ALDEHYDE FREE)	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	100

Full text of R- and H-statements: see section 16

3.2.	Mixtures		
Not ap	pplicable		
www.La	bogens.com	13/03/2019	2/11

SECTION 4: First aid measures

4.1. Description of first aid measur	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or
	artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage.
4.3. Indication of any immediate m	edical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Chistilable extinguishing media	
5.2. Special hazards arising from t	he substance or mixture
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when
Protection during firefighting	fighting any chemical fire. Prevent fire fighting water from entering the environment. : Do not enter fire area without proper protective equipment, including respiratory
r rotection during menghting	
	protection.
	protection.
SECTION 6: Accidental release measure	
	res
6.1. Personal precautions, protecti General measures	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1. Personal precautions, protecti General measures	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
 6.1. Personal precautions, protecti General measures 6.1.1. For non-emergency personnel Emergency procedures 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
 6.1. Personal precautions, protecti General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel. : Use personal protective equipment as required.
 6.1. Personal precautions, protecti General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel. : Use personal protective equipment as required.
 6.1. Personal precautions, protecti General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	 res ve equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. : Evacuate unnecessary personnel. : Use personal protective equipment as required.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	 res ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 	 res ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. s. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contain Methods for cleaning up 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact Methods for cleaning up 6.4. Reference to other sections 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal precautions 	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal personal	 ve equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.
 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters 6.3. Methods and material for contact Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal precautions 	 Ye equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area. Avoid release to the environment. Harmful to aquatic life. ainment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.

Safety Data Sheet

Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe	storage, including any incompatibilities
Storage conditions	: Store in original container. Keep container tightly closed. Store in a well-ventilated place.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
No additional information avail	able
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	

No additional information available

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and chemical prop	perties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Molecular mass	: 60.05 g/mol
Colour	: Clear Colorless.
Odour	: strong, vinegar-like.
Odour threshold	: No data available
рН	: 2.4
Relative evaporation rate (butylacetate=1)	: 0.97
Melting point	: 16.2 °C
Freezing point	: No data available
Boiling point	: 117 - 118 °C
Flash point	: 40 °C
Auto-ignition temperature	: 485 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.

Safety Data Sheet

Vapour pressure	: 15.2 hPa at 20°C
Relative vapour density at 20 °C	: 2.1
Relative density	: No data available
Density Solubility	: 1.049 g/cm³ : Water: Complete
Log Pow	: 0.17
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.04 - 0.199 vol %

9.2. **Other information**

No additional information available

SECTIO	N 10: Stability and reactivity
10.1.	Reactivity
No additi	ional information available

10.2. **Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

Incompatible materials 10.5.

Strong acids. Strong bases.

Hazardous decomposition products 10.6.

No additional information available

SECTION 11: Toxicological informati	on	
11.1. Information on toxicological	effects	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 2.4	
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 2.4	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
www.Labogens.com	13/03/2019	5/11

Safety Data Sheet

Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects	: Based on available data, the classification criteria are not met.
and symptoms	
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	

12.2. Persistence and degradabil	y .
ACETIC ACID GLACIAL AR (ALDE	IYDE FREE) (64-19-7)
Persistence and degradability	Not established.

12.3. Bioaccumulative potential		
ACETIC ACID GLACIAL AR (ALDEHYDE	FREE) (64-19-7)	
Log Pow	0.17	
Bioaccumulative potential	Not established.	

12.4. **Mobility in soil**

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
www.Labogens.com	13/03/2019 6/11

Safety Data Sheet

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 2789
UN-No. (IMDG)	: 2789
UN-No. (IATA)	: 2789
UN-No. (ADN)	: 2789
UN-No. (RID)	: 2789
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ACETIC ACID, GLACIAL
Proper Shipping Name (IMDG)	: ACETIC ACID, GLACIAL
Proper Shipping Name (IATA)	: Acetic acid, glacial
Proper Shipping Name (ADN)	: ACETIC ACID, GLACIAL
Proper Shipping Name (RID)	: ACETIC ACID, GLACIAL
Transport document description (ADR)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II, (D/E)
Transport document description (IMDG)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II
Transport document description (IATA)	: UN 2789 Acetic acid, glacial, 8 (3), II
Transport document description (ADN)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II
Transport document description (RID)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8 (3)
Danger labels (ADR)	: 8, 3
IMDG	
Transport hazard class(es) (IMDG)	: 8 (3)
Danger labels (IMDG)	: 8, 3
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 8 (3)
Hazard labels (IATA)	: 8, 3

3/

Safety Data Sheet

Safety Data Sheet	
Transport hazard class(es) (ADN)	: 8 (3)
Danger labels (ADN)	: 8,3
RID	
Transport hazard class(es) (RID)	: 8 (3)
Danger labels (RID)	: 8,3
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	254
Classification code (ADR)	: CF1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 83
Orange plates	83 2789
Tunnel restriction code (ADR)	: D/E
EAC and	

: •2P

: A(fl)

www.Labogens.com

EAC code

APP code

Safety Data Sheet

: 1 L : E2 : P001 : IBC02 : T7 : TP2 : F-E : S-C : A
: E2 : Y840 : 0.5L
: 851 : 1L : 855 : 30L : 8F
: CF1 : 1 L : E2 : T : PP, EP, EX, A : VE01 : 1
: CF1 : 1L : E2 : P001, IBC02 : MP15 : T7 : TP2 : L4BN : 2 : CE6 : 83

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not on the REACH Candidate List

www.Labogens.com

Safety Data Sheet

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not on the REACH Annex XIV List

15.1.2. National regulations

Germany	
Reference to AwSV	: Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 93)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	 R10 <h226;h314>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h314>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of R-, H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B

Safety Data Sheet

Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
R10	Flammable
R35	Causes severe burns
С	Corrosive

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.