ACETONE ELECTRONIC GRADE MSDS

CAS No: 67-64-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance Trade name : Acetone EL EC index no : 606-001-00-8 EC no : 200-662-2 CAS No : 67-64-1 Product code : 00014 Formula : C3H6O

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial; For professional use only

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

1.4. **Emergency telephone number**

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Serious eye damage/eye H319

irritation, Category 2 Specific target organ

H336

toxicity — Single

exposure, Category 3, Narcosis

Full text of classification categories and H statements : see section 16

19/12/2017 1/10 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xi; R36 R66 R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : ACETONE ELECTRONIC GRADE

CAS No : 67-64-1 EC no : 200-662-2 EC index no : 606-001-00-8

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 19/12/2017 2/10

Safety Data Sheet

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. If skin

irritation or rash occurs: Get medical advice/attention.

: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously First-aid measures after eye contact

with water for several minutes. If eye irritation persists: Get medical advice/attention.

: Rinse mouth out with water. If you feel unwell, seek medical advice. First-aid measures after ingestion

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness. Symptoms/injuries after eye contact : Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. **Advice for firefighters**

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up 6.3.

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4 Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Do not breathe vapours.

: Wash hands and other exposed areas with mild soap and water before eating, Hygiene measures

drinking or smoking and when leaving work.

19/12/2017 3/10 www.Labogens.com

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : fragrant, mint-like.

Odour threshold : 62 ppm

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -95.35 °C

Freezing point : No data available

Boiling point : 56.2 °C

Flash point : -200 °C

Critical temperature : 235 °C

Auto-ignition temperature : 4650 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable

Highly flammable liquid and vapour

Vapour pressure : 24 kPa

www.Labogens.com 19/12/2017 4/10

Safety Data Sheet

Relative vapour density at 20 °C : 2

Relative density : No data available

Density : 0.79 g/cm³

Relative gas density : 2

Solubility : Water: Complete

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Additional information : Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

www.Labogens.com 19/12/2017 5/10

Safety Data Sheet

Specific target organ toxicity (single

exposure)

: May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

: Dispose of contents/container to ...

recommendations

Additional information

: Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1090

 UN-No. (IMDG)
 : 1090

 UN-No.(IATA)
 : 1090

 UN-No.(ADN)
 : 1090

 UN-No. (RID)
 : 1090

www.Labogens.com 19/12/2017 6/10

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ACETONE
Proper Shipping Name (IMDG) : ACETONE
Proper Shipping Name (IATA) : ACETONE
Proper Shipping Name (ADN) : ACETONE
Proper Shipping Name (RID) : ACETONE

Transport document description (ADR) : UN 1090 ACETONE, 3, II, (D/E)
Transport document description (IMDG) : UN 1090 ACETONE, 3, II (-20°C c.c.)

Transport document description (IATA) : UN 1090 ACETONE, 3, II

Transport document description (ADN) : UN 1090 ACETONE, 3, II

Transport document description (RID) : UN 1090 ACETONE, 3, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3

www.Labogens.com 19/12/2017 7/10

Safety Data Sheet

Danger labels (RID) : 3



14.4. **Packing group**

Packing group (ADR) : II Packing group (IMDG) : 11 Packing group (IATA) : II : II Packing group (ADN) Packing group (RID) : II

Environmental hazards

Dangerous for the environment : No : No Marine pollutant

Other information : No supplementary information available

: TP1

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 1L : E2 Excepted quantities (ADR)

: P001, IBC02, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR)

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 1090

Tunnel restriction code (ADR) : D/E EAC code : •2YE

- Transport by sea

Limited quantities (IMDG) : 1 L : E2 Excepted quantities (IMDG) Packing instructions (IMDG) : P001 : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D : E Stowage category (IMDG)

: -20°C to -18°C c.c. Flash point (IMDG)

8/10 www.Labogens.com 19/12/2017

Safety Data Sheet

MFAG-No : 127

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3H

- Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP1

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Acetone EL is not on the REACH Candidate List

Acetone EL is not on the REACH Annex XIV List

15.1.2. National regulations

www.Labogens.com 19/12/2017 9/10

Safety Data Sheet

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 6)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
R11	Highly flammable
R36	Irritating to eyes
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 19/12/2017 10/10