ACETONE 99.8% FOR PESTICIDE RESIDUE TRACE ANALYSIS MSDS

CAS No: 67-64-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substan	nce/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Substance	
Trade name	: ACETONE 99.8% For pesticide residue trace analysis	
EC index no	: 606-001-00-8	
EC no	: 200-662-2	
CAS No	: 67-64-1	
Product code	: 0013B	
Formula	: C3H6O	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
1.2.1. Relevant identified uses	, and the second se	
Use of the substance/mixture	: Laboratory chemicals, Manufacture of substances	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the sa	fety data sheet	
Labogens Fine Chem Industries		
1st Floor, Above Bank of India, Guru Viha	r , Rahon Road,	
Ludhiana Pb. (141007) +91 9316777775, +91 7707855700		
sales@labogens.com - www.Labogens.c	om_	
1.4. Emergency telephone number		
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, H225

Category 2 Serious eye damage/eye H319 irritation, Category 2 Specific target organ H336 toxicity — Single exposure, Category 3, Narcosis

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xi; R36 R66 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (E	C) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
Precautionary statements (CLP)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
EUH phrases	: EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients 3.1. Substance

Name	Product identifier	%
ACETONE 99.8% For pesticide residue trace	(CAS No) 67-64-1	100
analysis	(EC no) 200-662-2	
	(EC index no) 606-001-00-8	

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water.
4.2. Most important symptoms and e	ffects both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptom singunes and eye contact	
4.3. Indication of any immediate med	lical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
E 1 Extinguishing modia	
5.1. Extinguishing media	, dry shamias navydar, slashal rasistant faam, sarban diayida (CO2)
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
8 8 8	· · · · · · · · · · · · · · · · · ·
SECTION 6: Accidental release measures	
SECTION 6: Accidental release measures	
SECTION 6: Accidental release measures	
SECTION 6: Accidental release measures 6.1. Personal precautions, protective	equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures	equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment.	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
 SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
 SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
 SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release. ment and cleaning up Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Handle empty containers with care because residual vapours are flammable.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling	 equipment and emergency procedures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Stop release.

Safety Data Sheet

Hygiene measures	: Wash thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. 	
Storage conditions	: Keep in fireproof place. Keep container tightly closed.	
Incompatible materials	: Heat sources.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/persor	al protection	
8.1. Control parameters		
No additional information available		

8.2. Exposure controls		
Hand protection : protective gloves		
Eye protection : Chemical goggles or safety glasses		
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection : Wear appropriate mask		
SECTION 9: Physical and chemical pro	perties	
9.1. Information on basic physical	and chemical properties	
Physical state	: Liquid	
Colour	: Clear colourless.	
Odour	: fragrant, mint-like.	
Odour threshold	: 62 ppm	
рН	: No data available	
Relative evaporation rate (butylacetate=1)) : No data available	
Melting point	: -95.35 °C	
Freezing point	: No data available	
Boiling point	: 56.2	
Flash point	: -200 °C	
Critical temperature	: 235 °C	
Auto-ignition temperature	: 4650 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely Flammable Flammable solid	
Vapour pressure	: 24 kPa	
www.Labogens.com	14/07/2016 4/10	

www.Labogens.com

Safety Data Sheet

Relative vapour density at 20 °C	: 2
Relative density	: No data available
Density Relative gas density Solubility	: 0.79 g/cm ³ : 2 : Water: Complete
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information	
11.1. Information on toxicological effe	cts
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Additional information	: Repeated exposure may cause skin dryness or cracking
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Safety Data Sheet

Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
42.4 Marcha Anarchina né maréh a da	
13.1. Waste treatment methods	
Product/Packaging disposal : Disprecommendations	pose of contents/container to
	ndle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	

14.1. UN number	
UN-No. (ADR)	: 1090
UN-No. (IMDG)	: 1090
UN-No.(IATA)	: 1090
UN-No.(ADN)	: 1090
UN-No. (RID)	: 1090

Safety Data Sheet

14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	: ACETONE : ACETONE : ACETONE : ACETONE : ACETONE : UN 1090 ACETONE, 3, II, (D/E) : UN 1090 ACETONE, 3, II (-20°C c.c.) : UN 1090 ACETONE, 3, II : UN 1090 ACETONE, 3, II : UN 1090 ACETONE, 3, II
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3
IMDG	
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 3 : 3
ΙΑΤΑ	
Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3
ADN	•
Transport hazard class(es) (ADN) Danger labels (ADN)	: 3 : 3
RID Transport hazard class(es) (RID)	: 3
Transport Hazaru Glass(ES) (KID)	

Safety Data Sheet

Danger labels (RID)	: 3
14.4. Packing group	•
14.4.Packing groupPacking group (ADR)	: 11
Packing group (IMDG)	: II
	: II
Packing group (IATA)	
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Querland transport	
- Overland transport	· F1

Classification code (ADR)	: F1
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1090
Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: E
Flash point (IMDG)	: -20°C to -18°C c.c.

Safety Data Sheet

MFAG-No	: 127
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ACETONE 99.8% For pesticide residue trace analysis is not on the REACH Candidate List ACETONE 99.8% For pesticide residue trace analysis is not on the REACH Annex XIV List

15.1.2. National regulations

Safety Data Sheet

Germany		
AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 6)	
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	I : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)	
Denmark		
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product	

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
EUH066	Repeated exposure may cause skin dryness or cracking
R11	Highly flammable
R36	Irritating to eyes
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product