


CAS No: 123-54-6 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Trade name : Acetylacetone 98%  
EC index no : 606-029-00-0  
EC no : 204-634-0  
CAS No : 123-54-6  
Product code : 00539  
Chemical structure :



Synonyms : 2,4-Pentanedione

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226  
Category 3  
Acute toxicity (oral), H302  
Category 4

Full text of classification categories and H statements : see section 16

# Acetylacetone 98%

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22

R10

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H226 - Flammable liquid and vapour  
H302 - Harmful if swallowed

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P280 - Wear protective gloves, protective clothing, eye protection, face protection  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : ACETYL ACETONE FOR SYNTHESIS 98%  
CAS No : 123-54-6  
EC no : 204-634-0  
EC index no : 606-029-00-0

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

# Acetylacetone 98%

## Safety Data Sheet

First-aid measures after skin contact	: Get medical advice/attention. Wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
-----------------------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
------------------	--

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage.
-------------------------	--

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
--------------------	--

# Acetylacetone 98%

## Safety Data Sheet

Storage conditions : Keep container tightly closed. Keep in fireproof place.  
Incompatible materials : Heat sources.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : Protective gloves  
Eye protection : Chemical goggles or safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Molecular mass : 100.12 g/mol  
Colour : colorless or slight yellow.  
Odour : putrid odor.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : 0.75  
Melting point : -23 °C  
Freezing point : No data available  
Boiling point : 139 - 141 °C  
Flash point : 34 °C  
Auto-ignition temperature : 340 °C  
Decomposition temperature : No data available  
Flammability (solid, gas) : Flammable  
Flammable liquid and vapour  
Vapour pressure : 6 mm Hg  
Relative vapour density at 20 °C : 3.5  
Relative density : No data available  
Density : 0.973 g/cm<sup>3</sup>  
Relative gas density : 3.5

# Acetylacetone 98%

## Safety Data Sheet

Solubility	: Water: Complete
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.024 - 0.116 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified  
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

# Acetylacetone 98%

## Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 2310

UN-No. (IMDG) : 2310

UN-No.(IATA) : 2310

UN-No.(ADN) : 2310

UN-No. (RID) : 2310

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PENTANE-2,4-DIONE

Proper Shipping Name (IMDG) : PENTANE-2,4-DIONE

Proper Shipping Name (IATA) : PENTANE-2,4-DIONE

Proper Shipping Name (ADN) : PENTANE-2,4-DIONE

# Acetylacetone 98%

## Safety Data Sheet

Proper Shipping Name (RID)	: PENTANE-2,4-DIONE
Transport document description (ADR)	: UN 2310 PENTANE-2,4-DIONE, 3 (6.1), III, (D/E)
Transport document description (IMDG)	: UN 2310 PENTANE-2,4-DIONE, 3 (6.1), III (34°C c.c.)
Transport document description (IATA)	: UN 2310 PENTANE-2,4-DIONE, 3 (6.1), III
Transport document description (ADN)	: UN 2310 PENTANE-2,4-DIONE, 3 (6.1), III
Transport document description (RID)	: UN 2310 PENTANE-2,4-DIONE, 3 (6.1), III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 3 (6.1)
Danger labels (ADR)	: 3, 6.1



#### IMDG

Transport hazard class(es) (IMDG)	: 3 (6.1)
Danger labels (IMDG)	: 3, 6.1



#### IATA

Transport hazard class(es) (IATA)	: 3 (6.1)
Hazard labels (IATA)	: 3, 6.1



#### ADN

Transport hazard class(es) (ADN)	: 3 (6.1)
Danger labels (ADN)	: 3, 6.1



#### RID

Transport hazard class(es) (RID)	: 3 (6.1)
Danger labels (RID)	: 3, 6.1



# Acetylacetone 98%

## Safety Data Sheet

### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III


### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: FT1
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 36
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •2Y

#### - Transport by sea

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Flash point (IMDG)	: 34°C c.c.
MFAG-No	: 131



# Acetylacetone 98%

## Safety Data Sheet

### - Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y343
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 3P

### - Inland waterway transport

Classification code (ADN)	: FT1
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: FT1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 36

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Acetylacetone 98% is not on the REACH Candidate List

Acetylacetone 98% is not on the REACH Annex XIV List

# Acetylacetone 98%

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 168)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H302>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
R10	Flammable
R22	Harmful if swallowed
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*