

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: ALLYL ALCOHOL FOR SYNTHESIS
EC index no	: 603-015-00-6
EC no	: 203-470-7
CAS No	: 107-18-6
Product code	: 00875

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
 1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
 Ludhiana Pb. (141007)
 +91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhal.), Category 3	H331
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment — Acute	H400

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24/25
Xi; R36/37/38
N; R50
R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour
H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P261 - Avoid breathing vapours, dust, fume, gas
P273 - Avoid release to the environment
P280 - Wear protective gloves, protective clothing, eye protection, face protection
P301+P310 - IF SWALLOWED: Immediately call a doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : ALLYL ALCOHOL FOR SYNTHESIS
CAS No : 107-18-6
EC no : 203-470-7

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

EC index no : 603-015-00-6

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
- Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Ventilate area.

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Do not breathe vapours. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions : Keep container tightly closed. Keep in fireproof place.
Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colorless.
Odour : pungent mustard.
Odour threshold : No data available
pH : No data available

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -129 °C
Freezing point	: No data available
Boiling point	: 96 - 98 °C
Flash point	: 22 °C
Auto-ignition temperature	: 378 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Flammable liquid and vapour
Vapour pressure	: 31.7 hPa at 20 °C
Relative vapour density at 20 °C	: 2.01
Relative density	: No data available
Density	: 0.854 g/cm ³
Solubility	: Water: Easily soluble in cold water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.025 - 0.18 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to ...
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1098
UN-No. (IMDG)	: 1098
UN-No.(IATA)	: 1098
UN-No.(ADN)	: 1098
UN-No. (RID)	: 1098

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ALLYL ALCOHOL
Proper Shipping Name (IMDG)	: ALLYL ALCOHOL
Proper Shipping Name (IATA)	: ALLYL ALCOHOL
Proper Shipping Name (ADN)	: ALLYL ALCOHOL
Proper Shipping Name (RID)	: ALLYL ALCOHOL
Transport document description (ADR)	: UN 1098 ALLYL ALCOHOL, 6.1 (3), I, (C/D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1098 ALLYL ALCOHOL, 6.1 (3), I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS (21°C c.c.)
Transport document description (IATA)	: UN 1098 ALLYL ALCOHOL, 6.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1098 ALLYL ALCOHOL, 6.1 (3), I, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1098 ALLYL ALCOHOL, 6.1 (3), I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1 (3)
Danger labels (ADR)	: 6.1, 3



IMDG

Transport hazard class(es) (IMDG)	: 6.1 (3)
Danger labels (IMDG)	: 6.1, 3



IATA

Transport hazard class(es) (IATA)	: 6.1 (3)
-----------------------------------	-----------

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet



ADN

Transport hazard class(es) (ADN) : 6.1 (3)

Danger labels (ADN) : 6.1, 3



RID

Transport hazard class(es) (RID) : 6.1 (3)

Danger labels (RID) : 6.1, 3



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : Not applicable
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TF1
Special provision (ADR) : 354
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P602
Mixed packing provisions (ADR) : MP8, MP17
Portable tank and bulk container instructions (ADR) : T20
Portable tank and bulk container special provisions (ADR) : TP2, TP35
Tank code (ADR) : L10CH
Tank special provisions (ADR) : TU14, TU15, TE19, TE21
Vehicle for tank carriage : FL
Transport category (ADR) : 1
Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

Special provisions for carriage - Operation (ADR) : S2, S9, S14

Hazard identification number (Kemler No.) : 663

Orange plates :



Tunnel restriction code (ADR) :

C/D

EAC code :

•2WE

APP code :

A(fl)

- Transport by sea

Special provision (IMDG) :

354

Limited quantities (IMDG) :

0

Excepted quantities (IMDG) :

E0

Packing instructions (IMDG) :

P602

Tank instructions (IMDG) :

T20

Tank special provisions (IMDG) :

TP2, TP13, TP35

EmS-No. (Fire) :

F-E

EmS-No. (Spillage) :

S-D

Stowage category (IMDG) :

D

Stowage and handling (IMDG) :

SW2

Flash point (IMDG) :

21°C c.c.

MFAG-No

: 131

- Air transport

PCA Limited quantities (IATA) :

Forbidden

PCA limited quantity max net quantity (IATA) :

Forbidden

PCA packing instructions (IATA) :

Forbidden

PCA max net quantity (IATA) :

Forbidden

CAO packing instructions (IATA) :

Forbidden

CAO max net quantity (IATA) :

Forbidden

ERG code (IATA) :

6F

- Inland waterway transport

Classification code (ADN) :

TF1

Special provisions (ADN) :

354, 802

Limited quantities (ADN) :

0

Excepted quantities (ADN) :

E0

Carriage permitted (ADN) :

T

Equipment required (ADN) :

PP, EP, EX, TOX, A

Ventilation (ADN) :

VE01, VE02

Number of blue cones/lights (ADN) :

2

- Rail transport

Classification code (RID) :

TF1

Special provision (RID) :

354

Limited quantities (RID) :

0

Excepted quantities (RID) :

E0

Packing instructions (RID) :

P602

Mixed packing provisions (RID) :

MP8, MP17

Portable tank and bulk container instructions (RID) :

T20

Portable tank and bulk container special provisions (RID) :

TP2, TP35

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

Tank codes for RID tanks (RID)	: L10CH
Special provisions for RID tanks (RID)	: TU14, TU15, TU38, TE21, TE22
Transport category (RID)	: 1
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Hazard identification number (RID)	: 663

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ALLYL ALCOHOL FOR SYNTHESIS is not on the REACH Candidate List

ALLYL ALCOHOL FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 444)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H225;H301+H311+H331;H315;H319;H335;H400>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

ALLYL ALCOHOL FOR SYNTHESIS

Safety Data Sheet

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
R10	Flammable
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R50	Very toxic to aquatic organisms
N	Dangerous for the environment
T	Toxic
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product