

CAS No: 1304-29-6 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: Barium peroxide
EC index no	: 056-001-00-1
EC no	: 215-128-4
CAS No	: 1304-29-6
Product code	: 01720
Synonyms	: Barium Dioxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2	H272
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhal.), Category 4	H332

Full text of classification categories and H statements : see section 16

Barium peroxide

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8

Xn; R20/22

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser
H302+H332 - Harmful if swallowed or if inhaled

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing, combustible materials

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : BARIUM PEROXIDE Extra Pure
CAS No : 1304-29-6
EC no : 215-128-4
EC index no : 056-001-00-1

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Get immediate medical advice/attention. Wash with plenty of soap and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Barium peroxide

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful if inhaled.
Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.
Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire : Thermal decomposition generates : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion.
Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Take precautionary measures against static discharge. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.
Storage conditions : Keep in fireproof place. Keep container tightly closed.
Incompatible materials : Heat sources. combustible materials.

Barium peroxide

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment	: Wear fire/flare resistant/retardant clothing.
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Off white powder.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 450 °C
Freezing point	: No data available
Boiling point	: 800 °C
Flash point	: 21 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 4.96 g/cm ³
Solubility	: Water: Insoluble in water
Log Pow	: No data available

Barium peroxide

Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Barium peroxide

Safety Data Sheet

Potential adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Additional information : Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1449
UN-No. (IMDG)	: 1449
UN-No.(IATA)	: 1449
UN-No.(ADN)	: 1449
UN-No. (RID)	: 1449

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: BARIUM PEROXIDE
Proper Shipping Name (IMDG)	: BARIUM PEROXIDE
Proper Shipping Name (IATA)	: BARIUM PEROXIDE
Proper Shipping Name (ADN)	: BARIUM PEROXIDE
Proper Shipping Name (RID)	: BARIUM PEROXIDE
Transport document description (ADR)	: UN 1449 BARIUM PEROXIDE, 5.1 (6.1), II, (E)
Transport document description (IMDG)	: UN 1449 BARIUM PEROXIDE, 5.1 (6.1), II

Barium peroxide

Safety Data Sheet

Transport document description (IATA) : UN 1449 BARIUM PEROXIDE, 5.1, II
Transport document description (ADN) : UN 1449 BARIUM PEROXIDE, 5.1 (6.1), II
Transport document description (RID) : UN 1449 BARIUM PEROXIDE, 5.1 (6.1), II

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 5.1 (6.1)
Danger labels (ADR) : 5.1, 6.1



IMDG

Transport hazard class(es) (IMDG) : 5.1 (6.1)
Danger labels (IMDG) : 5.1, 6.1



IATA

Transport hazard class(es) (IATA) : 5.1 (6.1)
Hazard labels (IATA) : 5.1, 6.1



ADN

Transport hazard class(es) (ADN) : 5.1 (6.1)
Danger labels (ADN) : 5.1, 6.1



RID

Transport hazard class(es) (RID) : 5.1 (6.1)
Danger labels (RID) : 5.1, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II

Barium peroxide

Safety Data Sheet


Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: OT2
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC06
Mixed packing provisions (ADR)	: MP2
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24, CV28
Hazard identification number (Kemler No.)	: 56
Orange plates	: 
Tunnel restriction code (ADR)	: E
EAC code	: 1Y

- Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC06
IBC special provisions (IMDG)	: B2
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: C
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG16, SG35, SG59, SG26, SG36
MFAG-No	: 141

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y543

Barium peroxide

Safety Data Sheet

PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
ERG code (IATA)	: 5P

- Inland waterway transport

Classification code (ADN)	: OT2
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2

- Rail transport

Classification code (RID)	: OT2
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC06
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage – Loading and unloading (RID)	: CW24, CW28
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 56

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Barium peroxide is not on the REACH Candidate List

Barium peroxide is not on the REACH Annex XIV List

15.1.2. National regulations

Barium peroxide

Safety Data Sheet

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 307)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Ox. Sol. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Ox. Sol. 2	Oxidising Solids, Category 2
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H332	Harmful if inhaled
R20/22	Harmful by inhalation and if swallowed
R8	Contact with combustible material may cause fire
O	Oxidising
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product