

# BENZOYL PEROXIDE (WITH 25% WATER) EXTRA PURE MSDS


CAS-No.: 94-36-0 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
EC Index-No. : 617-008-00-0  
EC-No. : 202-327-6  
CAS-No. : 94-36-0  
Product code : 01920  
Formula : C<sub>14</sub>H<sub>10</sub>O<sub>4</sub>  
Chemical structure :



Synonyms : Dibenzoyl peroxide / Benzoyl peroxide

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Self-Reactive Substances H242  
and Mixtures, Type C  
Serious eye damage/eye H319  
irritation, Category 2  
Skin sensitisation, H317  
Category 1

Full text of H statements : see section 16

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R7  
Xi; R36  
R43  
R1

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H242 - Heating may cause a fire.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P220 - Keep away from clothing and other combustible materials.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P410 - Protect from sunlight.  
P420 - Store separately.

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure  
CAS-No. : 94-36-0  
EC-No. : 202-327-6  
EC Index-No. : 617-008-00-0

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Heating may cause a fire.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire remotely due to the risk of explosion. DO NOT fight fire when fire reaches explosives. Evacuate area.
---------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: No open flames. No smoking. Remove ignition sources. Use special care to avoid static electric charges.
------------------	---

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

##### 6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.
-------------------------	--

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Hazardous waste due to potential risk of explosion.
-----------------------------------	---

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

Precautions for safe handling	: Do not breathe vapours. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep in fireproof place. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Heat sources. combustible materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 242.23 g/mol
Colour	: white.
Odour	: faint odor of benzaldehyde.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 103 - 104 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 40 °C
Auto-ignition temperature	: 80 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.334 g/cm <sup>3</sup>
Solubility	: Water: Slightly soluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Explosive when dry.
Oxidising properties	: May intensify fire; oxidiser.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Heating may cause a fire. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat. Sparks. Open flame.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk. Hazardous waste due to potential risk of explosion.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 3104  
UN-No. (IMDG) : 3104  
UN-No. (IATA) : 3104  
UN-No. (ADN) : 3104  
UN-No. (RID) : 3104

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ORGANIC PEROXIDE TYPE C, SOLID

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

Proper Shipping Name (IMDG)	: ORGANIC PEROXIDE TYPE C, SOLID
Proper Shipping Name (IATA)	: Organic peroxide type c, solid
Proper Shipping Name (ADN)	: ORGANIC PEROXIDE TYPE C, SOLID
Proper Shipping Name (RID)	: ORGANIC PEROXIDE TYPE C, SOLID
Transport document description (ADR)	: UN 3104 ORGANIC PEROXIDE TYPE C, SOLID, 5.2, (D)
Transport document description (IMDG)	: UN 3104 ORGANIC PEROXIDE TYPE C, SOLID, 5.2
Transport document description (IATA)	: UN 3104 Organic peroxide type c, solid, 5.2
Transport document description (ADN)	: UN 3104 ORGANIC PEROXIDE TYPE C, SOLID, 5.2
Transport document description (RID)	: UN 3104 ORGANIC PEROXIDE TYPE C, SOLID, 5.2

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 5.2
Danger labels (ADR)	: 5.2



#### IMDG

Transport hazard class(es) (IMDG)	: 5.2
Danger labels (IMDG)	: 5.2



#### IATA

Transport hazard class(es) (IATA)	: 5.2
Hazard labels (IATA)	: 5.2



#### ADN

Transport hazard class(es) (ADN)	: 5.2
Danger labels (ADN)	: 5.2



#### RID

Transport hazard class(es) (RID)	: 5.2
Danger labels (RID)	: 5.2

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet



### 14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: P1
Special provisions (ADR)	: 122, 274
Limited quantities (ADR)	: 100g
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P520
Mixed packing provisions (ADR)	: MP4
Transport category (ADR)	: 1
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV15, CV20, CV22, CV24
Special provisions for carriage - Operation (ADR)	: S8, S18
Tunnel restriction code (ADR)	: D
EAC code	: 1WE

#### - Transport by sea

Special provisions (IMDG)	: 122, 195, 274
Limited quantities (IMDG)	: 100 g
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P520
EmS-No. (Fire)	: F-J
EmS-No. (Spillage)	: S-R
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW1
Segregation (IMDG)	: SG35, SG36
MFAG-No	: 146

#### - Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 570
PCA max net quantity (IATA)	: 5kg



# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

CAO packing instructions (IATA)	: 570
CAO max net quantity (IATA)	: 10kg
Special provisions (IATA)	: A20, A150
ERG code (IATA)	: 5L

### - Inland waterway transport

Classification code (ADN)	: P1
Special provisions (ADN)	: 122, 274
Limited quantities (ADN)	: 100 g
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: P1
Special provisions (RID)	: 122, 274
Limited quantities (RID)	: 100g
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P520
Mixed packing provisions (RID)	: MP4
Transport category (RID)	: 1
Special provisions for carriage – Packages (RID)	: W7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW22, CW24, CW29
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 539

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure is not on the REACH Candidate List

BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure is not on the REACH Annex XIV List

#### 15.1.2. National regulations

##### Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 1100)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

# BENZOYL PEROXIDE (WITH 25% WATER) Extra Pure

## Safety Data Sheet

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

### Denmark

Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	: R10 <H242;H317;H319>; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Self-react. C	Self-Reactive Substances and Mixtures, Type C
Skin Sens. 1	Skin sensitisation, Category 1
H242	Heating may cause a fire.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
R1	Dependent on the composition
R36	Irritating to eyes
R43	May cause sensitisation by skin contact
R7	May cause fire
O	Oxidising
Xi	Irritant

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*