BENZYL CHLORIDE EXTRA PURE MSDS

CAS-No.: 100-44-7 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier


Product form : Substance

:

EC Index-No. : 602-037-00-3 EC-No. : 202-853-6 CAS-No. : 100-44-7 Product code : 00048

Formula : C7H7CI / C6H5CH2CI

Chemical structure



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700

 $\underline{sales@labogens.com} \ \, -\underline{ \ \, www.Labogens.com}$

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226 Category 3

Acute toxicity (oral), H302 Category 4

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye H318

irritation, Category 1

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

Germ cell mutagenicity, H340

Category 1B

Carcinogenicity, Category H350

1R

Specific target organ H335 toxicity — Single

exposure, Category 3, Respiratory tract irritation

Specific target organ H373

toxicity — Repeated exposure, Category 2

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45 Muta.Cat.1; R46

Muta.Cat.1; R46 T; R23 Xn; R22 Xn; R48/22 Xi; R41 Xi; R37 Xi; R38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS05

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed. H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation. H340 - May cause genetic defects.

H350 - May cause cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

2.3. Other hazards

No additional information available

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : BENZYL CHLORIDE Extra Pure

CAS-No. : 100-44-7 EC-No. : 202-853-6 EC Index-No. : 602-037-00-3

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin

irritation occurs: Get medical advice/attention. Specific treatment (see supplemental

first aid instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause cancer. Causes damage to organs. May cause genetic defects.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

Emergency procedures : Stop release.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Shovel or sweep up and put in a closed container for disposal. Clean contaminated surfaces with an excess of water. Clean up immediately by sweeping or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 126.59 g/mol Colour : Clear Colorless.

Odour : pungent odour.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -43 °C

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Freezing point : No data available

Boiling point : 177 - 181Flash point : $60 \,^{\circ}\text{C}$

Auto-ignition temperature : 6270 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 1.6 at 20C

Relative vapour density at 20 °C : 4.36

Relative density : No data available

Density : 1.1 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Open flame. Overheating. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 1738 UN-No. (IMDG) : 1738 UN-No. (IATA) : 1738 UN-No. (ADN) : 1738 UN-No. (RID) : 1738

14.2. UN proper shipping name

Proper Shipping Name (ADR) : BENZYL CHLORIDE
Proper Shipping Name (IMDG) : BENZYL CHLORIDE
Proper Shipping Name (IATA) : Benzyl chloride
Proper Shipping Name (ADN) : BENZYL CHLORIDE
Proper Shipping Name (RID) : BENZYL CHLORIDE

Transport document description (ADR) : UN 1738 BENZYL CHLORIDE, 6.1 (8), II, (D/E) Transport document description (IMDG) : UN 1738 BENZYL CHLORIDE, 6.1 (8), II

Transport document description (IATA) : UN 1738 Benzyl chloride, 6.1, II

Transport document description (ADN) : UN 1738 BENZYL CHLORIDE, 6.1 (8), II
Transport document description (RID) : UN 1738 BENZYL CHLORIDE, 6.1 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (8)
Danger labels (ADR) : 6.1, 8



IMDG

Transport hazard class(es) (IMDG) : 6.1 (8)
Danger labels (IMDG) : 6.1, 8



IATA

Transport hazard class(es) (IATA) : 6.1 (8) Hazard labels (IATA) : 6.1, 8



ADN

Transport hazard class(es) (ADN) : 6.1 (8)
Danger labels (ADN) : 6.1, 8

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 6.1 (8) Danger labels (RID) : 6.1, 8





14.4. Packing group

Packing group (ADR) : 11 Packing group (IMDG) : 11 : 11 Packing group (IATA) Packing group (ADN) : 11 Packing group (RID) : II

Environmental hazards

: No Dangerous for the environment Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TC1 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15 Portable tank and bulk container : T8

instructions (ADR)

: TP2

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.) : 68

Orange plates

68 1738

: D/E Tunnel restriction code (ADR) : 2X EAC code

8/11 09/04/2015 www.Labogens.com

Safety Data Sheet

- Transport by sea

Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
IBC special provisions (IMDG) : B20
Tank instructions (IMDG) : T8

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): DStowage and handling (IMDG): SW2, H1

Properties and observations (IMDG) : Colourless liquid with a pungent odour. Causes tears.Immiscible with water, but

hydrolyses slowly in contact with it. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by vapour inhalation. Causes burns to

skin, eyes and mucous membranes.

MFAG-No : 156

- Air transport

PCA Excepted quantities (IATA) : E4

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 653
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 660
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 6C

- Inland waterway transport

Classification code (ADN) : TC1
Special provisions (ADN) : 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E4
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TC1
Limited quantities (RID) : 0
Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15
Portable tank and bulk container : T8

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP2

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 68

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZYL CHLORIDE Extra Pure is not on the REACH Candidate List BENZYL CHLORIDE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to

AwSV; ID No. 33)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : BENZYL CHLORIDE Extra Pure is listed

SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

09/04/2015 10/11 www.Labogens.com

Safety Data Sheet

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
R22	Harmful if swallowed
R23	Toxic by inhalation
R37	Irritating to respiratory system
R38	Irritating to skin
R41	Risk of serious damage to eyes
R45	May cause cancer
R46	May cause heritable genetic damage
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed
Т	Toxic
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11