

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC index no : 612-047-00-X
EC no : 202-854-1
CAS No : 100-46-9
Product code : 1924B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302
Category 4
Acute toxicity (dermal), H312
Category 4
Skin corrosion/irritation, H314
Category 1B

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22
C; R34

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H302+H312 - Harmful if swallowed or in contact with skin
H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) :

P280 - Wear protective gloves, protective clothing, eye protection, face protection
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : BENZYLAMINE FOR SYNTHESIS
CAS No : 100-46-9
EC no : 202-854-1
EC index no : 612-047-00-X

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact : Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Get immediate medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.
Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

| | |
|--------------------------|-------------------------------------|
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or face shield |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|-----------------------------|
| Physical state | : Liquid |
| Colour | : Colorless to pale yellow. |
| Odour | : amine like. |
| Odour threshold | : No data available |
| pH | : 11.4 at 100 g/l at 20 °C |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 10 °C |
| Freezing point | : No data available |
| Boiling point | : 184 - 185 °C |
| Flash point | : 65 °C |
| Auto-ignition temperature | : 405 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : 0.1 kPa (at 20°C) |
| Relative vapour density at 20 °C | : 3.7 |
| Relative density | : No data available |
| Density | : 0.981 g/cm ³ |
| Solubility | : Water: Soluble in water |
| Log Pow | : 1.09 |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

| | |
|----------------------|-----------------------|
| Oxidising properties | : No data available |
| Explosive limits | : 0.007 - 0.082 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 11.4 at 100 g/l at 20 °C

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 11.4 at 100 g/l at 20 °C

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin.

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| BENZYLAMINE FOR SYNTHESIS (100-46-9) | |
|--------------------------------------|------|
| Log Pow | 1.09 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2735
UN-No. (IMDG) : 2735
UN-No.(IATA) : 2735
UN-No.(ADN) : Not regulated
UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated
Transport document description (ADR) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, II, (E)
Transport document description (IMDG) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II
Transport document description (IATA) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., 8, II

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : Not regulated
Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C7
Special provision (ADR) : 274
Limited quantities (ADR) : 1L

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

| | |
|---|---------------|
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P001, IBC02 |
| Mixed packing provisions (ADR) | : MP15 |
| Portable tank and bulk container instructions (ADR) | : T11 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP27 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |

- Transport by sea

| | |
|---------------------------------|-------------|
| Special provision (IMDG) | : 274 |
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T11 |
| Tank special provisions (IMDG) | : TP1, TP27 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Segregation (IMDG) | : SG35 |
| MFAG-No | : 153 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y840 |
| PCA limited quantity max net quantity (IATA) | : 0.5L |
| PCA packing instructions (IATA) | : 851 |
| PCA max net quantity (IATA) | : 1L |
| CAO packing instructions (IATA) | : 855 |
| CAO max net quantity (IATA) | : 30L |
| Special provision (IATA) | : A3 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZYLAMINE FOR SYNTHESIS is not on the REACH Candidate List

BENZYLAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 2324)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| | |
|-----------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| R21/22 | Harmful in contact with skin and if swallowed |
| R34 | Causes burns |
| C | Corrosive |

BENZYLAMINE FOR SYNTHESIS

Safety Data Sheet

| | |
|----|---------|
| Xn | Harmful |
|----|---------|

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product