CAS-No.: 79-08-3 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

 EC Index-No.
 : 607-065-00-X

 EC-No.
 : 201-175-8

 CAS-No.
 : 79-08-3

 Product code
 : 2259D

Chemical structure :

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H311

Category 3

Acute toxicity (inhal.), H331

Category 3

Skin corrosion/irritation, H314

Category 1A

Skin sensitisation, H317

Category 1

Hazardous to the aquatic H400

environment — Acute

www.Labogens.com 06/05/2016 1/11

Safety Data Sheet

Hazard, Category 1

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T; R23/24/25 C; R35 R43 N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P261 - Avoid breathing vapours, dust, fume, gas.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, face protection, eye protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

EUH-statements : EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : BROMOACETIC ACID FOR SYNTHESIS

CAS-No. : 79-08-3 EC-No. : 201-175-8 EC Index-No. : 607-065-00-X

www.Labogens.com 06/05/2016 2/11

Safety Data Sheet

Full text of R- and H-statements: see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Toxic if inhaled.

Symptoms/effects after skin contact : Toxic in contact with skin. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters 5.3.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. **Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

06/05/2016 3/11 www.Labogens.com

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing. Do

not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Contaminated work clothing

should not be allowed out of the workplace. Wash contaminated clothing before

reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 138.95 g/mol
Colour : White crystalline.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 46 - 49 °C

Freezing point : No data available

Boiling point : 208 °C

Flash point : 113 °C

www.Labogens.com 06/05/2016 4/11

Safety Data Sheet

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 1 mm Hg at 55°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.934 g/cm³

Solubility : Water: Soluble in water

Log Pow : 0.41

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Air contact. Direct sunlight. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit
Respiratory or skin sensitisation : May cause an allergic skin reaction.

www.Labogens.com 06/05/2016 5/11

Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

BROMOACETIC ACID FOR SYNTHESIS (79-08-3)	
Log Pow	0.41

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.Labogens.com 06/05/2016 6/11

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 3425 UN-No. (IMDG) : 3425 UN-No. (IATA) : 3425 UN-No. (ADN) : 3425 UN-No. (RID) : 3425

14.2. UN proper shipping name

Proper Shipping Name (ADR) : BROMOACETIC ACID, SOLID Proper Shipping Name (IMDG) : BROMOACETIC ACID, SOLID

Proper Shipping Name (IATA) : Bromoacetic acid, solid

Proper Shipping Name (ADN) : BROMOACETIC ACID, SOLID Proper Shipping Name (RID) : BROMOACETIC ACID, SOLID

Transport document description (ADR) : UN 3425 BROMOACETIC ACID, SOLID, 8, II, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 3425 BROMOACETIC ACID, SOLID, 8, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3425 Bromoacetic acid, solid, 8, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 3425 BROMOACETIC ACID, SOLID, 8, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 3425 BROMOACETIC ACID, SOLID, 8, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8

www.Labogens.com 06/05/2016 7/11

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C4
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAN, L4BN

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11
(ADR)

Hazard identification number (Kemler No.) : 80

Orange plates :

80 3425

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08

www.Labogens.com 06/05/2016 8/11

Safety Data Sheet

IBC special provisions (IMDG): B21, B4Tank instructions (IMDG): T3Tank special provisions (IMDG): TP33EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): A

Properties and observations (IMDG) : Colourless, deliquescent crystals. Melting point: 51°C. Corrosive to most

metals. Harmful if swallowed. Causes burns to eyes and skin.

MFAG-No : 156

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y844
PCA limited quantity max net quantity : 5kg
(IATA)

PCA packing instructions (IATA) : 859
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 863
CAO max net quantity (IATA) : 50kg
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C4
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C4
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAN, L4BN

Transport category (RID) : 2 Special provisions for carriage – Packages : W11

(RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BROMOACETIC ACID FOR SYNTHESIS is not on the REACH Candidate List BROMOACETIC ACID FOR SYNTHESIS is not on the REACH Annex XIV List

www.Labogens.com 06/05/2016 9/11

Safety Data Sheet

15.1.2. National regulations

Germany

: Water hazard class (WGK) 2, significant hazard to water (Classification according to Reference to AwSV

AwSV; ID No. 728)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

: The substance is not listed SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen : The substance is not listed : The substance is not listed NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

: The substance is not listed

Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1	Skin sensitisation, Category 1
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.

06/05/2016 10/11 www.Labogens.com

Safety Data Sheet

EUH071	Corrosive to the respiratory tract.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R35	Causes severe burns
R43	May cause sensitisation by skin contact
R50	Very toxic to aquatic organisms
С	Corrosive
N	Dangerous for the environment
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 06/05/2016 11/11