CADMIUM OXIDE AR MSDS

CAS-No.: 1306-19-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

CAS-No. : 1306-19-0 Product code : 02425

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses 1.2.1.

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. **Uses advised against**

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), H330

Category 2

Germ cell mutagenicity, H341

Category 2

Carcinogenicity, Category H350

Reproductive toxicity, H361fd

Category 2

Specific target organ H372

toxicity — Repeated exposure, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of H statements: see section 16

13/05/2016 1/11 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45 Muta.Cat.3; R68 Repr.Cat.3; R62 Repr.Cat.3; R63 T+; R26 T; R48/23/25 N: R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS06

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H330 - Fatal if inhaled.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child. H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P260 - Do not breathe vapours, dust, fume, gas.

P273 - Avoid release to the environment.

P281 - Use personal protective equipment as required.

P284 - Wear respiratory protection.

P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CADMIUM OXIDE AR

CAS-No. : 1306-19-0

Full text of R- and H-statements: see section 16

www.Labogens.com 13/05/2016 2/11

Safety Data Sheet

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May damage fertility. Suspected of damaging the unborn child. Causes damage to

organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : Fatal if inhaled.

Symptoms/effects after ingestion : Harmful if swallowed.

Chronic symptoms : May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

www.Labogens.com 13/05/2016 3/11

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 128.41 g/mol Colour : Dark brown.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 950 °C

Freezing point : No data available

Boiling point : 1559 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

www.Labogens.com 13/05/2016 4/11

Safety Data Sheet

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 8.15 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Air contact. Direct sunlight. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Fatal if inhaled.

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure : Not classified

www.Labogens.com 13/05/2016 5/11

Safety Data Sheet

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

CADMIUM OXIDE AR (1306-19-0)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

CADMIUM OXIDE AR (1306-19-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2570 UN-No. (IMDG) : 2570 UN-No. (IATA) : 2570 UN-No. (ADN) : 2570 UN-No. (RID) : 2570

www.Labogens.com 13/05/2016 6/11

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CADMIUM COMPOUND
Proper Shipping Name (IMDG) : CADMIUM COMPOUND
Proper Shipping Name (IATA) : Cadmium compound
Proper Shipping Name (ADN) : CADMIUM COMPOUND
Proper Shipping Name (RID) : CADMIUM COMPOUND

Transport document description (ADR) : UN 2570 CADMIUM COMPOUND, 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 2570 CADMIUM COMPOUND, 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2570 Cadmium compound, 6.1, III, ENVIRONMENTALLY HAZARDOUS : UN 2570 CADMIUM COMPOUND, 6.1, III, ENVIRONMENTALLY HAZARDOUS : UN 2570 CADMIUM COMPOUND, 6.1, III, ENVIRONMENTALLY HAZARDOUS : UN 2570 CADMIUM COMPOUND, 6.1, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

www.Labogens.com 13/05/2016 7/11

Safety Data Sheet

Danger labels (RID) : 6.1



14.4. **Packing group**

Packing group (ADR) : 111 Packing group (IMDG) : 111 Packing group (IATA) : III : III Packing group (ADN) Packing group (RID) : III

Environmental hazards

Dangerous for the environment : Yes : Yes Marine pollutant

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5 Special provisions (ADR) : 274, 596 Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3 Mixed packing provisions (ADR) : MP10 Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAH, L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Bulk : VC1, VC2, AP7

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates

60

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Special provisions (IMDG) : 223, 274 : P002, LP02 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08

13/05/2016 8/11 www.Labogens.com

Safety Data Sheet

IBC special provisions (IMDG): B3Tank instructions (IMDG): T1Tank special provisions (IMDG): TP33EmS-No. (Fire): F-AEmS-No. (Spillage): S-AStowage category (IMDG): A

Properties and observations (IMDG) : Powder or crystals with various colours. May be soluble or insoluble in water. Toxic if

swallowed, by skin contact or by dust inhalation.

MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y645
PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 670
PCA max net quantity (IATA) : 100kg
CAO packing instructions (IATA) : 677
CAO max net quantity (IATA) : 200kg
Special provisions (IATA) : A3, A5
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 274, 596, 802

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T5
Special provisions (RID) : 274, 596
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAH, L4BH Special provisions for RID tanks (RID) : TU15

Transport category (RID) : 2

Special provisions for carriage – Bulk

(RID)

: VC1, VC2, AP7

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

www.Labogens.com 13/05/2016 9/11

Safety Data Sheet

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Cadmium oxide is on the REACH Candidate List CADMIUM OXIDE AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to

AwSV; ID No. 8660)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : CADMIUM OXIDE AR is listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

Denmark

: Young people below the age of 18 years are not allowed to use the product Recommendations Danish Regulation

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

13/05/2016 10/11 www.Labogens.com

Safety Data Sheet

Carc. 1A	Carcinogenicity, Category 1A
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
R26	Very toxic by inhalation
R45	May cause cancer
R48/23/25	Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R68	Possible risk of irreversible effects
N	Dangerous for the environment
Т	Toxic
T+	Very toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 13/05/2016 11/11