CAS No: 4197-24-4 MSDS



## MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

Trade name : CARBOL FUCHSIN POWDER FOR MICROSCOPY

CAS No : 4197-24-4 Product code : 02520

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

#### Relevant identified uses 1.2.1.

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. **Uses advised against**

No additional information available

#### Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

#### **Emergency telephone number**

**Emergency number** : +91 7707855700 (9:00am - 6:00 pm)

#### SECTION 2: Hazards identification

### Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

H332

Acute toxicity (inhal.),

Category 4

H314

Skin corrosion/irritation, Category 1

Germ cell mutagenicity, H341

Category 2

Carcinogenicity, Category H350

1A

Specific target organ H373

toxicity — Repeated exposure, Category 2

Full text of classification categories and H statements : see section 16

16/05/2016 1/11 www.Labogens.com Version: 1

## Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 Muta.Cat.3; R68 T; R23/24/25 Xn; R48/20/21/22

C; R34

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled

H314 - Causes severe skin burns and eye damage H341 - Suspected of causing genetic defects

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Name : CARBOL FUCHSIN POWDER FOR MICROSCOPY

CAS No : 4197-24-4

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

www.Labogens.com Version: 1 16/05/2016 2/11

## Safety Data Sheet

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get

immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause damage to organs. Causes

damage to organs.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours.

www.Labogens.com Version: 1 16/05/2016 3/11

## Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing

before reuse. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

No additional information available

#### 8.2. **Exposure controls**

Freezing point

Auto-ignition temperature

Decomposition temperature

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield Skin and body protection : Wear suitable protective clothing

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended

: No data available

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Solid

Colour : Black powder.

Odour : odourless.

Odour threshold : No data available

рΗ : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

**Boiling point** : No data available

Flash point : No data available

: No data available

: No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.2 mm Hg at 20°C

Relative vapour density at 20 °C : 3.24

: No data available Relative density

16/05/2016 4/11 www.Labogens.com Version: 1

## Safety Data Sheet

Density : 1.1 g/cm<sup>3</sup>

Solubility : Water: Very soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Moisture.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

www.Labogens.com Version: 1 16/05/2016 5/11

## Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

 UN-No. (ADR)
 : 2923

 UN-No. (IMDG)
 : 2923

 UN-No.(IATA)
 : 2923

 UN-No.(ADN)
 : 2923

 UN-No. (RID)
 : 2923

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (IATA) : CORROSIVE SOLID, TOXIC, N.O.S.

www.Labogens.com Version: 1 16/05/2016 6/11

## Safety Data Sheet

Proper Shipping Name (ADN) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (RID) : CORROSIVE SOLID, TOXIC, N.O.S.

Transport document description (ADR)

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II, (E)

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

: UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8 (6.1)

Danger labels (ADR) : 8, 6.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 8 (6.1)
Danger labels (IMDG) : 8, 6.1



## IATA

Transport hazard class(es) (IATA) : 8 (6.1) Hazard labels (IATA) : 8, 6.1



#### ADN

Transport hazard class(es) (ADN) : 8 (6.1)

Danger labels (ADN) : 8, 6.1



## RID

Transport hazard class(es) (RID) : 8 (6.1)

Danger labels (RID) : 8, 6.1



## Safety Data Sheet

#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : CT2
Special provision (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAN, L4BN

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V1

(ADR)

Special provisions for carriage - Loading, :

unloading and handling (ADR)

: CV13, CV28

Hazard identification number (Kemler No.) : 86

Orange plates :

86 2923

Tunnel restriction code (ADR) : E EAC code : 2X

## - Transport by sea

Special provision (IMDG) : 274 Limited quantities (IMDG) : 1 kg : E2 Excepted quantities (IMDG) : P002 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) : B Stowage category (IMDG) : SW2 Stowage and handling (IMDG)

www.Labogens.com Version: 1 16/05/2016 8/11

## Safety Data Sheet

MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y844
PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 859
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 863
CAO max net quantity (IATA) : 50kg
Special provision (IATA) : A3
ERG code (IATA) : 8P

- Inland waterway transport

Classification code (ADN) : CT2
Special provisions (ADN) : 274, 802
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : CT2
Special provision (RID) : 274
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAN, L4BN

Transport category (RID) : 2 Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage – Loading : CW13, CW28

and unloading (RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 86

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CARBOL FUCHSIN POWDER FOR MICROSCOPY is not on the REACH Candidate List CARBOL FUCHSIN POWDER FOR MICROSCOPY is not on the REACH Annex XIV List

www.Labogens.com Version: 1 16/05/2016 9/11

## Safety Data Sheet

#### 15.1.2. National regulations

#### Germany

12th Ordinance Implementing the Federa Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

## Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R45	May cause cancer
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R68	Possible risk of irreversible effects
С	Corrosive
T	Toxic
Xn	Harmful

www.Labogens.com Version: 1 16/05/2016 10/11

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 16/05/2016 11/11