CARBON DISULPHIDE AR MSDS

CAS No: 75-15-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC no : 200-843-6 CAS No : 75-15-0 Product code : 00068

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Skin corrosion/irritation, H315

Category 2

H319 Serious eye damage/eye

irritation, Category 2

Reproductive toxicity, H361fd

Category 2

Specific target organ H372

toxicity — Repeated exposure, Category 1

Full text of classification categories and H statements : see section 16

09/04/2015 1/11 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Repr.Cat.3; R62 Repr.Cat.3; R63

F; R11 T; R23 Xi; R36 Xi; R38 R48

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation H319 - Causes serious eye irritation

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P314 - Get medical advice/attention if you feel unwell

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : CARBON DISULPHIDE AR

CAS No : 75-15-0 EC no : 200-843-6

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated

clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see

... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: No naked lights. No smoking. Use only non-sparking tools. Do not breathe

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash ... thoroughly after handling. Do not eat, drink or smoke when using this

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 76.13 g/mol Colour : Clear Colorless.

Odour : stench.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : 22.6

Melting point : -100 °C

Freezing point : No data available

Boiling point : 46 °C

Flash point : -30 °C

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Auto-ignition temperature : 100 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable

Highly flammable liquid and vapour

Vapour pressure : 300 mm Hg at 20°C (68F)

Relative vapour density at 20 °C : 2.6

Relative density : No data available

Density : 1.26 g/cm³ Relative gas density : 2.63

Solubility : Water: 0.2 g/100ml

Log Pow : 2.16

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.013 - 0.5 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

CARBON DISULPHIDE AR (75-15-0)	
Log Pow	2.16

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

14.1. UN number

UN-No. (ADR) : 1131 UN-No. (IMDG) : 1131 UN-No.(IATA) : 1131 UN-No.(ADN) : 1131 UN-No. (RID) : 1131

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CARBON DISULPHIDE
Proper Shipping Name (IMDG) : CARBON DISULPHIDE
Proper Shipping Name (IATA) : CARBON DISULPHIDE
Proper Shipping Name (ADN) : CARBON DISULPHIDE
Proper Shipping Name (RID) : CARBON DISULPHIDE

Transport document description (ADR) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I, (C/E)
Transport document description (IMDG) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I (-30°C c.c.)

Transport document description (IATA) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I
Transport document description (RID) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I
: UN 1131 CARBON DISULPHIDE, 3 (6.1), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (6.1)
Danger labels (ADR) : 3, 6.1



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)
Danger labels (IMDG) : 3, 6.1



IATA

Transport hazard class(es) (IATA) : 3 (6.1) Hazard labels (IATA) : 3, 6.1



ADN

Transport hazard class(es) (ADN) : 3 (6.1)

Danger labels (ADN) : 3, 6.1

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



RID

Transport hazard class(es) (RID) : 3 (6.1) Danger labels (RID) : 3, 6.1



14.4. **Packing group**

Packing group (ADR) : 1 Packing group (IMDG) : 1 Packing group (IATA) : 1 Packing group (ADN) Packing group (RID) : 1

Environmental hazards

: No Dangerous for the environment Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FT1 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P001 Special packing provisions (ADR) : PP31 Mixed packing provisions (ADR) : MP7, MP17 : T14

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2, TP7

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TU15, TE21

Vehicle for tank carriage Transport category (ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S2, S22

(ADR)

Hazard identification number (Kemler No.) : 336

Orange plates

336

: C/E Tunnel restriction code (ADR) EAC code : 2WE

09/04/2015 8/11 www.Labogens.com

Safety Data Sheet

APP code : A(fl)

- Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P001

Packing provisions (IMDG) : PP31

Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP7, TP13

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D

Stowage category (IMDG) : D

Stowage and handling (IMDG) : SW2

Flash point (IMDG) : -30°C c.c.

MFAG-No : 131

- Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
ERG code (IATA) : 3HP

- Inland waterway transport

Classification code (ADN) : FT1
Special provisions (ADN) : 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : FT1

Limited quantities (RID) : 0

Excepted quantities (RID) : E0

Packing instructions (RID) : P001

Special packing provisions (RID) : PP31

Mixed packing provisions (RID) : MP7, MP17

Portable tank and bulk container

instructions (RID)

: T14

Portable tank and bulk container special

provisions (RID)

: TP2, TP7

Tank codes for RID tanks (RID) : L10CH

Special provisions for RID tanks (RID) : TU2, TU14, TU15, TU38, TE21, TE22

Transport category (RID) : 1

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28

Hazard identification number (RID) : 336

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions CARBON DISULPHIDE AR is not on the REACH Candidate List CARBON DISULPHIDE AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 183)

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure

09/04/2015 10/11 www.Labogens.com

Safety Data Sheet

R11	Highly flammable
R23	Toxic by inhalation
R36	Irritating to eyes
R38	Irritating to skin
R48	Danger of serious damage to health by prolonged exposure
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
F	Highly flammable
T	Toxic
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11