

CHLOROACETYL CHLORIDE FOR SYNTHESIS MSDS


CAS-No.: 79-04-9 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC Index-No. : 607-080-00-1
EC-No. : 201-171-6
CAS-No. : 79-04-9
Product code : 2730D
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H311
Category 3
Acute toxicity (inhal.), H331
Category 3
Skin corrosion/irritation, H314
Category 1A
Specific target organ toxicity — Repeated H372

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

exposure, Category 1
Hazardous to the aquatic environment — Acute Hazard, Category 1

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T; R23/24/25
T; R48/23
C; R35
N; R50
R14

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.

Precautionary statements (CLP) :

P261 - Avoid breathing vapours, dust, fume, gas.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

EUH-statements :

EUH014 - Reacts violently with water.
EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CHLOROACETYL CHLORIDE FOR SYNTHESIS

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

CAS-No.	: 79-04-9
EC-No.	: 201-171-6
EC Index-No.	: 607-080-00-1

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage. Causes damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	: Corrosive to the respiratory tract.
Symptoms/effects after skin contact	: Toxic in contact with skin.
Symptoms/effects after ingestion	: Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe vapours. Avoid contact with skin and eyes. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in dry protected location to prevent any moisture contact.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 112.94 g/mol

Colour : Clear Colorless.

Odour : Pungent.

Odour threshold : 0.011 ppm

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -22 °C

Freezing point : No data available

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Boiling point	: 105 - 106 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 2.5 kPa (at 20°C)
Relative vapour density at 20 °C	: 3.9
Relative density	: No data available
Density	: 1.419 g/cm ³
Solubility	: Water: Insoluble
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Highly reactive material. Reacts violently with water.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Additional information	: Corrosive to the respiratory tract.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Do not allow water (or moist air) contact with this material.
Ecology - waste materials	: Hazardous waste due to toxicity.

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1752
UN-No. (IMDG)	: 1752
UN-No. (IATA)	: 1752
UN-No. (ADN)	: 1752
UN-No. (RID)	: 1752

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CHLOROACETYL CHLORIDE
Proper Shipping Name (IMDG)	: CHLOROACETYL CHLORIDE
Proper Shipping Name (IATA)	: Chloroacetyl chloride
Proper Shipping Name (ADN)	: CHLOROACETYL CHLORIDE
Proper Shipping Name (RID)	: CHLOROACETYL CHLORIDE
Transport document description (ADR)	: UN 1752 CHLOROACETYL CHLORIDE, 6.1 (8), I, (C/D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1752 CHLOROACETYL CHLORIDE, 6.1 (8), I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1752 Chloroacetyl chloride, 6.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1752 CHLOROACETYL CHLORIDE, 6.1 (8), I, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1752 CHLOROACETYL CHLORIDE, 6.1 (8), I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR)	: 6.1 (8)
Danger labels (ADR)	: 6.1, 8



IMDG

Transport hazard class(es) (IMDG)	: 6.1 (8)
Danger labels (IMDG)	: 6.1, 8



IATA

Transport hazard class(es) (IATA)	: 6.1 (8)
-----------------------------------	-----------




ADN

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Transport hazard class(es) (ADN) : 6.1 (8)

Danger labels (ADN) : 6.1, 8



RID

Transport hazard class(es) (RID) : 6.1 (8)

Danger labels (RID) : 6.1, 8



14.4. Packing group

Packing group (ADR) : I

Packing group (IMDG) : I

Packing group (IATA) : Not applicable

Packing group (ADN) : I

Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TC1

Special provisions (ADR) : 354

Limited quantities (ADR) : 0

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P602

Mixed packing provisions (ADR) : MP8, MP17

Portable tank and bulk container instructions (ADR) : T20

Portable tank and bulk container special provisions (ADR) : TP2

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TU15, TE19, TE21

Vehicle for tank carriage : AT

Transport category (ADR) : 1

Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28

Special provisions for carriage - Operation (ADR) : S9, S14

Hazard identification number (Kemler No.) : 668

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Orange plates



Tunnel restriction code (ADR) : C/D
EAC code : 2XE
APP code : B

- Transport by sea

Special provisions (IMDG) : 354
Packing instructions (IMDG) : P602
Tank instructions (IMDG) : T20
Tank special provisions (IMDG) : TP2, TP13, TP35
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : D
Stowage and handling (IMDG) : SW2
Properties and observations (IMDG) : Colourless liquid, with extremely irritating odour, causing tears. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
MFAG-No : 156

- Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
Special provisions (IATA) : A2
ERG code (IATA) : 6Ci

- Inland waterway transport

Classification code (ADN) : TC1
Special provisions (ADN) : 354, 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EP, TOX, A
Ventilation (ADN) : VE02
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TC1
Special provisions (RID) : 354
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P602
Mixed packing provisions (RID) : MP8, MP17
Portable tank and bulk container instructions (RID) : T20
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L10CH
Special provisions for RID tanks (RID) : TU14, TU15, TU38, TE21, TE22

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Transport category (RID) : 1
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31
Hazard identification number (RID) : 668

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CHLOROACETYL CHLORIDE FOR SYNTHESIS is not on the REACH Candidate List

CHLOROACETYL CHLORIDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV; ID No. 2130)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed
SZW-lijst van mutagene stoffen : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

CHLOROACETYL CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
EUH014	Reacts violently with water.
EUH071	Corrosive to the respiratory tract.
R14	Reacts violently with water
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R35	Causes severe burns
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50	Very toxic to aquatic organisms
C	Corrosive
N	Dangerous for the environment
T	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.