# **CHROMIUM TRIOXIDE 98% MSDS**

CAS No: 1333-82-0 MSDS



# MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

 Trade name
 : Chromium Trioxide

 EC index no
 : 024-001-00-0

 EC no
 : 215-607-8

 CAS No
 : 1333-82-0

 Product code
 : 02820

 Formula
 : CrO3

Synonyms : Chromium(VI) Oxide, Chromic anhydride

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H271 Category 1 Acute toxicity (oral), H301 Category 3 Acute toxicity (dermal), H311 Category 3 Acute toxicity (inhal.), H330 Category 2 Skin corrosion/irritation, H314 Category 1A Sensitisation -H334 Respiratory, category 1 Sensitisation — Skin, H317 category 1 Germ cell mutagenicity, H340

www.Labogens.com Version: 1 20/05/2016 1/12

# Safety Data Sheet

Category 1B

Carcinogenicity, Category H350

1A

Reproductive toxicity, H361f

Category 2

Specific target organ H372

toxicity — Repeated

exposure, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 Muta.Cat.2; R46 Repr.Cat.3; R62

O; R9 T+; R26 T; R24/25 T; R48/23 R42 C; R35

R43 N; R50/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03



GHS05







Signal word (CLP) : Danger

Hazard statements (CLP) : H271 - May cause fire or explosion; strong oxidiser

H301+H311 - Toxic if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H361f - Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P220 - Keep away from clothing and other combustible materials

P260 - Do not breathe vapours, spray, dust, fume, gas

P273 - Avoid release to the environment

www.Labogens.com Version: 1 20/05/2016 2/12

# Safety Data Sheet

P284 - [In case of inadequate ventilation] wear respiratory protection

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : CHROMIUM TRIOXIDE 98%

CAS No : 1333-82-0 EC no : 215-607-8 EC index no : 024-001-00-0

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Get medical advice/attention. If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing. Assure fresh air breathing.

First-aid measures after skin contact : Get medical advice/attention. Remove affected clothing and wash all exposed skin

area with mild soap and water, followed by warm water rinse. Wash with plenty of

soap and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause genetic defects. Suspected

of damaging fertility. Causes damage to organs through prolonged or repeated

exposure.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction. May cause cancer by inhalation.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

www.Labogens.com Version: 1 20/05/2016 3/12

# Safety Data Sheet

Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

#### 5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Hazardous waste due to potential risk of explosion.

 Take precautionary measures against static discharge. Avoid contact with skin and eyes. Provide good ventilation in process area to prevent formation of vapour.
 Obtain special instructions before use. Do not breathe vapours. Eliminate all ignition

sources if safe to do so.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Wash contaminated clothing before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply

with applicable regulations.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources. combustible materials

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

No additional information available

www.Labogens.com Version: 1 20/05/2016 4/12

# Safety Data Sheet

#### 8.2. Exposure controls

Personal protective equipment : Wear fire/flame resistant/retardant clothing.

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Reddish brown.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 196 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 2.7 g/cm<sup>3</sup>

Solubility : Water: 63 g/100ml @ 20°C

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 1. May

cause fire or explosion; strong oxidiser.

Explosive limits : No data available

www.Labogens.com Version: 1 20/05/2016 5/12

# Safety Data Sheet

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight. Heat. Sparks. Overheating. Open flame.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Fatal if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Suspected of damaging fertility.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

www.Labogens.com Version: 1 20/05/2016 6/12

#### 12.2. Persistence and degradability

Chromium Trioxide (1333-82-0)	
Persistence and degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

#### **Chromium Trioxide (1333-82-0)**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations
Additional information

: Dispose of contents/container to ...

: Hazardous waste due to potential risk of explosion.

Ecology - waste materials : Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1463 UN-No. (IMDG) : 1463 UN-No.(IATA) : 1463 UN-No.(ADN) : 1463 UN-No. (RID) : 1463

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IMDG) : CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IATA) : CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (ADN) : CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (RID) : CHROMIUM TRIOXIDE, ANHYDROUS

Transport document description (ADR) : UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, (E),

**ENVIRONMENTALLY HAZARDOUS** 

Transport document description (IMDG) : UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

www.Labogens.com Version: 1 20/05/2016 7/12

# Safety Data Sheet

Transport document description (IATA) : UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1, II, ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (ADN) : UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II,

**ENVIRONMENTALLY HAZARDOUS** 

Transport document description (RID) : UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II,

**ENVIRONMENTALLY HAZARDOUS** 

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 5.1 (6.1, 8)
Danger labels (ADR) : 5.1, 6.1, 8



#### **IMDG**

Transport hazard class(es) (IMDG) : 5.1 (6.1, 8) Danger labels (IMDG) : 5.1, 6.1, 8



#### IATA

Transport hazard class(es) (IATA) : 5.1 (6.1, 8) Hazard labels (IATA) : 5.1, 6.1, 8



#### ADN

Transport hazard class(es) (ADN) : 5.1 (6.1, 8) Danger labels (ADN) : 5.1, 6.1, 8



#### **RID**

Transport hazard class(es) (RID) : 5.1 (6.1, 8) Danger labels (RID) : 5.1, 6.1, 8



www.Labogens.com Version: 1 20/05/2016 8/12

# Safety Data Sheet

#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : OTC
Special provision (ADR) : 510
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP2

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV24, CV28

Hazard identification number (Kemler No.) : 568

Orange plates

568 1463

Tunnel restriction code (ADR) : E EAC code : 1W

### - Transport by sea

Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 : P002 Packing instructions (IMDG) : PP31 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-Q Stowage category (IMDG) : A

Segregation (IMDG) : SG6, SG16, SG19

www.Labogens.com Version: 1 20/05/2016 9/12

Safety Data Sheet		
MFAG-No	: 141	
- Air transport		
PCA Excepted quantities (IATA)	: E2	
PCA Limited quantities (IATA)	: Y544	
PCA limited quantity max net quantity (IATA)	: 2.5kg	
PCA packing instructions (IATA)	: 558	
PCA max net quantity (IATA)	: 5kg	
CAO packing instructions (IATA)	: 562	
CAO max net quantity (IATA)	: 25kg	
ERG code (IATA)	: 5CP	
- Inland waterway transport		
Classification code (ADN)	: OTC	
Special provisions (ADN)	: 510	
Limited quantities (ADN)	: 1 kg	
Excepted quantities (ADN)	: E2	
Equipment required (ADN)	: PP, EP	
Number of blue cones/lights (ADN)	: 2	
- Rail transport		
Classification code (RID)	: OTC	
Special provision (RID)	: 510	
Limited quantities (RID)	: 1kg	
Excepted quantities (RID)	: E2	
Packing instructions (RID)	: P002, IBC08	
Special packing provisions (RID)	: B4	
Mixed packing provisions (RID)	: MP2	
Portable tank and bulk container instructions (RID)	: T3	
Portable tank and bulk container special provisions (RID)	: TP33	
Tank codes for RID tanks (RID)	: SGAN	
Special provisions for RID tanks (RID)	: TU3	
Transport category (RID)	: 2	
Special provisions for carriage – Packages	: W11	

(RID)

Special provisions for carriage – Loading : CW24, CW28

and unloading (RID)

Colis express (express parcels) (RID) : CE10 : 568 Hazard identification number (RID)

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Chromium trioxide is on the REACH Candidate List

Chromium trioxide is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorization exemptions
	21/09/2017	

20/05/2016 10/12 Version: 1 www.Labogens.com

#### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 328)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 1	Oxidising Solids, Category 1
Repr. 2	Reproductive toxicity, Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H271	May cause fire or explosion; strong oxidiser
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects

www.Labogens.com Version: 1 20/05/2016 11/12

# Safety Data Sheet

May cause cancer
Suspected of damaging fertility
Causes damage to organs through prolonged or repeated exposure
Very toxic to aquatic life with long lasting effects
Toxic in contact with skin and if swallowed
Very toxic by inhalation
Causes severe burns
May cause sensitization by inhalation
May cause sensitisation by skin contact
May cause cancer
May cause heritable genetic damage
Toxic: danger of serious damage to health by prolonged exposure through inhalation
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Possible risk of impaired fertility
Explosive when mixed with combustible material
Corrosive
Dangerous for the environment
Oxidising
Toxic
Very toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 20/05/2016 12/12