CAS-No.: 123-73-9 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS-No. : 123-73-9
Product code : 03033

Chemical structure

$$H$$
 H_3C
 H

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

11220

Acute toxicity (oral),

H301

Category 3

11044

Acute toxicity (dermal),

H311

Category 3

.

Acute toxicity (inhal.),

H330

Category 2

H315

Skin corrosion/irritation, Category 2

www.Labogens.com 24/05/2016 1/12

Safety Data Sheet

Serious eye damage/eye H318 irritation, Category 1

Specific target organ H335 toxicity — Single

exposure, Category 3,
Respiratory tract irritation

Specific target organ H373

toxicity — Repeated exposure, Category 2

Hazardous to the aquatic H400

environment — Acute Hazard, Category 1

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Muta.Cat.3; R68

F; R11 T+; R26 T; R24/25 Xn; R48/22 Xi; R41 Xi; R37/38 N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02



GHS05





GHS08



GHS09

Signal word (CLP)

Hazard statements (CLP)

: Danger

: H225 - Highly flammable liquid and vapour.

H301+H311 - Toxic if swallowed or in contact with skin

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H330 - Fatal if inhaled.

H335 - May cause respiratory irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P260 - Do not breathe vapours, spray, dust, fume, gas.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P201 - Obtain special instructions before use.

P370+P378 - In case of fire: Use media other than water to extinguish.

www.Labogens.com 24/05/2016 2/12

Safety Data Sheet

P310 - Immediately call a POISON CENTER or doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CROTONALDEHYDE FOR SYNTHESIS

CAS-No. : 123-73-9

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash with plenty of water/.... Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause damage to organs. Causes damage to organs.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Toxic in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

www.Labogens.com 24/05/2016 3/12

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: Avoid contact with skin and eyes. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Do

not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

www.Labogens.com 24/05/2016 4/12

Safety Data Sheet

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 70.09 g/mol Colour : Pale yellow.

Odour : Pungent.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -76 °C

Freezing point : No data available

Boiling point : 104 °C

Flash point : 9 °C

Auto-ignition temperature : 160 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : 32 mm Hg at 20 °C

Relative vapour density at 20 °C : 2.41

Relative density : No data available

Density : 0.846 g/cm³ Solubility : Water: Soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.025 - 0.195 vol %

9.2. Other information

No additional information available

www.Labogens.com 24/05/2016 5/12

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Fatal if

inhaled.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

www.Labogens.com 24/05/2016 6/12

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1143 UN-No. (IMDG) : 1143 UN-No. (IATA) : 1143 UN-No. (ADN) : 1143 UN-No. (RID) : 1143

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CROTONALDEHYDE
Proper Shipping Name (IMDG) : CROTONALDEHYDE
Proper Shipping Name (IATA) : Crotonaldehyde
Proper Shipping Name (ADN) : CROTONALDEHYDE
Proper Shipping Name (RID) : CROTONALDEHYDE

Transport document description (ADR) : UN 1143 CROTONALDEHYDE, 6.1 (3), I, (C/D), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1143 CROTONALDEHYDE, 6.1 (3), I, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS (13°C c.c.)

Transport document description (IATA) : UN 1143 Crotonaldehyde, 6.1, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 1143 CROTONALDEHYDE, 6.1 (3), I, ENVIRONMENTALLY HAZARDOUS : UN 1143 CROTONALDEHYDE, 6.1 (3), I, ENVIRONMENTALLY HAZARDOUS : UN 1143 CROTONALDEHYDE, 6.1 (3), I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (3)

www.Labogens.com 24/05/2016 7/12

Safety Data Sheet

Danger labels (ADR) : 6.1, 3



IMDG

Transport hazard class(es) (IMDG) : 6.1 (3)
Danger labels (IMDG) : 6.1, 3



IATA

Transport hazard class(es) (IATA) : 6.1 (3)



ADN

Transport hazard class(es) (ADN) : 6.1 (3)
Danger labels (ADN) : 6.1, 3



RID

Transport hazard class(es) (RID) : 6.1 (3)
Danger labels (RID) : 6.1, 3



14.4. Packing group

Packing group (ADR) : I Packing group (IMDG) : I

Packing group (IATA) : Not applicable

Packing group (ADN) : I Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

www.Labogens.com 24/05/2016 8/12

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TF1

: 324, 354, 386 Special provisions (ADR)

Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P602 : MP8, MP17 Mixed packing provisions (ADR) : T20

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TU15, TE19, TE21

Vehicle for tank carriage : FL Transport category (ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV1, CV13, CV28

Special provisions for carriage - Operation : S2, S4, S9, S14

(ADR)

Orange plates

Hazard identification number (Kemler No.) : 663

663 1143

Tunnel restriction code (ADR) : C/D EAC code : •2WE APP code : A(fl)

- Transport by sea

: 324, 354, 386 Special provisions (IMDG)

Limited quantities (IMDG) : 0 : E0 Excepted quantities (IMDG) : P602 Packing instructions (IMDG) Tank instructions (IMDG) : T20

Tank special provisions (IMDG) : TP2, TP13, TP35

: F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D : D Stowage category (IMDG)

Stowage and handling (IMDG) : SW1, SW2 Flash point (IMDG) : 13°C c.c.

: Colourless, mobile liquid with a pungent odour. Turns to pale yellow in contact with Properties and observations (IMDG)

light and air. Miscible with water. Flashpoint: 13°C c.c. Highly toxic if swallowed, by

skin contact or by inhalation. May cause lung damage.

MFAG-No : 131P

- Air transport

PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity : Forbidden

(IATA)

: Forbidden PCA packing instructions (IATA) PCA max net quantity (IATA) : Forbidden CAO packing instructions (IATA) : Forbidden : Forbidden CAO max net quantity (IATA) Special provisions (IATA) : A2

www.Labogens.com 24/05/2016 9/12

Safety Data Sheet

ERG code (IATA) : 6Fi

- Inland waterway transport

Classification code (ADN) : TF1

Special provisions (ADN) : 324, 354, 386, 802

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E0

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TF1

Special provisions (RID) : 324, 354, 386

Limited quantities (RID) : 0

Excepted quantities (RID) : E0

Packing instructions (RID) : P602

Mixed packing provisions (RID) : MP8, MP17

Portable tank and bulk container : T20

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L10CH

Special provisions for RID tanks (RID) : TU14, TU15, TU38, TE21, TE22

Transport category (RID) : 1

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Hazard identification number (RID) : 663

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP2

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CROTONALDEHYDE FOR SYNTHESIS is not on the REACH Candidate List CROTONALDEHYDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to

AwSV; ID No. 239)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

www.Labogens.com 24/05/2016 10/12

Safety Data Sheet

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

| Tall tox of TC, TT and EGT statements. | |
|--|--|
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| R11 | Highly flammable |
| R24/25 | Toxic in contact with skin and if swallowed |

www.Labogens.com 24/05/2016 11/12

Safety Data Sheet

| R26 | Very toxic by inhalation |
|--------|--|
| R37/38 | Irritating to respiratory system and skin |
| R41 | Risk of serious damage to eyes |
| R48/22 | Harmful: danger of serious damage to health by prolonged exposure if swallowed |
| R50 | Very toxic to aquatic organisms |
| R68 | Possible risk of irreversible effects |
| F | Highly flammable |
| N | Dangerous for the environment |
| Т | Toxic |
| T+ | Very toxic |
| Xi | Irritant |
| Xn | Harmful |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 24/05/2016 12/12