CYCLOHEXANE FOR PESTICIDE RESIDUE TRACE ANALYSIS MSDS



CAS No: 110-82-7 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substan	ce/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Trade name	: CYCLOHEXANE For pesticide residue trace analysis
EC index no	: 601-017-00-1
EC no	: 203-806-2
CAS No	: 110-82-7
Product code	: 0083B
Formula	: C6H12
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
1.2.1. Relevant identified uses	, and the second s
Use of the substance/mixture	: Laboratory chemicals, Manufacture of substances
1.2.2. Uses advised against	
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the saf	ety data sheet
Labogens Fine Chem Industries	
1st Floor, Above Bank of India, Guru Vihar	, Rahon Road,
Ludhiana Pb. (141007)	
+91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com	
1.4. Emergency telephone number	
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)
5 ,	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, H225 Category 2 Skin corrosion/irritation, H315 Category 2 Specific target organ H336 toxicity — Single exposure, Category 3, Narcosis Aspiration hazard, H304 Category 1 Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R65 Xi; R38 N; R50/53 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

0.0 Label damante	
2.2. Label elements	
Labelling according to Regulation (EC)	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H410 - Very toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P261 - Avoid breathing vapours, dust, fume, gas P273 - Avoid release to the environment P301+P310 - IF SWALLOWED: Immediately call a doctor P331 - Do NOT induce vomiting P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

SECTION 3: Composition/informat	tion on ingredients
3.1. Substance	
Name	: CYCLOHEXANE For pesticide residue trace analysis
CAS No	: 110-82-7
EC no	: 203-806-2
EC index no	: 601-017-00-1

Full text of R- and H-phrases: see section 16

Safety Data Sheet

3.2. Mixture

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	Causes skin irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medi	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Foam. Dry powder. Water spray.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
	: Remove ignition sources. Use special care to avoid static electric charges. No naked
	lights. No smoking.
6.1.1. For non-emergency personnel	
	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage.
6.4. Reference to other sections	
No additional information available	
www.Labogona.com	Version: 1.0

Safety Data Sheet

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	 Avoid contact with skin and eyes. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/persor	al protection
0.4 Construct a constructions	
8.1. Control parameters	
No additional information available	

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
SECTION 9: Physical and chemical pro	pperties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Colour	: Clear colourless.
Odour	: characteristic ether like odour.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1) : 2.6
Melting point	: 4 - 7 °C
Freezing point	: No data available
Boiling point	: 80.7 °C
Flash point	: -18 °C

Safety Data Sheet

Safety Data Sheet	
Auto-ignition temperature	: 260 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable Highly flammable liquid and vapour
Vapour pressure	: 102.7 hPa at 20°C
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	: 0.779 g/cm³ : Water: Insoluble in water
Log Pow	: 3.44
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.01 - 0.09 vol %
No additional information available SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2.Chemical stabilityStable under normal conditions.	
10.3. Possibility of hazardous rea No additional information available	ictions
10.4.Conditions to avoidOpen flame. Heat. Sparks.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition p	products
May release flammable gases.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicologica	I effects
Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation	: Causes skin irritation. : Not classified

: Not classified

Safety Data Sheet

Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedMay cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability	
CYCLOHEXANE For pesticide residue tr	ace analysis (110-82-7)
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
CYCLOHEXANE For pesticide residue tr	ace analysis (110-82-7)
Log Pow	3.44
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assess	ment
No additional information available	non
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	: Dispose of contents/container to
recommendations	
	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.
SECTION 14: Transport information	
des non-14. mansport information	

In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet

14.1. UN number	
JN-No. (ADR)	: 1145
JN-No. (IMDG)	: 1145
JN-No.(IATA)	: 1145
JN-No.(ADN)	: 1145
JN-No. (RID)	: 1145
	. 1145
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CYCLOHEXANE
Proper Shipping Name (IMDG)	: CYCLOHEXANE
Proper Shipping Name (IATA)	: CYCLOHEXANE
Proper Shipping Name (ADN)	: CYCLOHEXANE
Proper Shipping Name (RID)	: CYCLOHEXANE
Transport document description (ADR)	: UN 1145 CYCLOHEXANE, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1145 CYCLOHEXANE, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS (-18°C c.c.)
Transport document description (IATA)	: UN 1145 CYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1145 CYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1145 CYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3
MDG	
Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
ΑΤΑ	
Transport hazard class(es) (IATA)	: 3
Hazard labels (IATA)	: 3
ADN Transport hazard class(es) (ADN)	: 3

: 3

: 3

Safety Data Sheet



RID

Transport hazard class(es) (RID) Danger labels (RID)



14.4.	Packing group	
Packin	ng group (ADR)	: 11
Packin	ng group (IMDG)	: 11
Packin	ng group (IATA)	: 11
Packin	ng group (ADN)	: 11
Packin	ng group (RID)	: 11
14.5.	Environmental hazards	
Dango	rous for the environment	· Voc

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user			
- Overland transport			
Classification code (ADR)	: F1		
Limited quantities (ADR)	: 1L		
Excepted quantities (ADR)	: E2		
Packing instructions (ADR)	: P001, IBC02, R001		
Mixed packing provisions (ADR)	: MP19		
Portable tank and bulk container instructions (ADR)	: T4		
Portable tank and bulk container special provisions (ADR)	: TP1		
Tank code (ADR)	: LGBF		
Vehicle for tank carriage	: FL		
Transport category (ADR)	: 2		
Special provisions for carriage - Operation (ADR)	: S2, S20		
Hazard identification number (Kemler No.)	: 33		
Orange plates	33 1145		
Tunnel restriction code (ADR)	: D/E		
EAC code	: 3YE		
- Transport by sea			
Limited quantities (IMDG)	: 1L		
Excepted quantities (IMDG)	: E2		
Packing instructions (IMDG)	: P001		
www.Labogens.com	Version: 1.0	07/04/2016	8/11

Safety Data Sheet

,	
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: E
Flash point (IMDG)	: -18°C c.c.
MFAG-No	: 128
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CYCLOHEXANE For pesticide residue trace analysis is not on the REACH Candidate List CYCLOHEXANE For pesticide residue trace analysis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany	
AwSV/VwVwS Annex reference	 Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 63)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects
R11	Highly flammable
R38	Irritating to skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product