CAS No: 108-91-8 MSDS



## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

EC index no : 612-050-00-6 EC no : 203-629-0 CAS No : 108-91-8 Product code : 03132

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet 1.3.

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

#### **Emergency telephone number**

: +91 7707855700 (9:00am - 6:00 pm) **Emergency number** 

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Acute toxicity (oral),

H302

Category 4

Acute toxicity (dermal), H312

Category 4

Skin corrosion/irritation,

H314

Category 1B Reproductive toxicity,

H361f

Category 2

Full text of classification categories and H statements : see section 16

25/05/2016 1/10 www.Labogens.com Version: 1

### Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Repr.Cat.3; R62 Xn; R21/22 C; R34 R10

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :









GHS02

GHS05

GHS07 GHS

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H302+H312 - Harmful if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage

H361f - Suspected of damaging fertility

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, eye protection, face protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER/doctor/...

#### 2.3. Other hazards

No additional information available

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Name : CYCLOHEXYLAMINE FOR SYNTHESIS

CAS No : 108-91-8
EC no : 203-629-0
EC index no : 612-050-00-6

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

www.Labogens.com Version: 1 25/05/2016 2/10

### Safety Data Sheet

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Immediately call a POISON

CENTER or doctor/physician. Wash with plenty of soap and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Suspected of damaging fertility.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

#### **SECTION** 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

www.Labogens.com Version: 1 25/05/2016 3/10

### Safety Data Sheet

Hygiene measures

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: Avoid contact with skin and eyes. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe vapours.

: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Keep in fireproof place.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : amine like.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -17 °C

Freezing point : No data available

Boiling point : 134 °C

www.Labogens.com Version: 1 25/05/2016 4/10

### Safety Data Sheet

Flash point : 27 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : 10 mm Hg at 20°C

Relative vapour density at 20 °C : 3.42

Relative density : No data available

Density : 0.8647 g/cm³ Solubility : Water: Soluble

Log Pow : 1.4

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.016 - 0.094 vol %

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit

www.Labogens.com Version: 1 25/05/2016 5/10

### Safety Data Sheet

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

CYCLOHEXYLAMINE FOR SYNTHESIS (108-91-8)	
Log Pow	1.4

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal

: Dispose of contents/container to ...

recommendations

Additional information

: Handle empty containers with care because residual vapours are flammable.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### Safety Data Sheet

#### 14.1. UN number

UN-No. (ADR) : 2357 UN-No. (IMDG) : 2357 UN-No.(IATA) : 2357

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CYCLOHEXYLAMINE
Proper Shipping Name (IMDG) : CYCLOHEXYLAMINE
Proper Shipping Name (IATA) : CYCLOHEXYLAMINE

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 2357 CYCLOHEXYLAMINE, 8 (3), II, (D/E)
Transport document description (IMDG) : UN 2357 CYCLOHEXYLAMINE, 8 (3), II (27°C c.c.)

Transport document description (IATA) : UN 2357 CYCLOHEXYLAMINE, 8 (3), II

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



### **IMDG**

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



#### IATA

Transport hazard class(es) (IATA) : 8 (3) Hazard labels (IATA) : 8, 3



#### **ADN**

Transport hazard class(es) (ADN) : Not regulated

**RID** 

Transport hazard class(es) (RID) : Not regulated

www.Labogens.com Version: 1 25/05/2016 7/10

### Safety Data Sheet

#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : CF1
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 83

Orange plates

83 235

Tunnel restriction code (ADR) : D/E
EAC code : •2W
APP code : A(fl)

#### - Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 : F-E EmS-No. (Fire) : S-C EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2 Flash point (IMDG) : 27°C c.c. MFAG-No : 132

#### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840

www.Labogens.com Version: 1 25/05/2016 8/10

### Safety Data Sheet

PCA limited quantity max net quantity

(IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8F

#### - Inland waterway transport

Not regulated

#### - Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: 0.5L

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CYCLOHEXYLAMINE FOR SYNTHESIS is not on the REACH Candidate List CYCLOHEXYLAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 67)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H302+H312;H314;H361f>; Emergency management guidelines for the

storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

www.Labogens.com Version: 1 25/05/2016 9/10

Safety Data Sheet

### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

ruit ext of te, if and both philages.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H361f	Suspected of damaging fertility
R10	Flammable
R21/22	Harmful in contact with skin and if swallowed
R34	Causes burns
R62	Possible risk of impaired fertility
С	Corrosive
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 25/05/2016 10/10