CYCLOPROPYLAMINE FOR SYNTHESIS MSDS

CAS No: 765-30-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC no : 212-142-2
CAS No : 765-30-0
Product code : 3139D
Formula : C3H5NH2

Synonyms : Aminocyclopropane

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

.

Skin corrosion/irritation,

H314

Category 1B

....

Acute toxicity (oral),

H302

Category 4

Full text of classification categories and H statements : see section 16

www.Labogens.com 25/05/2016 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R22 C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02

GHS05

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : CYCLOPROPYLAMINE For Synthesis

CAS No : 765-30-0 EC no : 212-142-2

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 25/05/2016 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash with plenty of soap and water. Remove/Take off immediately all contaminated

clothing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

www.Labogens.com 25/05/2016 3/10

Safety Data Sheet

Precautions for safe handling : Keep away from sources of ignition - No smoking. Use only non-sparking tools.

Avoid contact with skin and eyes. Do not breathe vapours. Take precautionary

measures against static discharge.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Odour threshold

pН

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

: No data available

: No data available

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Light yellow.

Odour : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : 49 - 50 °C

Flash point : -26 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

www.Labogens.com 25/05/2016 4/10

Safety Data Sheet

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour

Vapour pressure : 322 hPa at 20°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.824 g/ml at 25°C Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

www.Labogens.com 25/05/2016 5/10

Safety Data Sheet

Reproductive toxicity

Specific target organ toxicity (single exposure)

: Not classified: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

Additional information

: Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2733 UN-No. (IMDG) : 2733 UN-No.(IATA) : 2733

www.Labogens.com 25/05/2016 6/10

Safety Data Sheet

UN-No.(ADN) : 2733 UN-No. (RID) : 2733

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, FLAMMABLE, CORROSIVE, N.O.S. / POLYAMINES, FLAMMABLE,

CORROSIVE, N.O.S.

Proper Shipping Name (IMDG)

: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

Proper Shipping Name (IATA)

: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

Proper Shipping Name (ADN)

: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

Proper Shipping Name (RID)

: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

Transport document description (ADR) : UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S. / POLYAMINES,

FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II, (D/E)

Transport document description (IMDG) : UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II
Transport document description (IATA) : UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II
Transport document description (RID) : UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II
Transport document description (RID) : UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (8)
Danger labels (ADR) : 3, 8



IMDG

Transport hazard class(es) (IMDG) : 3 (8)
Danger labels (IMDG) : 3, 8



IATA

Transport hazard class(es) (IATA) : 3 (8) Hazard labels (IATA) : 3, 8



ADN

Transport hazard class(es) (ADN) : 3 (8)
Danger labels (ADN) : 3, 8



www.Labogens.com 25/05/2016 7/10

Safety Data Sheet

RID

Transport hazard class(es) (RID) : 3 (8)
Danger labels (RID) : 3, 8

:



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FC
Special provision (ADR) : 274, 544
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T11

instructions (ADR)

is (ADR)

Portable tank and bulk container special provisions (ADR)

Tank code (ADR) : L4BH

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 338

Orange plates :

338 2733

: TP1, TP27

Tunnel restriction code (ADR) : D/E
EAC code : •2WE
APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T11

www.Labogens.com 25/05/2016 8/10

Safety Data Sheet

Tank special provisions (IMDG)	: TP1, TP27
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
MFAG-No	: 132

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y340
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 363
CAO max net quantity (IATA) : 5L
Special provision (IATA) : A3
ERG code (IATA) : 3C

- Inland waterway transport

Classification code (ADN) : FC
Special provisions (ADN) : 274, 544
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : FC
Special provision (RID) : 274, 544
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T11

instructions (RID)

Portable tank and bulk container special : TP1, TP27

provisions (RID)

Tank codes for RID tanks (RID) : L4BH
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 338

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CYCLOPROPYLAMINE For Synthesis is not on the REACH Candidate List

www.Labogens.com 25/05/2016 9/10

Safety Data Sheet

CYCLOPROPYLAMINE For Synthesis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 5746)

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
R11	Highly flammable
R22	Harmful if swallowed
R34	Causes burns
С	Corrosive
F	Highly flammable
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

25/05/2016 10/10 www.Labogens.com