CAS-No.: 75-09-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

 EC Index-No.
 : 602-004-00-3

 EC-No.
 : 200-838-9

 CAS-No.
 : 75-09-2

 Product code
 : 00096

 Formula
 : CH2Cl2

Chemical structure

CH₂Cl₂

Synonyms : Methylene chloride / DCM

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H315
Category 2
Serious eye damage/eye H319
irritation, Category 2
Carcinogenicity, Category H351

2

Specific target organ H336

toxicity — Single exposure, Category 3,

Narcosis

Specific target organ H335

www.Labogens.com 08/04/2016 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

toxicity - Single exposure, Category 3, Respiratory tract irritation Specific target organ

toxicity — Repeated exposure, Category 2

Full text of hazard classes and H-statements : see section 16

H373

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3: R40

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness.

H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

: P261 - Avoid breathing vapours, dust, fume, gas. Precautionary statements (CLP)

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Name : DICHLOROMETHANE SPECIALLY DRIED AR

CAS-No. : 75-09-2 FC-No. : 200-838-9 EC Index-No. : 602-004-00-3

08/04/2016 2/11 www.Labogens.com

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep

at rest in a position comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of water/.... Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause cancer.

Symptoms/effects after inhalation : May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed.

Chronic symptoms : Suspected of damaging the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray. Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

www.Labogens.com 08/04/2016 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Avoid contact with skin and eyes. Do not

breathe vapours. Take precautionary measures against static discharge.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : chloroform-like odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : 0.71

Melting point : -97 °C

Freezing point : No data available

Boiling point : 39.8 - 40 °C

www.Labogens.com 08/04/2016 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point : No data available

Auto-ignition temperature : 556 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 470.8 hPa at 20°C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.325 g/cm³

Solubility : Water: Slightly soluble

Log Pow : 1.25

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Open flame.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

www.Labogens.com 08/04/2016 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

DICHLOROMETHANE SPECIALLY DRIED AR (75-09-2)	
Log Pow	1.25

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

www.Labogens.com 08/04/2016 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

UN-No. (ADR) : 1593 UN-No. (IMDG) : 1593 UN-No. (IATA) : 1593 UN-No. (ADN) : 1593 UN-No. (RID) : 1593

14.2. UN proper shipping name

Proper Shipping Name (ADR) : DICHLOROMETHANE
Proper Shipping Name (IMDG) : DICHLOROMETHANE
Proper Shipping Name (IATA) : Dichloromethane
Proper Shipping Name (ADN) : DICHLOROMETHANE
Proper Shipping Name (RID) : DICHLOROMETHANE

Transport document description (ADR) : UN 1593 DICHLOROMETHANE, 6.1, III, (E)
Transport document description (IMDG) : UN 1593 DICHLOROMETHANE, 6.1, III

Transport document description (ADN) : UN 1593 DICHLOROMETHANE, 6.1, III

Transport document description (ADN) : UN 1593 DICHLOROMETHANE, 6.1, III

Transport document description (RID) : UN 1593 DICHLOROMETHANE, 6.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1

www.Labogens.com 08/04/2016 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. **Packing group**

: 111 Packing group (ADR) : 111 Packing group (IMDG) Packing group (IATA) : 111 Packing group (ADN) : III : 111 Packing group (RID)

Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T1 Special provisions (ADR) : 516 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : B8 : MP19 Mixed packing provisions (ADR) Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT : 2 Transport category (ADR) Special provisions for carriage - Packages : V12 (ADR)

Special provisions for carriage - Loading,

: CV13, CV28 unloading and handling (ADR)

Special provisions for carriage - Operation : S9

(ADR)

Hazard identification number (Kemler No.) : 60

08/04/2016 8/11 www.Labogens.com

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 60

Tunnel restriction code (ADR) : E EAC code : 2Z

- Transport by sea

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 IBC special provisions (IMDG) : B8 Tank instructions (IMDG) : T7 : TP2 Tank special provisions (IMDG) EmS-No. (Fire) : F-A : S-A EmS-No. (Spillage) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless, volatile liquid with heavy vapours. Boiling point: 40°C. When involved in

a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact

or by inhalation.

MFAG-No : 160

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y642
PCA limited quantity max net quantity : 2L
(IATA)

PCA packing instructions (IATA) : 655
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 663
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T1

Special provisions (ADN) : 516, 802

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T1
Special provisions (RID) : 516
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

: TP2

Special packing provisions (RID) : B8

Mixed packing provisions (RID) : MP19

Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BH Special provisions for RID tanks (RID) : TU15

www.Labogens.com 08/04/2016 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 2 Transport category (RID) Special provisions for carriage - Packages : W12

(RID)

Special provisions for carriage - Loading,

: CW13, CW28, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 60

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

DICHLOROMETHANE SPECIALLY DRIED AR is not on the REACH Candidate List DICHLOROMETHANE SPECIALLY DRIED AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

: The substance is not listed

voortplanting giftige stoffen -

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling

Denmark

: Young people below the age of 18 years are not allowed to use the product Recommendations Danish Regulation

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

08/04/2016 10/11 www.Labogens.com

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
R40	Limited evidence of a carcinogenic effect

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 08/04/2016 11/11