CAS-No.: 60-29-7 MSDS

LABOGEN'S

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identificat	tion of the substance/mixture and of the company/undertaking
1.1. Product ident	
Product form	: Substance
CAS-No.	: 60-29-7
Product code	: 0104A
1.2. Relevant iden	tified uses of the substance or mixture and uses advised against
1.2.1. Relevant iden	itified uses
Use of the substance/m	ixture : Laboratory chemicals, Manufacture of substances
1.2.2. Uses advised No additional informatic	-
1.3. Details of the	supplier of the safety data sheet
Labogens Fine Chem Ir 1st Floor , Above Bank Ludhiana Pb. (141007) +91 9316777775, +91 7 sales@labogens.com	of India, Guru Vihar , Rahon Road, 7707855700
1.4. Emergency te	elephone number
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)
SECTION 2: Hazards i	dentification
2.1. Classification	of the substance or mixture
Classification accordi	ng to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids, Category 1	H224
Acute toxicity (oral), Category 4	H302
Specific target organ toxicity — Single	H336

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; R12 Xn; R22 R19

Narcosis

exposure, Category 3,

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

R66

R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC	C) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H224 - Extremely flammable liquid and vapour. H302 - Harmful if swallowed. H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	: DIETHYL ETHER SPECIALLY DRIED	
CAS-No.	: 60-29-7	

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measure	S	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISO CENTER/doctor if you feel unwell.	Ν
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if pre and easy to do. Continue rinsing. Get medical advice/attention.	sent
www.Labogens.com	08/04/2016	2/11

Safety Data Sheet

A.2. Most important symptoms and effects after inhalation Symptoms/effects after ingestion Symptoms/effects Freat symptomatically. Section 5: Firefighting media Suitable extinguishing media Suitable extinguishing media Symptosical hazards arising from the section hazard Size hazard Symptosical hazard	May cause drowsiness or dizziness. Harmful if swallowed. cal attention and special treatment needed Carbon dioxide. Dry powder. Foam. Water spray. Do not use a heavy water stream. Substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Symptoms/effects after inhalation : Symptoms/effects after ingestion : Symptoms/effects : Section : Section : Symptoms/effects : Symptoms/effects : Symptoms/effects : Section : Symptomatically. : Section : Symptomatically. : <	May cause drowsiness or dizziness. Harmful if swallowed. cal attention and special treatment needed Carbon dioxide. Dry powder. Foam. Water spray. Do not use a heavy water stream. Substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Symptoms/effects after ingestion : Symptoms/effects after ingestion : S.3. Indication of any immediate media Treat symptomatically. : SECTION 5: Firefighting measures : S.1. Extinguishing media Suitable extinguishing media : Jusuitable extinguishing media : S.2. Special hazards arising from the section in the section	Harmful if swallowed. cal attention and special treatment needed Carbon dioxide. Dry powder. Foam. Water spray. Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
A.3. Indication of any immediate media Treat symptomatically. SECTION 5: Firefighting measures A.1. Extinguishing media Suitable extinguishing media Junsuitable extinguishing media Junsuitable extinguishing media S.2. Special hazards arising from the s Fire hazard Special hazards arising from the s Since hazard Since for firefighters Firefighting instructions SECTION 6: Accidental release measures	Carbon dioxide. Dry powder. Foam. Water spray. Do not use a heavy water stream. Substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Freat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Jusuitable extinguishing media : 5.2. Special hazards arising from the serie hazard Fire hazard : 5.3. Advice for firefighters Firefighting instructions :	Carbon dioxide. Dry powder. Foam. Water spray. Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media : Jnsuitable extinguishing media : S.2. Special hazards arising from the s Fire hazard : Explosion hazard : S.3. Advice for firefighters Firefighting instructions : SECTION 6: Accidental release measures	Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media S.2. Special hazards arising from the serie hazard Fire hazard Explosion hazard S.3. Advice for firefighters Firefighting instructions SECTION 6: Accidental release measures	Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Suitable extinguishing media : Unsuitable extinguishing media : S.2. Special hazards arising from the second s	Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Jnsuitable extinguishing media : S.2. Special hazards arising from the section of the secti	Do not use a heavy water stream. substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
5.2. Special hazards arising from the s Fire hazard : Explosion hazard : 5.3. Advice for firefighters Firefighting instructions : SECTION 6: Accidental release measures	Substance or mixture Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Fire hazard : Explosion hazard : 5.3. Advice for firefighters Firefighting instructions : SECTION 6: Accidental release measures	Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Explosion hazard : 5.3. Advice for firefighters Firefighting instructions : SECTION 6: Accidental release measures	May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Advice for firefighters Firefighting instructions SECTION 6: Accidental release measures	rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form explosive peroxides.
Firefighting instructions : SECTION 6: Accidental release measures	
SECTION 6: Accidental release measures	
	DO NOT fight fire when fire reaches explosives. Evacuate area.
5.1. Personal precautions, protective e	equipment and emergency procedures
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
5.1.1. For non-emergency personnel	
Emergency procedures :	Evacuate unnecessary personnel.
5.1.2. For emergency responders	
Protective equipment :	Use personal protective equipment as required.
Emergency procedures :	Ventilate area.
2. Environmental precautions	
void release to the environment.	
.3. Methods and material for containn	ment and cleaning up
Aethods for cleaning up :	On land, sweep or shovel into suitable containers. Collect spillage.
.4. Reference to other sections	
lo additional information available	
ECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed :	Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion.
Precautions for safe handling :	Avoid contact with skin and eyes. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe vapours. Use only outdoors or in a well-ventilated area. Keep away from sources of ignition - No smoking.
lygiene measures :	Do not eat, drink or smoke when using this product. Wash hands and other exposed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe stor	age, including any incompatibilities
Technical measures	 Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible products	: Oxidizing agent.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	and chemical properties
Physical state	: Liquid
Colour	: Clear colourless.
Odour	: sweet etheral odour.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: 37.5
Melting point	: -116 °C
Freezing point	: No data available
Boiling point	: 34.6 °C
Flash point	: -40 °C
Auto-ignition temperature	: 160 K
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Extremely flammable liquid and vapour.
Vapour pressure	: 563 hPa at 20°C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACI	H) with its amendment Regulation (EU) 2015/830
Relative vapour density at 20 °C	: 2.6
Relative density	: No data available
Density	: 0.71 g/cm³
Solubility	: Water: 65 g/l at 20°C
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: May form explosive peroxides.
Oxidising properties	: No data available
Explosive limits	: 0.018 - 0.48 vol %
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous read	ctions
Reacts vigorously with strong oxidizers	and acids.
10.4. Conditions to avoid	
Sparks. Heat. Open flame.	
10.5. Incompatible materials	
Oxidizing agent.	
10.6. Hazardous decomposition p	roducts
May release flammable gases. May forr	m explosive peroxides.
SECTION 11: Toxicological informati	on
11.1. Information on toxicological	
Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Not classified
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed.
SECTION 12: Ecological information	
12.1. Toxicity No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asses	sment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal	: Dispose of contents/container to hazardous or special waste collection point, in
recommendations	accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IAT	A / ADN
14.1. UN number	

14.1. UN number		
UN-No. (ADR)	: 1155	
UN-No. (IMDG)	: 1155	
UN-No. (IATA)	: 1155	
UN-No. (ADN)	: 1155	
UN-No. (RID)	: 1155	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: DIETHYL ETHER (ETHYL ETHER)
Proper Shipping Name (IMDG)	: DIETHYL ETHER (ETHYL ETHER)
Proper Shipping Name (IATA)	: Diethyl ether
Proper Shipping Name (ADN)	: DIETHYL ETHER (ETHYL ETHER)
Proper Shipping Name (RID)	: DIETHYL ETHER (ETHYL ETHER)
Transport document description (ADR)	: UN 1155 DIETHYL ETHER (ETHYL ETHER), 3, I, (D/E)
Transport document description (IMDG)	: UN 1155 DIETHYL ETHER (ETHYL ETHER), 3, I (-40°C c.c.)
Transport document description (IATA)	: UN 1155 Diethyl ether, 3, I
Transport document description (ADN)	: UN 1155 DIETHYL ETHER (ETHYL ETHER), 3, I
Transport document description (RID)	: UN 1155 DIETHYL ETHER (ETHYL ETHER), 3, I
112 Transport beyond close(co)	

14.3.	I ransport hazard class(es)	
ADR		
Transpo	rt hazard class(es) (ADR)	

Danger labels (ADR)



: 3

: 3 : 3

: 3 : 3

: 3

: 3

: 3

IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	



ΙΑΤΑ

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



ADN

Transport hazard class(es) (ADN) Danger labels (ADN)




RID

Transport hazard class(es) (RID)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport		
Classification code (ADR)	:	F1
Limited quantities (ADR)	:	0
Excepted quantities (ADR)	:	E3
Packing instructions (ADR)	:	P001
Mixed packing provisions (ADR)	:	MP7, MP17
Portable tank and bulk container instructions (ADR)	:	T11
Portable tank and bulk container special provisions (ADR)	:	TP2
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	1
Special provisions for carriage - Operation (ADR)	:	S2, S20
Hazard identification number (Kemler No.)	:	33
Orange plates		
Orange plates	:	33
	•	33 1155
Tunnel restriction code (ADR)		
	:	1155
Tunnel restriction code (ADR)	:	1155 D/E
Tunnel restriction code (ADR) EAC code	:	1155 D/E
Tunnel restriction code (ADR) EAC code - Transport by sea	::	1155 D/E •3YE
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG)	::	1155 D/E •3YE
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG)	::	1155 D/E •3YE 0 E3
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	: : : : : :	1155 D/E •3YE 0 E3 P001
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Tank instructions (IMDG)	: : : : : : : : : : : : : : : : : : : :	1155 D/E •3YE 0 E3 P001 T11
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	: : : : : : : : : : : : : : : : : : : :	1155 D/E •3YE 0 E3 P001 T11 TP2
Tunnel restriction code (ADR) EAC code - Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	······································	1155 D/E •3YE 0 E3 P001 T11 TP2 F-E

www.Labogens.com

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) w	/ith its amendment Regulation (EU) 2015/830
Flash point (IMDG)	: -40°C c.c.
Properties and observations (IMDG)	Colourless, volatile and mobile liquid with a pleasant aromatic odour. Flashpoint: - 40°C c.c. Explosive limits: 1.7% to 48%. Boiling point: 34°C. Immiscible with water. In the presence of oxygen or on long standing or exposure to sunlight, unstable peroxides sometimes form; these may explode spontaneously or when heated. Strongly narcotic. Readily ignited by static electricity.
MFAG-No	: 127
- Air transport	
PCA Excepted quantities (IATA)	: E3
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 351
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 361
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 3AH
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E3
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E3
Packing instructions (RID)	: P001
Mixed packing provisions (RID)	: MP7, MP17
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 1
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

DIETHYL ETHER SPECIALLY DRIED is not on the REACH Candidate List DIETHYL ETHER SPECIALLY DRIED is not on the REACH Annex XIV List

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de	: The substance is not listed : The substance is not listed : The substance is not listed
voortplanting giftige stoffen – Borstvoeding NIET-limitatieve lijst van voor de	: The substance is not listed
voortplanting giftige stoffen – Vruchtbaarheid	
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F+ <flam. 1="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 1	Flammable liquids, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
R12	Extremely flammable
R19	May form explosive peroxides
R22	Harmful if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F+	Extremely flammable
Xn	Harmful

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product