CAS No: 68-12-2 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Chemical structure

Product form : Substance

EC index no : 616-001-00-X EC no : 200-679-5 CAS No : 68-12-2 : 00118 Product code : C3H7NO Formula

Synonyms : DMF

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

## **Uses advised against**

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

**Emergency telephone number** 

**Emergency number** : +91 7707855700 (9:00am - 6:00 pm)

## SECTION 2: Hazards identification

## Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Acute toxicity (dermal),

H312

Category 4

Acute toxicity (inhal.), H332

Category 4

09/04/2015 1/11 www.Labogens.com

## Safety Data Sheet

Serious eye damage/eye H319 irritation, Category 2 Reproductive toxicity, H360D

Category 1B

Full text of classification categories and H statements : see section 16

## Classification according to Directive 67/548/EEC or 1999/45/EC

Repr.Cat.2; R61 Xn; R20/21 Xi; R36

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H312+H332 - Harmful in contact with skin or if inhaled

H319 - Causes serious eye irritation H360D - May damage the unborn child

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - IF exposed or concerned: Get medical advice/attention

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Name : DIMETHYLFORMAMIDE AR/ACS

CAS No : 68-12-2 EC no : 200-679-5 EC index no : 616-001-00-X

www.Labogens.com 09/04/2015 2/11

## Safety Data Sheet

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap

and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May damage the unborn child.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

www.Labogens.com 09/04/2015 3/11

## Safety Data Sheet

#### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood.

Hygiene measures : Wash ... thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : fishy pungent & amine like.

Odour threshold : No data available

pH : 6.7

Relative evaporation rate (butylacetate=1) : 0.17

Melting point : -61 °C

Freezing point : No data available

Boiling point : 153 °C

Flash point : 580 °C

Auto-ignition temperature : 4450 °C

Decomposition temperature : No data available

www.Labogens.com 09/04/2015 4/11

## Safety Data Sheet

Flammability (solid, gas) : Flammable

Vapour pressure : 2.7 at 20C

Relative vapour density at 20 °C : 2.52

Relative density : No data available

Density : 0.949 g/cm³ Solubility : Water: Complete

Log Pow : 1.01

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.022 - 0.152 vol %

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Not classified

pH: 6.7

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.7

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

www.Labogens.com 09/04/2015 5/11

## Safety Data Sheet

Reproductive toxicity

: May damage the unborn child.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin.

## **SECTION 12: Ecological information**

#### **Toxicity**

No additional information available

## Persistence and degradability

No additional information available

#### 12.3. **Bioaccumulative potential**

Log Pow 1.01

#### 12.4. **Mobility in soil**

No additional information available

#### 12.5. Results of PBT and vPvB assessment

## **DIMETHYLFORMAMIDE AR/ACS (68-12-2)**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

6/11 09/04/2015 www.Labogens.com

## Safety Data Sheet

## 14.1. UN number

UN-No. (ADR) : 2265 UN-No. (IMDG) : 2265 UN-No.(IATA) : 2265 UN-No.(ADN) : 2265 UN-No. (RID) : 2265

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : N,N-DIMETHYLFORMAMIDE
Proper Shipping Name (IMDG) : N,N-DIMETHYLFORMAMIDE
Proper Shipping Name (IATA) : N,N-DIMETHYLFORMAMIDE
Proper Shipping Name (ADN) : N,N-DIMETHYLFORMAMIDE
Proper Shipping Name (RID) : N,N-DIMETHYLFORMAMIDE

Transport document description (ADR) : UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III, (D/E) Transport document description (IMDG) : UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III (58°C c.c.)

Transport document description (IATA) : UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

Transport document description (ADN) : UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

Transport document description (RID) : UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



## **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



## IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



## **ADN**

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3

www.Labogens.com 09/04/2015 7/11

## Safety Data Sheet



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

## - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T2

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates

30 2265

Tunnel restriction code (ADR) : D/E EAC code : •2Y

- Transport by sea

Limited quantities (IMDG) : 5 L

www.Labogens.com 09/04/2015 8/11

## Safety Data Sheet

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 : TP2 Tank special provisions (IMDG) EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A Flash point (IMDG) : 58°C c.c.

MFAG-No : 129

## - Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity : 10L

(IATA)

PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 3L

## - Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

## - Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T2

instructions (RID)

Portable tank and bulk container special : TP2

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Colis express (express parcels) (RID) : CE4 Hazard identification number (RID) : 30

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

#### No REACH Annex XVII restrictions

www.Labogens.com 09/04/2015 9/11

## Safety Data Sheet

N,N-dimethylformamide is on the REACH Candidate List DIMETHYLFORMAMIDE AR/ACS is not on the REACH Annex XIV List

## 15.1.2. National regulations

## Germany

AwSV/VwVwS Annex reference

12th Ordinance Implementing the Federa Immission Control Act - 12.BImSchV

: Water hazard class (WGK) 2, hazardous to water (KBwS-Beschluss; WGK No 83)

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

## Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

## Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
H226	Flammable liquid and vapour
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
H360D	May damage the unborn child
R20/21	Harmful by inhalation and in contact with skin
R36	Irritating to eyes
R61	May cause harm to the unborn child
Xi	Irritant
Xn	Harmful

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11