CAS-No.: 110-54-3 MSDS



## **MATERIAL SAFETY DATA SHEET (MSDS)**

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

EC Index-No. : 601-037-00-0
EC-No. : 203-777-6
CAS-No. : 110-54-3
Product code : 0160F
Formula : C6H14

Chemical structure : CH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>CH<sub>3</sub>

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries

1st Floor, Above Bank of India, Guru Vihar, Rahon Road,

Ludhiana Pb. (141007)

+91 9316777775. +91 7707855700

sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Skin corrosion/irritation,

H315

Category 2

Reproductive toxicity, H361f

Category 2

Specific target organ H

H336

toxicity — Single exposure, Category 3,

Narcosis

Specific target organ

H373

toxicity — Repeated exposure, Category 2

www.Labogens.com 11/04/2016 1/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aspiration hazard, H304

Category 1

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

Full text of hazard classes and H-statements: see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.3; R62

F; R11 Xn; R65 Xn; R48/20 Xi; R38 N; R51/53 R67

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :









Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness. H361f - Suspected of damaging fertility.

H373 - May cause damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor

P331 - Do NOT induce vomiting.

P261 - Avoid breathing vapours, dust, fume, gas. P210 - Keep away from heat, sparks. No smoking. P281 - Use personal protective equipment as required.

#### 2.3. Other hazards

No additional information available

www.Labogens.com 11/04/2016 2/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name	Product identifier	%
n-HEXANE HPLC	(CAS-No.) 110-54-3 (EC-No.) 203-777-6	100
	(EC Index-No.) 601-037-00-0	

Full text of R- and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several

minutes. Get medical advice/attention.

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs.

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

www.Labogens.com 11/04/2016 3/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Do not breathe vapours. Provide good

ventilation in process area to prevent formation of vapour.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

www.Labogens.com 11/04/2016 4/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour : gasoline-like.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -95 °C

Freezing point : No data available

Boiling point : 68 - 70 °C

Flash point : -23 °C

Auto-ignition temperature : 225 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Flammable solid.

Vapour pressure : 151 mm Hg at 25° C

Relative vapour density at 20 °C : 2.97

Relative density : No data available

Density : 0.678 g/cm<sup>3</sup>

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 0.31 mPa.s 20° C

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.011 - 0.075 vol %

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

#### 10.5. Incompatible materials

No additional information available

www.Labogens.com 11/04/2016 5/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

May release flammable gases.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility. STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

n-HEXANE HPLC (110-54-3)	
Viscosity, kinematic	0.45722714 mm²/s

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

n-HEXANE HPLC (110-54-3)			
	Persistence and degradability	May cause long-term adverse effects in the environment.	

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

www.Labogens.com 11/04/2016 6/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations
Additional information

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1208 UN-No. (IMDG) : 1208 UN-No. (IATA) : 1208 UN-No. (ADN) : 1208 UN-No. (RID) : 1208

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : HEXANES
Proper Shipping Name (IMDG) : HEXANES
Proper Shipping Name (IATA) : Hexanes
Proper Shipping Name (ADN) : HEXANES
Proper Shipping Name (RID) : HEXANES

Transport document description (ADR) : UN 1208 HEXANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1208 HEXANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IATA) : UN 1208 Hexanes, 3, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 1208 HEXANES, 3, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 1208 HEXANES, 3, II, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



www.Labogens.com 11/04/2016 7/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **IATA**

Transport hazard class(es) (IATA) : 3 Hazard labels (IATA) : 3



#### **ADN**

Transport hazard class(es) (ADN) : 3 Danger labels (ADN) : 3



#### **RID**

Transport hazard class(es) (RID) : 3 Danger labels (RID) : 3



#### 14.4. **Packing group**

Packing group (ADR) : 11 Packing group (IMDG) : II : II Packing group (IATA) Packing group (ADN) : II Packing group (RID) : II

#### **Environmental hazards**

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

### Special precautions for user

### - Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

: LGBF Tank code (ADR)

11/04/2016 8/11 www.Labogens.com

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 1208

Tunnel restriction code (ADR) : D/E EAC code : 3YE

### - Transport by sea

Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E : S-D EmS-No. (Spillage) : E Stowage category (IMDG)

Properties and observations (IMDG) : Colourless, volatile liquids with a faint odour. Explosive limits: 1.1% to 7.5% n-

HEXANE: flashpoint -22°C c.c. boiling point 69°C. NEOHEXANE: flashpoint -48°C c.c. boiling point 50°C. Immiscible with water. Slightly irritating to skin, eyes and

mucous membranes.

MFAG-No : 128

#### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3H

#### - Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

#### - Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

www.Labogens.com 11/04/2016 9/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special

provisions (RID)

: TP1

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 2 : CE7 Colis express (express parcels) (RID) Hazard identification number (RID) : 33

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

#### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions n-HEXANE HPLC is not on the REACH Candidate List n-HEXANE HPLC is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: n-HEXANE HPLC is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

11/04/2016 10/11 www.Labogens.com

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
R11	Highly flammable	
R38	Irritating to skin	
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R62	Possible risk of impaired fertility	
R65	Harmful: may cause lung damage if swallowed	
R67	Vapours may cause drowsiness and dizziness	
F	Highly flammable	
N	Dangerous for the environment	
Xi	Irritant	
Xn	Harmful	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 11/04/2016 11/11