# HYDRAZINE HYDRATE 80% EXTRA PURE MSDS



# CAS-No.: 10217-52-4 MSDS

# **MATERIAL SAFETY DATA SHEET (MSDS)**

1.1. Product identifier	
Product form	: Substance
	:
CAS-No.	: 10217-52-4
Product code	: 00165
Synonyms	: Hydrazinium hydroxide
1.2. Relevant identified uses of	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
ndustrial/Professional use spec	: Industrial For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	e safety data sheet
_abogens Fine Chem Industries	
1st Floor , Above Bank of India, Guru \ ∟udhiana Pb. (141007)	Vihar, Rahon Road,
+91 9316777775, +91 7707855700	
sales@labogens.com www.Laboge	ens.com
1.4. Emergency telephone numl	ber
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)
SECTION 2: Hazards identification	
2.1. Classification of the substa	ince or mixture

H301 Acute toxicity (oral), Category 3 Acute toxicity (dermal), Category 3 H311 Acute toxicity (inhal.), H331 Category 3 Skin corrosion/irritation, H314 Category 1B Skin sensitisation, H317 Category 1 Carcinogenicity, Category H350 1A Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Category 3

Safety Data Sheet

Full text of H statements : see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45 T; R23/24/25 C; R34 R43 N; R50/53 R10 Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements					
Labelling according to Regulation (EC) N	o. 1272/2008 [CL	.P1			
Hazard pictograms (CLP)					¥2
	GHS02	GHS05	GHS06	GHS08	GHS09
Signal word (CLP)	: Danger				
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour.</li> <li>H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled</li> <li>H314 - Causes severe skin burns and eye damage.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H350 - May cause cancer.</li> <li>H410 - Very toxic to aquatic life with long lasting effects.</li> </ul>				
Precautionary statements (CLP)	P301+P310 - II	elease to the e rotective glove = SWALLOWE 338 - IF IN EY ct lenses, if pre	nvironment. s/protective clo ED: Immediatel ES: Rinse caut esent and easy	othing/eye prot y call a POISC tiously with wa v to do. Continu	

### 2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
Substances		
	: HYDRAZINE HYDRATE 80% Extra Pure	
	: 10217-52-4	

Safety Data Sheet

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.
First-aid measures after skin contact	<ul> <li>Take off immediately all contaminated clothing. Immediately call a POISON CENTER/doctor. Wash with plenty of water/</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
4.2. Most important symptoms and o	effects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause an allergic skin reaction. Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin.
Symptoms/effects after ingestion	: Toxic if swallowed.
4.3. Indication of any immediate me	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
E 4 Extinguishing modia	
5.1. Extinguishing media	Water error Feerre Druger Cerken disvide
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measure	S
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Very toxic to aquatic life with long lasting ef	fects.
6.3. Methods and material for contai	nment and cleaning up

: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Safety Data Sheet

6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	<ul> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.</li> </ul>
Hygiene measures	Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Keep container tightly closed. Keep cool. Protect from sunlight.
Incompatible materials	: Heat sources.
-	
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/persona	I protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.
SECTION 9: Physical and chemical pro	perties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Molecular mass	: 50.06 g/mol
Colour	: Clear Colorless.
Odour	: ammonia like.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	) : No data available
Melting point	: -57 °C
Freezing point	: No data available
Boiling point	: 117 °C

Safety Data Sheet

9.2.

**Other information** 

-	
Flash point	: 96 °C
Auto-ignition temperature	: 310 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 1.1
Relative density	: No data available
Density Solubility	: 1.028 g/cm³ : Water: Miscible with water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.9 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.035 - 0.9999 vol %

No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Flammable liquid and vapour. May form	n flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous rea	ctions
No additional information available	
10.4. Conditions to avoid	
Open flame. Overheating. Direct sunlig	ht. Heat. Sparks.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition p	roducts
May release flammable gases. Therma	I decomposition generates : Corrosive vapours.
SECTION 11: Toxicological informati	on
11.1. Information on toxicological	effects
Acute toxicity	: Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Safety Data Sheet

May cause an allergic skin reaction.
Not classified
May cause cancer.
Not classified
Not classified
Not classified
Not classified
(10217-52-4)
0.875 mm²/s
Toxic if swallowed. Toxic in contact with skin.
Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability			
HYDRAZINE HYDRATE 80% Extra Pure (10217-52-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assess	sment		
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Product/Packaging disposal	: Dispose of contents/container to hazardous or special waste collection point, in		
recommendations	accordance with local, regional, national and/or international regulation.		
Additional information	: Handle empty containers with care because residual vapours are flammable.		
Ecology - waste materials	: Hazardous waste due to toxicity.		

Safety Data Sheet

**SECTION 14: Transport information** 

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 2030
UN-No. (IMDG)	: 2030
UN-No. (IATA)	: 2030
UN-No. (ADN)	: 2030
UN-No. (RID)	: 2030
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: HYDRAZINE AQUEOUS SOLUTION
Proper Shipping Name (IMDG)	: HYDRAZINE, AQUEOUS SOLUTION
Proper Shipping Name (IATA)	: Hydrazine, aqueous solution
Proper Shipping Name (ADN)	: HYDRAZINE AQUEOUS SOLUTION
Proper Shipping Name (RID)	: HYDRAZINE AQUEOUS SOLUTION
Transport document description (ADR)	: UN 2030 HYDRAZINE AQUEOUS SOLUTION, 8 (6.1), II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2030 HYDRAZINE, AQUEOUS SOLUTION, 8 (6.1), II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2030 Hydrazine, aqueous solution, 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 2030 HYDRAZINE AQUEOUS SOLUTION, 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 2030 HYDRAZINE AQUEOUS SOLUTION, 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS

# 14.3. Transport hazard class(es)

## ADR

Transport hazard class(es) (ADR) Danger labels (ADR) : 8 (6.1)



### IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

### : 8 (6.1) : 8, 6.1

: 8 (6.1) : 8, 6.1



### ΙΑΤΑ

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	

Safety Data Sheet



### ADN

Transport hazard class(es) (ADN) Danger labels (ADN)





RID
Transport hazard class(es) (RID)
Danger labels (RID)





: No supplementary information available

14.4. Packing group		
Packing group (ADR)	: 11	
Packing group (IMDG)	: 11	
Packing group (IATA)	: 11	
Packing group (ADN)	: 11	
Packing group (RID)	: 11	
14.5. Environmental hazards		
Dangerous for the environment	: Yes	
Marine pollutant	: Yes	

### 14.6. Special precautions for user

Other information

- Overland transport		
Classification code (ADR)	:	CT1
Special provisions (ADR)	:	530
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P001, IBC02
Mixed packing provisions (ADR)	:	MP15
Portable tank and bulk container instructions (ADR)	:	Τ7
Portable tank and bulk container special provisions (ADR)	:	TP2
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	2
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13, CV28
Hazard identification number (Kemler No.)	:	86

Safety Data Sheet

Orange plates	<b>86 2030</b>
Tunnel restriction code (ADR)	: E
EAC code	:•2X
APP code	: B
- Transport by sea	
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP13
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	Colourless liquid.Powerful reducing agent, burns readily. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
MFAG-No	: 153
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity	: Forbidden
(IATA)	: Forbidden
PCA packing instructions (IATA) PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A1, A36, A803
ERG code (IATA)	: 8P
<ul> <li>Inland waterway transport</li> </ul>	
Classification code (ADN)	: CT1
Special provisions (ADN)	: 530, 802
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2
- Rail transport	
Classification code (RID)	: CT1
Special provisions (RID)	: 530
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container	: T7
instructions (RID)	
Portable tank and bulk container special	: TP2
provisions (RID)	
Tank codes for RID tanks (RID)	: L4BN

Safety Data Sheet

Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 86

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

HYDRAZINE HYDRATE 80% Extra Pure is not on the REACH Candidate List HYDRAZINE HYDRATE 80% Extra Pure is not on the REACH Annex XIV List

### 15.1.2. National regulations

#### Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV

### Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management

Recommendations Danish Regulation :

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

guidelines for the storage of flammable liquids must be followed

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

### Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H350	May cause cancer.
H410	Very toxic to aquatic life with long lasting effects.
R10	Flammable
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R43	May cause sensitisation by skin contact
R45	May cause cancer
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive
Ν	Dangerous for the environment
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.