LABOGEN'S

CAS No: 7803-57-8 MSDS

# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

CAS No : 7803-57-8 Product code : 04081

Synonyms : Hydrazinium hydroxide

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

## 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226
Category 3
Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H311

Category 3 Acute toxicity (inhal.), H331

Category 3

Skin corrosion/irritation, H314

Category 1B

Sensitisation — Skin, H317

category 1

Carcinogenicity, Category H350

1A

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

www.Labogens.com Version: 1 09/11/2017 1/10

Safety Data Sheet

## Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 T; R23/24/25 C; R34 R43 N; R50/53 R10

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02



GHS05







GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Name : HYDRAZINE HYDRATE FOR SYNTHESIS

CAS No : 7803-57-8

www.Labogens.com Version: 1 09/11/2017 2/10

## Safety Data Sheet

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact

: Remove/Take off immediately all contaminated clothing. Immediately call a POISON

CENTER or doctor/physician. Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion

: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact

: Toxic in contact with skin.

Symptoms/injuries after ingestion

: Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

Chronic symptoms

: May cause cancer.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Do not breathe gas.

## **6.1.2.** For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

www.Labogens.com Version: 1 09/11/2017 3/10

## Safety Data Sheet

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

## 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

Hygiene measures

: No naked lights. No smoking. Avoid contact with skin and eyes.

: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Incompatible materials : Heat sources.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

Odour

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

: ammonia like.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -57 °C

Freezing point : No data available

www.Labogens.com Version: 1 09/11/2017 4/10

## Safety Data Sheet

Boiling point : 117 °C

Flash point : 96 °C

Auto-ignition temperature : 310 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : No data available

Relative vapour density at 20 °C : 1.1

Relative density : No data available

Density : 1.028 g/cm<sup>3</sup>

Solubility : Water: Miscible with water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 0.9 cP

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 3.5 - 99.99 vol %

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

## 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if

inhaled.

www.Labogens.com Version: 1 09/11/2017 5/10

# Safety Data Sheet

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

Specific target organ toxicity (repeated exposure)

exposure)

: Not classified

Aspiration hazard : Not classified

## **HYDRAZINE HYDRATE FOR SYNTHESIS (7803-57-8)**

Viscosity, kinematic 0.87548638 mm<sup>2</sup>/s

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

## **HYDRAZINE HYDRATE FOR SYNTHESIS (7803-57-8)**

Persistence and degradability May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

## **HYDRAZINE HYDRATE FOR SYNTHESIS (7803-57-8)**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

www.Labogens.com Version: 1 09/11/2017 6/10

## Safety Data Sheet

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations
Additional information

: Dispose of contents/container to ...

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

UN-No. (ADR) : 2030 UN-No. (IMDG) : 2030 UN-No.(IATA) : 2030

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYDRAZINE, AQUEOUS SOLUTION Proper Shipping Name (IMDG) : HYDRAZINE, AQUEOUS SOLUTION Proper Shipping Name (IATA) : HYDRAZINE, AQUEOUS SOLUTION

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 2030 HYDRAZINE, AQUEOUS SOLUTION, 8 (6.1), II, (E),

**ENVIRONMENTALLY HAZARDOUS** 

Transport document description (IMDG) : UN 2030 HYDRAZINE, AQUEOUS SOLUTION, 8 (6.1), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2030 HYDRAZINE, AQUEOUS SOLUTION, 8 (6.1), II, ENVIRONMENTALLY

**HAZARDOUS** 

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8 (6.1)

Danger labels (ADR) : 8, 6.1



#### IMDG

Transport hazard class(es) (IMDG) : 8 (6.1)
Danger labels (IMDG) : 8, 6.1



## **IATA**

Transport hazard class(es) (IATA) : 8 (6.1) Hazard labels (IATA) : 8, 6.1

www.Labogens.com Version: 1 09/11/2017 7/10

## Safety Data Sheet



**ADN** 

Transport hazard class(es) (ADN) : Not regulated

**RID** 

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

## - Overland transport

Classification code (ADR) : CT1
Special provision (ADR) : 530
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

: TP2

Hazard identification number (Kemler No.) : 86

Orange plates

86 2030

Tunnel restriction code (ADR) : E
EAC code : •2X
APP code : B

## - Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

www.Labogens.com Version: 1 09/11/2017 8/10

## Safety Data Sheet

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : D Stowage and handling (IMDG) : SW2 Segregation (IMDG) : SG35 MFAG-No : 153

## - Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity : Forbidden

(IATA)

: Forbidden PCA packing instructions (IATA) PCA max net quantity (IATA) : Forbidden CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provision (IATA) : A1, A36 : 8P ERG code (IATA)

## - Inland waterway transport

Not regulated

## - Rail transport

Not regulated

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Hydrazine is on the REACH Candidate List

HYDRAZINE HYDRATE FOR SYNTHESIS is not on the REACH Annex XIV List

## 15.1.2. National regulations

## Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK

No 130)

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

## **Denmark**

: Class III-1 Class for fire hazard : 50 liter Store unit

Version: 1 09/11/2017 9/10 www.Labogens.com

## Safety Data Sheet

Classification remarks

: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

#### Full text of R-. H- and EUH-phrases:

Full text of R-, H- and EUH-ph	rases:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H350	May cause cancer
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R43	May cause sensitisation by skin contact
R45	May cause cancer
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive
N	Dangerous for the environment
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 09/11/2017 10/10