HYDROXYLAMINE SULPHATE EXTRA **PURE MSDS**

CAS No: 10039-54-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC index no : 612-123-00-2 EC no : 233-118-8 CAS No : 10039-54-0 Product code : 04134

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

1.2.2. **Uses advised against**

No additional information available

Details of the supplier of the safety data sheet 1.3.

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

Emergency telephone number

: +91 7707855700 (9:00am - 6:00 pm) **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Explosives, Division 1.3 H203 Acute toxicity (dermal), H312

Category 4

Acute toxicity (oral), H302

Category 4 Carcinogenicity, Category H351

Serious eye damage/eye H319

irritation, Category 2

Skin corrosion/irritation, H315

Category 2

Sensitisation — Skin, H317

category 1

Specific target organ H373

toxicity — Repeated

exposure, Category 2

Hazardous to the aquatic H400

09/04/2015 1/11 www.Labogens.com

Safety Data Sheet

environment — Acute Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 E; R2 Xn; R21/22 Xn; R48/22 Xi; R36/38 R43 N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS01

GHS08

GHS07

GHS09

Signal word (CLP) : -

Hazard statements (CLP) : H203 - Explosive; fire, blast or projection hazard

H302+H312 - Harmful if swallowed or in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : HYDROXYLAMINE SULPHATE Extra Pure

CAS No : 10039-54-0

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

EC no : 233-118-8 EC index no : 612-123-00-2

Full text of R- and H-phrases: see section 16

32 **Mixture**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

: Suspected of causing cancer.

First-aid measures after skin contact

Immediately call a POISON CENTER or doctor/physician. Specific measures (see ... on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see ... on this label). If skin irritation or rash occurs:

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion

: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries

: Causes damage to organs.

Symptoms/injuries after inhalation

: May cause an allergic skin reaction.

Symptoms/injuries after skin contact

: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes skin irritation.

Symptoms/injuries after eye contact

: Causes serious eve irritation.

Symptoms/injuries after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media

: Water spray.

Unsuitable extinguishing media

: dry chemical powder.

Special hazards arising from the substance or mixture

Explosion hazard

: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Explosive. Explosion risk in case of fire.

5.3. **Advice for firefighters**

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking

For non-emergency personnel

Emergency procedures

Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Use personal protective equipment as required.

09/04/2015 3/11 www.Labogens.com

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion.

Precautions for safe handling

: Do not subject to grinding/shock/.../friction. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment.

Storage conditions : Store ... Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 3.6

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 170 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.9 g/cm³

Solubility : Water: Freely soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Explosive; fire, blast or projection hazard.

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Explosive; fire, blast or projection hazard. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes skin irritation.

pH: 3.6

Serious eye damage/irritation : Causes serious eye irritation.

pH: 3.6

Respiratory or skin sensitisation

: May cause an allergic skin reaction.: Not classified

Germ cell mutagenicity

Carcinogenicity

: Suspected of causing cancer.

Reproductive toxicity
Specific target organ toxicity (single

exposure)

Not classifiedNot classified

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 2865

 UN-No. (IMDG)
 : 2865

 UN-No.(IATA)
 : 2865

 UN-No.(ADN)
 : 2865

 UN-No. (RID)
 : 2865

14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYDROXYLAMINE SULPHATE
Proper Shipping Name (IMDG) : HYDROXYLAMINE SULPHATE
Proper Shipping Name (IATA) : HYDROXYLAMINE SULPHATE
Proper Shipping Name (ADN) : HYDROXYLAMINE SULPHATE
Proper Shipping Name (RID) : HYDROXYLAMINE SULPHATE

Transport document description (ADR) : UN 2865 HYDROXYLAMINE SULPHATE, 8, III, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 2865 HYDROXYLAMINE SULPHATE, 8, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2865 HYDROXYLAMINE SULPHATE, 8, III, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN) : UN 2865 HYDROXYLAMINE SULPHATE, 8, III, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 2865 HYDROXYLAMINE SULPHATE, 8, III, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C2
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: SGAV

: TP33

: T1

Tank code (ADR) : SGA\
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk

(ADR)

: VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates

80 2865

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 : B3 IBC special provisions (IMDG) Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) Stowage category (IMDG) : A MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y845
PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 860
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 864
CAO max net quantity (IATA) : 100kg
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

Portable tank and bulk container

instructions (RID)

: T1

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAV
Transport category (RID) : 3

Special provisions for carriage - Bulk

(RID)

: VC1, VC2, AP7

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

HYDROXYLAMINE SULPHATE Extra Pure is not on the REACH Candidate List HYDROXYLAMINE SULPHATE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 3; WGK No 5092)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Expl. 1.3	Explosives, Division 1.3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H203	Explosive; fire, blast or projection hazard
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
R2	Risk of explosion by shock, friction, fire or other sources of ignition
R21/22	Harmful in contact with skin and if swallowed
R36/38	Irritating to eyes and skin
R40	Limited evidence of a carcinogenic effect
R43	May cause sensitisation by skin contact
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed
R50	Very toxic to aquatic organisms
Е	Explosive
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11