

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
 :
 CAS No : 1309-60-0
 Product code : 04373

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
 1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
 Ludhiana Pb. (141007)
 +91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2	H272
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation:dust,mist) Category 4	H332
Reproductive toxicity, Category 1A	H360Df
Specific target organ toxicity — Repeated exposure, Category 1	H372
Specific target organ toxicity — Repeated exposure, Category 2	H373
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of classification categories and H statements : see section 16

LEAD DIOXIDE AR

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

O; T; N; R20/22-33-50/53-61-62

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS07

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser
H302+H332 - Harmful if swallowed or if inhaled
H360Df - May damage the unborn child. Suspected of damaging fertility
H372 - Causes damage to organs through prolonged or repeated exposure
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P201 - Obtain special instructions before use
P220 - Keep/Store away from clothing/.../combustible materials
P273 - Avoid release to the environment
P308+P313 - IF exposed or concerned: Get medical advice/attention
P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : LEAD DIOXIDE AR

CAS No : 1309-60-0

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

LEAD DIOXIDE AR

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
- Symptoms/injuries after inhalation : Harmful if inhaled.
- Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : May intensify fire; oxidiser.
- Explosion hazard : Heating may cause an explosion.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

LEAD DIOXIDE AR

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Dark brown.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 2900 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 8.2
Relative density	: No data available
Density	: 9.38 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available

LEAD DIOXIDE AR

Safety Data Sheet

Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 2.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May cause or intensify fire; oxidizer.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:dust/mist: Harmful if inhaled.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.

Additional information : There are potential chronic health effects to consider

Aspiration hazard : Not classified

LEAD DIOXIDE AR

Safety Data Sheet

Potential adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

LEAD DIOXIDE AR (1309-60-0)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1872
UN-No. (IMDG)	: 1872
UN-No.(IATA)	: 1872
UN-No.(ADN)	: 1872
UN-No. (RID)	: 1872

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: LEAD DIOXIDE
Proper Shipping Name (IMDG)	: LEAD DIOXIDE
Proper Shipping Name (IATA)	: LEAD DIOXIDE
Proper Shipping Name (ADN)	: LEAD DIOXIDE
Proper Shipping Name (RID)	: LEAD DIOXIDE
Transport document description (ADR)	: UN 1872 LEAD DIOXIDE, 5.1 (6.1), III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1872 LEAD DIOXIDE, 5.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

LEAD DIOXIDE AR

Safety Data Sheet

Transport document description (IATA) : UN 1872 LEAD DIOXIDE, 5.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1872 LEAD DIOXIDE, 5.1 (6.1), III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1872 LEAD DIOXIDE, 5.1 (6.1), III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1 (6.1)
Danger labels (ADR) : 5.1, 6.1



IMDG

Transport hazard class(es) (IMDG) : 5.1
Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1
Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1 (6.1)
Danger labels (ADN) : 5.1, 6.1



RID

Transport hazard class(es) (RID) : 5.1 (6.1)
Danger labels (RID) : 5.1, 6.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III

LEAD DIOXIDE AR

Safety Data Sheet

Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III


14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: OT2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP2
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24, CV28
Hazard identification number (Kemler No.)	: 56
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 1X

- Transport by sea

Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
MFAG-No	: 141

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559

LEAD DIOXIDE AR

Safety Data Sheet

PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 5L

- Inland waterway transport

Classification code (ADN)	: OT2
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: OT2
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage – Loading and unloading (RID)	: CW24, CW28
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 56

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

LEAD DIOXIDE AR is not on the REACH Candidate List

LEAD DIOXIDE AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

LEAD DIOXIDE AR

Safety Data Sheet

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H332	Harmful if inhaled
H360Df	May damage the unborn child. Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
O	Oxidising

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product