LABOGEN'S

CAS No: 108-87-2 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 601-018-00-7
EC no : 203-624-3
CAS No : 108-87-2
Product code : 4639D

Formula : C7H14 - (CH(CH3)CH2CH2CH2CH2CH2)

Chemical structure

CH₃

Synonyms : Hexahydrotoluene

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225 Category 2 Aspiration hazard, H304 Category 1

Skin corrosion/irritation, H315

Category 2

Specific target organ H336

toxicity — Single

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

exposure, Category 3,

Narcosis

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R65 Xi; R38 N; R51/53 R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS08

GHS07

GHS09

Signal word (CLP) : -

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P331 - Do NOT induce vomiting

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : METHYL CYCLOHEXANE FOR SYNTHESIS

CAS No : 108-87-2

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

EC no : 203-624-3 EC index no : 601-018-00-7

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated

clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see

... on this label).

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Avoid breathing dust/fume/gas/mist/vapours/spray.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools. Avoid breathing

dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

: Wash ... thoroughly after handling. Hygiene measures

Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

: Keep in fireproof place. Keep container tightly closed. Storage conditions

Incompatible materials : Heat sources.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

8.2. **Exposure controls**

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 98.19 g/mol Colour : Clear Colorless.

Odour : faint benzene-like odor.

Odour threshold : No data available

: No data available рΗ

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -126 °C

09/04/2015 4/11 www.Labogens.com

Safety Data Sheet

Freezing point : No data available

Boiling point : $101 \,^{\circ}\text{C}$ Flash point : $-4 \,^{\circ}\text{C}$

Auto-ignition temperature : 283 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour

Vapour pressure : 49.3 hPa at 20,0 °C

Relative vapour density at 20 °C : 3.4

Relative density : No data available

Density : 0.77 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.011 - 0.067 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight. Overheating. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

METHYL CYCLOHEXANE FOR SYNTHESIS (108-87-2)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2296 UN-No. (IMDG) : 2296 UN-No.(IATA) : 2296 UN-No. (ADN) : 2296 UN-No. (RID) : 2296

14.2. UN proper shipping name

Proper Shipping Name (ADR) : METHYLCYCLOHEXANE
Proper Shipping Name (IMDG) : METHYLCYCLOHEXANE
Proper Shipping Name (IATA) : METHYLCYCLOHEXANE
Proper Shipping Name (ADN) : METHYLCYCLOHEXANE
Proper Shipping Name (RID) : METHYLCYCLOHEXANE

Transport document description (ADR) : UN 2296 METHYLCYCLOHEXANE, 3, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 2296 METHYLCYCLOHEXANE, 3, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS (-4°C c.c.)

Transport document description (IATA) : UN 2296 METHYLCYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 2296 METHYLCYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS : UN 2296 METHYLCYCLOHEXANE, 3, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



ADN

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

: TP1

Portable tank and bulk container special

provisions (ADR)

. ...

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 2296

Tunnel restriction code (ADR) : D/E EAC code : 3YE

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

- Transport by sea

Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E : S-D EmS-No. (Spillage) Stowage category (IMDG) : B Flash point (IMDG) : -4°C c.c. MFAG-No : 128

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3H

- Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special : TP1

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

METHYL CYCLOHEXANE FOR SYNTHESIS is not on the REACH Candidate List METHYL CYCLOHEXANE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 2548)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
R11	Highly flammable
R38	Irritating to skin
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11