# NITRIC ACID 65% AR/ACS MSDS

CAS-No.: 7697-37-2 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **Product identifier**

Product form : Mixture

CAS-No. : 7697-37-2 Product code : 0224C

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

#### Relevant identified uses 1.2.1.

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. **Uses advised against**

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

## **Emergency telephone number**

**Emergency number** : +91 7707855700 (9:00am - 6:00 pm)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H272 Oxidising Liquids, Category 2 H314

Skin corrosion/irritation,

Category 1

Full text of H statements: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

03/12/2018 1/10 www.Labogens.com

# Safety Data Sheet

#### 2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS03

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P220 - Keep/Store away from clothing and other combustible materials.

> P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitric acid	(CAS-No.) 7697-37-2 (EC-No.) 231-714-2 (EC Index-No.) 007-004-00-1	64 - 66	Ox. Liq. 1, H271 Skin Corr. 1A, H314
WATER AR	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	34 - 38	Not classified

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures
--

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously First-aid measures after eye contact with water for several minutes. If eye irritation persists: Get medical advice/attention.

03/12/2018 2/10 www.Labogens.com

# Safety Data Sheet

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Heating may cause a fire or explosion.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up immediately by sweeping or vacuum. Clean contaminated surfaces with an

excess of water.

# 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in a well-ventilated place. Protect from sunlight.

Keep in fireproof place.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

www.Labogens.com 03/12/2018 3/10

# Safety Data Sheet

## 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Chemical resistant safety shoes
Respiratory protection : Wear respiratory protection.

## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 63.01 g/mol Colour : Clear colourless.

Odour : Acrid.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -41.6 °C

Freezing point : No data available

Boiling point : 121 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 6 kPa

Relative vapour density at 20 °C : 2.5

Relative density : No data available

Solubility : Water: Easily soluble in cold water, hot water.

Ether: Soluble in diethyl ether.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

www.Labogens.com 03/12/2018 4/10

# Safety Data Sheet

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

May be corrosive to metals.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Overheating. Direct sunlight. Heat. Open flame.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

www.Labogens.com 03/12/2018 5/10

# Safety Data Sheet

## 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

No additional information available

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

# 14.1. UN number

UN-No. (ADR) : 2031 UN-No. (IMDG) : 2031 UN-No. (IATA) : 2031 UN-No. (ADN) : 2031 UN-No. (RID) : 2031

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : NITRIC ACID
Proper Shipping Name (IMDG) : NITRIC ACID
Proper Shipping Name (IATA) : Nitric acid
Proper Shipping Name (ADN) : NITRIC ACID
Proper Shipping Name (RID) : NITRIC ACID

Transport document description (ADR) : UN 2031 NITRIC ACID, 8 (5.1), II, (E)

Transport document description (IMDG) : UN 2031 NITRIC ACID, 8, II

Transport document description (IATA) : UN 2031 NITRIC ACID, 8, II

Transport document description (ADN) : UN 2031 NITRIC ACID, 8, II

Transport document description (RID) : UN 2031 NITRIC ACID, 8, II

# 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8 (5.1)

Danger labels (ADR) : 8, 5.1



www.Labogens.com 03/12/2018 6/10

# Safety Data Sheet

# **IMDG**

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



# IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



# **ADN**

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



## RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



# 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

# 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : CO1

www.Labogens.com 03/12/2018 7/10

# Safety Data Sheet

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Special packing provisions (ADR) : PP81, B15
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container : T8

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 85

Orange plates

85 2031

Tunnel restriction code (ADR) : E
EAC code : 2P
APP code : B

#### - Transport by sea

Packing instructions (IMDG) : P001 Special packing provisions (IMDG) : PP81 IBC packing instructions (IMDG) : IBC02 IBC special provisions (IMDG) : B15, B20 Tank instructions (IMDG) : T8 Tank special provisions (IMDG) : TP2 : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) Stowage category (IMDG) : D

Segregation (IMDG) : SG6, SG16, SG17, SG19

Properties and observations (IMDG) : Colourless liquid.Oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving highly toxic gases (brown fumes). Highly corrosive to

most metals. Causes severe burns to skin, eyes and mucous membranes.

# - Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A212
ERG code (IATA) : 8L

# - Inland waterway transport

Classification code (ADN) : C1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

www.Labogens.com 03/12/2018 8/10

# Safety Data Sheet

#### - Rail transport

Classification code (RID) : C1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02
Special packing provisions (RID) : PP81, B15
Mixed packing provisions (RID) : MP15
Portable tank and bulk container : T8

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP2

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# 15.1.2. National regulations

# Germany

Reference to AwSV : Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

# **Netherlands**

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de : None of the components are listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

: None of the components are listed

Vruchtbaarheid

NIET-limitatieve lijst van voor de

: None of the components are listed

voortplanting giftige stoffen – Ontwikkeling

# **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

www.Labogens.com 03/12/2018 9/10

# Safety Data Sheet

# 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

# Full text of H- and EUH-statements:

Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 03/12/2018 10/10