OSMIC ACID EXTRA PURE MSDS

CAS No: 20816-12-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 076-001-00-5
EC no : 244-058-7
CAS No : 20816-12-0
Product code : 05065

Synonyms : Osmium tetroxide / Osmium(VIII)-oxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H300
Category 1
Acute toxicity (dermal), H310
Category 1
Acute toxicity (inhal.), H330
Category 2

Skin corrosion/irritation, H314 Category 1B Sensitisation — H334

Respiratory, category 1

Full text of classification categories and H statements : see section 16

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

T+; R26/27/28

C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS08

GHS05

05 GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash ... thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : OSMIC ACID Extra Pure

CAS No : 20816-12-0 EC no : 244-058-7 EC index no : 076-001-00-5

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

Rinse skin with water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Symptoms/injuries after skin contact : Fatal in contact with skin.
Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash ... thoroughly after handling. Do not eat, drink or smoke when using this

product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 254.2 g/mol

Colour : Colorless to pale yellow.

Odour : unpleasant.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 395 - 41

Freezing point : No data available

Boiling point : 130 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Vapour pressure : 9 hPa at 20 °C

Relative vapour density at 20 °C : 8.8

Relative density : No data available

Density : 4.9 g/cm³

Solubility : Water: 5.7 g/100ml @ 100C

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Fatal if swallowed. Fatal in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2471 UN-No. (IMDG) : 2471 UN-No.(IATA) : 2471 UN-No.(ADN) : 2471

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

UN-No. (RID) : 2471

14.2. UN proper shipping name

Proper Shipping Name (ADR) : OSMIUM TETROXIDE
Proper Shipping Name (IMDG) : OSMIUM TETROXIDE
Proper Shipping Name (IATA) : OSMIUM TETROXIDE
Proper Shipping Name (ADN) : OSMIUM TETROXIDE
Proper Shipping Name (RID) : OSMIUM TETROXIDE

Transport document description (ADR) : UN 2471 OSMIUM TETROXIDE, 6.1, I, (C/E)

Transport document description (IMDG) : UN 2471 OSMIUM TETROXIDE, 6.1, I, MARINE POLLUTANT

Transport document description (IATA) : UN 2471 OSMIUM TETROXIDE, 6.1, I
Transport document description (ADN) : UN 2471 OSMIUM TETROXIDE, 6.1, I
Transport document description (RID) : UN 2471 OSMIUM TETROXIDE, 6.1, I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

Danger labels (RID) : 6.1

14.4. **Packing group**

Packing group (ADR) : 1 Packing group (IMDG) : 1 Packing group (IATA) : 1 Packing group (ADN) : 1 Packing group (RID) : 1

Environmental hazards

Dangerous for the environment : No

Marine pollutant : Yes (IMDG only)

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5 Limited quantities (ADR) : 0 : E5 Excepted quantities (ADR)

Packing instructions (ADR) : P002, IBC07

Special packing provisions (ADR) : PP30 : MP18 Mixed packing provisions (ADR) Portable tank and bulk container : T6

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP33

Tank code (ADR) : S10AH Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 1 Special provisions for carriage - Packages : V10

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV1, CV13, CV28

Special provisions for carriage - Operation : S9, S14

(ADR)

Hazard identification number (Kemler No.) : 66

Orange plates

66 2471

Tunnel restriction code (ADR) : C/E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 0 : E5 Excepted quantities (IMDG) : P002 Packing instructions (IMDG) Packing provisions (IMDG) : PP30, PP31

09/04/2015 8/11 www.Labogens.com

Safety Data Sheet

IBC packing instructions (IMDG) : IBC07 IBC special provisions (IMDG) : B1 Tank instructions (IMDG) : T6 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-A Stowage category (IMDG) : B : SW2 Stowage and handling (IMDG) MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E5

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 666
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 673
CAO max net quantity (IATA) : 50kg
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 802

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E5

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T5
Limited quantities (RID) : 0
Excepted quantities (RID) : E5

Packing instructions (RID) : P002, IBC07

Special packing provisions (RID) : PP30
Mixed packing provisions (RID) : MP18
Portable tank and bulk container : T6

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : S10AH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 1
Special provisions for carriage – Packages : W10

(RID)

Special provisions for carriage – Loading

and unloading (RID)

: CW13, CW28, CW31

Hazard identification number (RID) : 66

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

No REACH Annex XVII restrictions OSMIC ACID Extra Pure is not on the REACH Candidate List OSMIC ACID Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H300	Fatal if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
C	Corrosive
T+	Very toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

09/04/2015 10/11 www.Labogens.com

Safety Data Sheet

www.Labogens.com 09/04/2015 11/11