OXALIC ACID EXTRA PURE MSDS

CAS No: 6153-56-6 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 6153-56-6 Product code : 05072

Chemical structure :

Synonyms : Ethanedioic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

Acute toxicity (dermal), H312

Skin corrosion/irritation, H314

Category 1

Category 4

Full text of classification categories and H statements : see section 16

www.Labogens.com 09/04/2015 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards 2.3.

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Name : OXALIC ACID Extra Pure

CAS No : 6153-56-6

Full text of R- and H-phrases: see section 16

3.2. **Mixture**

Not applicable

SECTION 4: First aid measures

4.1. **Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

09/04/2015 2/10 www.Labogens.com

Safety Data Sheet

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Wash with plenty of soap and water. Wash contaminated clothing

before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after skin contact : Harmful in contact with skin. Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

7.3. Specific end use(s)

No additional information available

www.Labogens.com 09/04/2015 3/10

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 126.07 g/mol

Colour : Colorless crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 1.3

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 189.5 °C

Freezing point : No data available

Boiling point : 157 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : < 0.01 hPa at 20°C

Relative vapour density at 20 °C : 4.4

Relative density : No data available

Density : 1.9 g/cm³

Solubility : Water: 1 (g/7ml of water)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

www.Labogens.com 09/04/2015 4/10

Safety Data Sheet

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 1.3

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 1.3

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

www.Labogens.com 09/04/2015 5/10

Safety Data Sheet

Potential adverse human health effects and symptoms

: Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3261

 UN-No. (IMDG)
 : 3261

 UN-No.(IATA)
 : 3261

 UN-No.(ADN)
 : 3261

 UN-No. (RID)
 : 3261

14.2. UN proper shipping name

Proper Shipping Name (ADR)

: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (IMDG)

: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (IATA)

: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (ADN)

: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (RID)

: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

Transport document description (ADR)

: UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III, (E)

Transport document description (IMDG)

: UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

: UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

Transport document description (ADN)

: UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

: UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

www.Labogens.com 09/04/2015 6/10

Safety Data Sheet

Transport document description (RID) : UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

www.Labogens.com 09/04/2015 7/10

Safety Data Sheet

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C4
Special provision (ADR) : 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV, L4BN

Vehicle for tank carriage : AT Transport category (ADR) : 3

Special provisions for carriage - Bulk

(ADR)

: VC1, VC2, AP7

80

: TP33

Hazard identification number (Kemler No.) : 80

Orange plates :

Tunnel restriction code (ADR) : E
EAC code : 2X

- Transport by sea

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y845
PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 860
PCA max net quantity (IATA) : 25kg

www.Labogens.com 09/04/2015 8/10

Safety Data Sheet

CAO packing instructions (IATA) : 864
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A3
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C4

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C4
Special provision (RID) : 274
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAV, L4BN

Transport category (RID) : 3

Special provisions for carriage – Bulk : VC1, VC2, AP7

(RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

OXALIC ACID Extra Pure is not on the REACH Candidate List OXALIC ACID Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

www.Labogens.com 09/04/2015 9/10

Safety Data Sheet

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Skin Corr. 1	Skin corrosion/irritation, Category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
R21/22	Harmful in contact with skin and if swallowed
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 10/10