PARAFORMALDEHYDE EXTRA PURE MSDS

CAS No: 30525-89-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 30525-89-4
Product code : 05128

Chemical structure :

 $HO^{\uparrow}O^{\downarrow}$

Synonyms : Polyoxymethylene

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, H228 Category 1 Acute toxicity (oral), H302 Category 4 Acute toxicity (inhal.), H332 Category 4 Skin corrosion/irritation, H315 Category 2 Serious eye damage/eye H318 irritation, Category 1 Sensitisation — Skin. H317 category 1 Carcinogenicity, Category H351 Specific target organ H335

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 F; R11 Xn; R20/22 Xi; R41 Xi; R37/38 R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS07



GHS02

GHS05

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H228 - Flammable solid

H302+H332 - Harmful if swallowed or if inhaled

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H335 - May cause respiratory irritation H351 - Suspected of causing cancer

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : PARAFORMALDEHYDE Extra Pure

CAS No : 30525-89-4

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If

skin irritation occurs: Get medical advice/attention. Specific treatment (see ... on this

label). If skin irritation or rash occurs:

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause an allergic skin reaction. May cause respiratory irritation. Harmful if

inhaled.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

Harmful if swallowed.

Chronic symptoms : Suspected carcinogen.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

- : Handle empty containers with care because residual vapours are flammable.
- : No naked lights. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Heat sources. Direct sunlight. Keep in fireproof place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White crystallline.

Odour : pungent odur.

Odour threshold : No data available

pH : 4 - 5.5

Relative evaporation rate (butylacetate=1) : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Melting point : 120 - 170

Freezing point : No data available

Boiling point : No data available

Flash point : 70 °C

Auto-ignition temperature : 3000 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable solid

Vapour pressure : No data available

Relative vapour density at 20 °C : 1.03

Relative density : No data available

Density : 1.45 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes skin irritation.

pH: 4 - 5.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 4 - 5.5

Respiratory or skin sensitisation

: Not classified

Germ cell mutagenicity Carcinogenicity

: Suspected of causing cancer.

: May cause an allergic skin reaction.

Reproductive toxicity

: Not classified

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2213 UN-No. (IMDG) : 2213 UN-No.(IATA) : 2213 UN-No.(ADN) : 2213 UN-No. (RID) : 2213

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PARAFORMALDEHYDE
Proper Shipping Name (IMDG) : PARAFORMALDEHYDE
Proper Shipping Name (IATA) : PARAFORMALDEHYDE
Proper Shipping Name (ADN) : PARAFORMALDEHYDE
Proper Shipping Name (RID) : PARAFORMALDEHYDE

Transport document description (ADR) : UN 2213 PARAFORMALDEHYDE, 4.1, III, (E)
Transport document description (IMDG) : UN 2213 PARAFORMALDEHYDE, 4.1, III
Transport document description (IATA) : UN 2213 PARAFORMALDEHYDE, 4.1, III
Transport document description (ADN) : UN 2213 PARAFORMALDEHYDE, 4.1, III
Transport document description (RID) : UN 2213 PARAFORMALDEHYDE, 4.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 4.1 Danger labels (ADR) : 4.1



IMDG

Transport hazard class(es) (IMDG) : 4.1 Danger labels (IMDG) : 4.1



IATA

Transport hazard class(es) (IATA) : 4.1 Hazard labels (IATA) : 4.1

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



ADN

Transport hazard class(es) (ADN) : 4.1 Danger labels (ADN) : 4.1



RID

Transport hazard class(es) (RID) : 4.1 Danger labels (RID) : 4.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3 Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V13

(ADR)

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Special provisions for carriage - Bulk : VC1, VC2

(ADR)

Hazard identification number (Kemler No.) : 40

Orange plates

40 2213

Tunnel restriction code (ADR) : E EAC code : 1Z

- Transport by sea

Special provision (IMDG) : 967 Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1

: P002, LP02 Packing instructions (IMDG) Packing provisions (IMDG) : PP12 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3

: T1, BK2, BK3 Tank instructions (IMDG)

Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-G : A Stowage category (IMDG) Stowage and handling (IMDG) : SW23 MFAG-No : 133

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y443 PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 446 PCA max net quantity (IATA) : 25kg CAO packing instructions (IATA) : 449 CAO max net quantity (IATA) : 100kg ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1 Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 : PP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1 Limited quantities (RID) : 5kg Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3 Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (RID)

: TP33

Portable tank and bulk container special Tank codes for RID tanks (RID)

provisions (RID)

: SGAV

09/04/2015 9/11 www.Labogens.com

Safety Data Sheet

Transport category (RID) : 3

Special provisions for carriage - Packages: W1, W13

(RID)

Special provisions for carriage – Bulk

(RID)

: VC1, VC2

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 40

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PARAFORMALDEHYDE Extra Pure is not on the REACH Candidate List PARAFORMALDEHYDE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 1422)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Sol. 1	Flammable solids, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
R11	Highly flammable
R20/22	Harmful by inhalation and if swallowed
R37/38	Irritating to respiratory system and skin
R40	Limited evidence of a carcinogenic effect
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
F	Highly flammable
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11