CAS-No.: 7601-90-3 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

:

EC Index-No. : 017-006-00-4
EC-No. : 231-512-4
CAS-No. : 7601-90-3
Product code : 0241E
Formula : HCIO4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Liquids,
Category 1
Corrosive to metals,
Category 1
Acute toxicity (oral),
Category 4
Skin corrosion/irritation,
Category 1A

Specific target organ H373

toxicity — Repeated exposure, Category 2

Full text of H statements : see section 16

www.Labogens.com 06/02/2019 1/11

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

(4)







GHS03

GHS05

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H271 - May cause fire or explosion; strong oxidiser.

H290 - May be corrosive to metals. H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective clothing, face protection, eye protection, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 - In case of fire: Use ... to extinguish.

P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight

fire remotely due to the risk of explosion.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Perchloric acid	(CAS-No.) 7601-90-3 (EC-No.) 231-512-4 (EC Index-No.) 017-006-00-4	70	Ox. Liq. 1, H271 Skin Corr. 1A, H314 Eye Dam. 1, H318

www.Labogens.com 06/02/2019 2/11

Safety Data Sheet

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Wash with plenty of water/.... Immediately call a POISON

CENTER/doctor.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. May cause damage to organs through

prolonged or repeated exposure.

Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

www.Labogens.com 06/02/2019 3/11

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Hazardous waste due to potential risk of explosion. May be corrosive to metals.

: Do not breathe vapours. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing. Keep away from sources of ignition - No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply

with applicable regulations.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources. combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Wear fire/flame resistant/retardant clothing.

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 100.46 g/mol Colour : Clear Colorless.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

www.Labogens.com 06/02/2019 4/11

Safety Data Sheet

Melting point : -18 °C

Freezing point : No data available

Boiling point : 203 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 9 hPa at 20 °C

Relative vapour density at 20 °C : 3.5

Relative density : No data available

Density : 1.664 at 25°C

Solubility : Water: Infinitely soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Heating may cause an explosion.

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 1. May

cause fire or explosion; strong oxidiser.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

www.Labogens.com 06/02/2019 5/11

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

ATE CLP (oral) 500 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

ACETIC ACID GLACIAL AR (64-19-7)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

ACETIC ACID GLACIAL AR (64-19-7)		
Log Pow	0.17	
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

www.Labogens.com 06/02/2019 6/11

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations
Additional information

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1873 UN-No. (IMDG) : 1873 UN-No. (IATA) : 1873 UN-No. (ADN) : 1873 UN-No. (RID) : 1873

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PERCHLORIC ACID
Proper Shipping Name (IMDG) : PERCHLORIC ACID
Proper Shipping Name (IATA) : Perchloric acid
Proper Shipping Name (ADN) : PERCHLORIC ACID
Proper Shipping Name (RID) : PERCHLORIC ACID

Transport document description (ADR) : UN 1873 PERCHLORIC ACID, 5.1 (8), I, (B/E) Transport document description (IMDG) : UN 1873 PERCHLORIC ACID, 5.1 (8), I

Transport document description (IATA) : UN 1873 Perchloric acid, 5.1, I

Transport document description (ADN) : UN 1873 PERCHLORIC ACID, 5.1 (8), I Transport document description (RID) : UN 1873 PERCHLORIC ACID, 5.1 (8), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1 (8)
Danger labels (ADR) : 5.1, 8



IMDG

Transport hazard class(es) (IMDG) : 5.1 (8)
Danger labels (IMDG) : 5.1, 8



IATA

Transport hazard class(es) (IATA) : 5.1 (8) Hazard labels (IATA) : 5.1, 8

www.Labogens.com 06/02/2019 7/11

Safety Data Sheet





ADN

Transport hazard class(es) (ADN) : 5.1 (8) Danger labels (ADN) : 5.1, 8



RID

Transport hazard class(es) (RID) : 5.1 (8) Danger labels (RID) : 5.1, 8



14.4. **Packing group**

Packing group (ADR) : 1 Packing group (IMDG) : 1 Packing group (IATA) : 1 Packing group (ADN) : 1 Packing group (RID) : 1

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

: OC1 Classification code (ADR) Special provisions (ADR) : 60 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P502 : PP28 Special packing provisions (ADR) Mixed packing provisions (ADR) : MP3 Portable tank and bulk container : T10 instructions (ADR)

Portable tank and bulk container special

: TP1 provisions (ADR)

Tank code (ADR) : L4DN(+) Tank special provisions (ADR) : TU3, TU28

: AT Vehicle for tank carriage Transport category (ADR) : 1

8/11 06/02/2019 www.Labogens.com

Safety Data Sheet

Special provisions for carriage - Loading, : CV24

unloading and handling (ADR)

Special provisions for carriage - Operation : S20

(ADR)

Hazard identification number (Kemler No.) : 558

Orange plates

558

: B/E Tunnel restriction code (ADR) EAC code : 2P

- Transport by sea

Special provisions (IMDG) : 900 : P502 Packing instructions (IMDG) : PP28 Special packing provisions (IMDG) Tank instructions (IMDG) : T10 Tank special provisions (IMDG) : TP1 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-Q : D Stowage category (IMDG) : SG16 Segregation (IMDG)

Properties and observations (IMDG) : Colourless liquid. Mixtures with combustible material may ignite spontaneously and,

when involved in a fire, by shock or by friction, may cause an explosion. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes. Transport of PERCHLORIC ACID with more than 72% acid, by mass is prohibited.

MFAG-No : 143

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden : Forbidden PCA limited quantity max net quantity

(IATA)

PCA packing instructions (IATA) : Forbidden PCA max net quantity (IATA) : Forbidden

: 553 CAO packing instructions (IATA) CAO max net quantity (IATA) : 2.5L ERG code (IATA) : 5C

- Inland waterway transport

: OC1 Classification code (ADN) Special provisions (ADN) : 60 Limited quantities (ADN) : 0 Excepted quantities (ADN) : E0 : PP, EP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

- Rail transport

: OC1 Classification code (RID) Special provisions (RID) : 60 Limited quantities (RID) : 0 Excepted quantities (RID) : E0 : P502 Packing instructions (RID) Special packing provisions (RID) : PP28 Mixed packing provisions (RID) : MP3 Portable tank and bulk container : T10 instructions (RID)

06/02/2019 9/11 www.Labogens.com

Safety Data Sheet

Portable tank and bulk container special

provisions (RID)

: L4DN(+)

: TP1

Special provisions for RID tanks (RID) : TU3, TU28, TE16

Transport category (RID) : 1

Special provisions for carriage - Loading,

unloading and handling (RID)

Tank codes for RID tanks (RID)

: CW24

Hazard identification number (RID) : 558

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to

AwSV, Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de : None of the components are listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: None of the components are listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

Chemical safety assessment

No additional information available

06/02/2019 10/11 www.Labogens.com

Safety Data Sheet

SECTION 16: Other information

Full text of H- and EUH-statements:

Tull text of TT and Lott staten	Tall text of Tradia Eot statements.		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Flam. Liq. 3	Flammable liquids, Category 3		
Met. Corr. 1	Corrosive to metals, Category 1		
Ox. Liq. 1	Oxidising Liquids, Category 1		
Skin Corr. 1A	Skin corrosion/irritation, Category 1A		
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2		
H226	Flammable liquid and vapour.		
H271	May cause fire or explosion; strong oxidiser.		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H318	Causes serious eye damage.		
H332	Harmful if inhaled.		
H373	May cause damage to organs through prolonged or repeated exposure.		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.Labogens.com 06/02/2019 11/11