CAS-No.: 108-95-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC Index-No. : 604-001-00-2 EC-No. : 203-632-7 CAS-No. : 108-95-2 Product code : 5170B

Formula : C6H6O - (CHCHCHCHCOH)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H311

Category 3

Acute toxicity (inhal.), H331

Category 3

Skin corrosion/irritation, H314

Category 1B

Germ cell mutagenicity, H341

Category 2

Specific target organ H373

toxicity — Repeated exposure, Category 2

www.Labogens.com 17/12/2012 1/11

Safety Data Sheet

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Muta.Cat.3; R68 T; R23/24/25 Xn; R48/20/21/22

C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS05

GHS06

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage. H341 - Suspected of causing genetic defects.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : PHENOL DETACHED CRYSTALS AR/ACS

CAS-No. : 108-95-2 EC-No. : 203-632-7 EC Index-No. : 604-001-00-2

Full text of R- and H-statements: see section 16

www.Labogens.com 17/12/2012 2/11

Safety Data Sheet

3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures

First-aid measures after ingestion

Description of first aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment is urgent (see supplemental first aid

instruction on this label).

Immediately call a POISON CENTER/doctor. Take off immediately all contaminated First-aid measures after skin contact

clothing. Wash with plenty of water/.... Specific measures (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Rinse skin with

water/shower.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instruction on this label). Rinse mouth. Immediately call a POISON CENTER/doctor. Specific treatment (see

supplemental first aid instruction on this label). Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. Suspected of causing genetic defects.

Causes damage to organs.

Symptoms/effects after inhalation : Corrosive to the respiratory tract.

Symptoms/effects after skin contact Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. **Environmental precautions**

Avoid release to the environment.

17/12/2012 3/11 www.Labogens.com

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Obtain special instructions before

use. Use personal protective equipment as required. Do not handle until all safety

precautions have been read and understood. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 94.11 g/mol Colour : White flakes.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

www.Labogens.com 17/12/2012 4/11

Safety Data Sheet

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if

inhaled.

www.Labogens.com 17/12/2012 5/11

Safety Data Sheet

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

www.Labogens.com 17/12/2012 6/11

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1671 UN-No. (IMDG) : 1671 UN-No. (IATA) : 1671 UN-No. (ADN) : 1671 UN-No. (RID) : 1671

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PHENOL, SOLID
Proper Shipping Name (IMDG) : PHENOL, SOLID
Proper Shipping Name (IATA) : Phenol, solid
Proper Shipping Name (ADN) : PHENOL, SOLID
Proper Shipping Name (RID) : PHENOL, SOLID

Transport document description (ADR)

: UN 1671 PHENOL, SOLID, 6.1, II, (D/E)

Transport document description (IMDG)

: UN 1671 PHENOL, SOLID, 6.1, II

Transport document description (ADN)

: UN 1671 PHENOL, SOLID, 6.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1

www.Labogens.com 17/12/2012 7/11

Safety Data Sheet

Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP33

: CV13, CV28

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T2
Special provisions (ADR) : 279
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.) : 60

www.Labogens.com 17/12/2012 8/11

Safety Data Sheet

Orange plates : 60

Tunnel restriction code (ADR) : D/E EAC code : 2X

- Transport by sea

Special provisions (IMDG) : 279 Limited quantities (IMDG) : 500 g Excepted quantities (IMDG) : E4 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A : A Stowage category (IMDG) MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provisions (IATA) : A113
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T2
Special provisions (ADN) : 279, 802
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E4
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T2
Special provisions (RID) : 279
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

www.Labogens.com 17/12/2012 9/11

: TP33

Safety Data Sheet

Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE9 Hazard identification number (RID) : 60

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PHENOL DETACHED CRYSTALS AR/ACS is not on the REACH Candidate List PHENOL DETACHED CRYSTALS AR/ACS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to water (Classification according to

AwSV; ID No. 170)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

Chemical safety assessment

No additional information available

17/12/2012 10/11 www.Labogens.com

Safety Data Sheet

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R68	Possible risk of irreversible effects
С	Corrosive
Т	Toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 17/12/2012 11/11