**CAS No: 62-38-4 MSDS** 



# **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Chemical structure

Product form : Substance

:

EC index no : 080-011-00-5
EC no : 200-532-5
CAS No : 62-38-4
Product code : 05225

H<sub>3</sub>C O Hg

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

Skin corrosion/irritation, H314

ategory 1B

Category 1B

Serious eye damage/eye H318

irritation, Category 1

Specific target organ H372

toxicity — Repeated exposure, Category 1

www.Labogens.com 09/04/2015 1/11

### Safety Data Sheet

Hazardous to the aquatic H400

environment — Acute Hazard, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

#### Classification according to Directive 67/548/EEC or 1999/45/EC

T: R25

T; R48/24/25

C; R34 N; R50/53

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS05





GHS06

GHS08

GHS09

Signal word (CLP) :

Hazard statements (CLP) : H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P501 - Dispose of contents/container to ...

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : PHENYL MERCURY ACETATE FOR SYNTHESIS

www.Labogens.com 09/04/2015 2/11

### Safety Data Sheet

CAS No : 62-38-4 EC no : 200-532-5 EC index no : 080-011-00-5

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label). Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Causes damage to organs through

prolonged or repeated exposure.

Symptoms/injuries after eye contact

: Causes serious eye damage.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

### 6.2. Environmental precautions

Avoid release to the environment.

www.Labogens.com 09/04/2015 3/11

#### Safety Data Sheet

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 336.74 g/mol

Colour : white.

Odour : acetic acid odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 148 - 151

Freezing point : No data available

Boiling point : No data available

www.Labogens.com 09/04/2015 4/11

### Safety Data Sheet

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : Water: 0.16 g/100ml

Log Pow : 5

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified

www.Labogens.com 09/04/2015 5/11

### Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified : Not classified Specific target organ toxicity (single

exposure)

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

DUENNI MEDCUDY ACETATE FOR CYNTHESIS (CO. 20. 4)		
PHENYL MERCURY ACETATE FOR SYNTHESIS (62-38-4)		
Persistence and degradability	May cause long-term adverse effects in the environment	

#### 12.3. **Bioaccumulative potential**

PHENYL MERCURY ACETATE FOR SYNTHESIS (62-38-4)	
Log Pow	5

#### 12.4. **Mobility in soil**

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

Ecology - waste materials

: Hazardous waste due to toxicity.

6/11 09/04/2015 www.Labogens.com

Safety Data Sheet

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1674 UN-No. (IMDG) : 1674 UN-No.(IATA) : 1674 UN-No. (ADN) : 1674 UN-No. (RID) : 1674

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)

: PHENYLMERCURIC ACETATE

Proper Shipping Name (IMDG)

: PHENYLMERCURIC ACETATE

Proper Shipping Name (IATA)

: PHENYLMERCURIC ACETATE

Proper Shipping Name (ADN)

: PHENYLMERCURIC ACETATE

Proper Shipping Name (RID)

: PHENYLMERCURIC ACETATE

Transport document description (ADR) : UN 1674 PHENYLMERCURIC ACETATE, 6.1, II, (D/E), ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IMDG) : UN 1674 PHENYLMERCURIC ACETATE, 6.1, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1674 PHENYLMERCURIC ACETATE, 6.1, II, ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (ADN) : UN 1674 PHENYLMERCURIC ACETATE, 6.1, II, ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (RID) : UN 1674 PHENYLMERCURIC ACETATE, 6.1, II, ENVIRONMENTALLY

**HAZARDOUS** 

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



#### **IATA**

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1

www.Labogens.com 09/04/2015 7/11

### Safety Data Sheet



#### **ADN**

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



#### **RID**

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



#### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

: TP33

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : T3

Special provision (ADR) : 43

Limited quantities (ADR) : 500g

Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAH, L4BH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

www.Labogens.com 09/04/2015 8/11

### Safety Data Sheet

Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading, : CV13, CV28

unloading and handling (ADR)

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates :

60 1674

Tunnel restriction code (ADR) : D/E EAC code : 2X

#### - Transport by sea

Special provision (IMDG) : 43 Limited quantities (IMDG) : 500 q Excepted quantities (IMDG) : E4 : P002 Packing instructions (IMDG) : IBC08 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-A EmS-No. (Spillage) : A Stowage category (IMDG) MFAG-No : 151

#### - Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A6
ERG code (IATA) : 6L

#### - Inland waterway transport

Classification code (ADN) : T3
Special provisions (ADN) : 43, 802
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

#### - Rail transport

Classification code (RID) : T3
Special provision (RID) : 43
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

www.Labogens.com 09/04/2015 9/11

### Safety Data Sheet

Mixed packing provisions (RID) : MP10
Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAH, L4BH

Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PHENYL MERCURY ACETATE FOR SYNTHESIS is not on the REACH Candidate List PHENYL MERCURY ACETATE FOR SYNTHESIS is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 885)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

#### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

www.Labogens.com 09/04/2015 10/11

# Safety Data Sheet

### Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R25	Toxic if swallowed
R34	Causes burns
R48/24/25	Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive
N	Dangerous for the environment
T	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11