PLATINUM CHLORIDE EXTRA PURE MSDS

CAS No: 18497-13-7 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS No : 18497-13-7
Product code : 05300

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Skin corrosion/irritation, H314
Category 1B
Sensitisation — H334
Respiratory, category 1
Sensitisation — Skin, H317

category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R25 R42

www.Labogens.com 09/04/2015 1/10

Safety Data Sheet

C; R34 R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS06

GHS05

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : PLATINUM CHLORIDE Extra Pure

CAS No : 18497-13-7

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician. Wash with

plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Specific treatment (see \dots on this label). Wash contaminated

clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

www.Labogens.com 09/04/2015 3/10

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Wash contaminated clothing before reuse. Contaminated work clothing

should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 409.81 g/mol Colour : Dark Brown.

Odour : odourless.

Odour threshold : No data available

pH : 5 - 6

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 581 °C

Freezing point : No data available

Boiling point : 1150 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

www.Labogens.com 09/04/2015 4/10

Safety Data Sheet

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : 18

Relative density : No data available

Density : 2.43 g/cm³

Solubility : Water: Soluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 5 - 6

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 5 - 6

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

www.Labogens.com 09/04/2015 5/10

Safety Data Sheet

Carcinogenicity : Not classified

: Not classified Reproductive toxicity

Specific target organ toxicity (single exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. **Bioaccumulative potential**

No additional information available

Mobility in soil 12.4.

No additional information available

Results of PBT and vPvB assessment 12.5.

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal

Ecology - waste materials

: Dispose of contents/container to ...

recommendations

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. **UN** number

UN-No. (ADR) : 2507

6/10 09/04/2015 www.Labogens.com

Safety Data Sheet

UN-No. (IMDG) : 2507 UN-No.(IATA) : 2507 UN-No.(ADN) : 2507 UN-No. (RID) : 2507

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHLOROPLATINIC ACID, SOLID
Proper Shipping Name (IMDG) : CHLOROPLATINIC ACID, SOLID
Proper Shipping Name (IATA) : CHLOROPLATINIC ACID, SOLID
Proper Shipping Name (ADN) : CHLOROPLATINIC ACID, SOLID
Proper Shipping Name (RID) : CHLOROPLATINIC ACID, SOLID

Transport document description (ADR) : UN 2507 CHLOROPLATINIC ACID, SOLID, 8, III, (E)
Transport document description (IMDG) : UN 2507 CHLOROPLATINIC ACID, SOLID, 8, III
Transport document description (ADN) : UN 2507 CHLOROPLATINIC ACID, SOLID, 8, III
Transport document description (ADN) : UN 2507 CHLOROPLATINIC ACID, SOLID, 8, III
Transport document description (RID) : UN 2507 CHLOROPLATINIC ACID, SOLID, 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



www.Labogens.com 09/04/2015 7/10

Safety Data Sheet

RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C2
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk

(ADR)

: VC1, VC2, AP7

: TP33

Hazard identification number (Kemler No.) : 80

Orange plates

80 2507

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1

www.Labogens.com 09/04/2015 8/10

Safety Data Sheet

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y845
PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 860
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 864
CAO max net quantity (IATA) : 100kg
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAV
Transport category (RID) : 3

Special provisions for carriage – Bulk : VC1, VC2, AP7

(RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PLATINUM CHLORIDE Extra Pure is not on the REACH Candidate List PLATINUM CHLORIDE Extra Pure is not on the REACH Annex XIV List

www.Labogens.com 09/04/2015 9/10

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
R25	Toxic if swallowed
R34	Causes burns
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
С	Corrosive
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 10/10