CAS-No.: 7778-50-9 MSDS



## **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

 EC Index-No.
 : 024-002-00-6

 EC-No.
 : 231-906-6

 CAS-No.
 : 7778-50-9

 Product code
 : 05355

Synonyms : Potassium bichromate

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2 Acute toxicity (oral), H301 Category 3 Acute toxicity (dermal), H312 Category 4 Acute toxicity (inhal.), H330 Category 2 Skin corrosion/irritation, H314 Category 1 Respiratory sensitisation, H334 Category 1 Skin sensitisation, H317 Category 1 Germ cell mutagenicity, H340

www.Labogens.com 18/02/2019 1/12

### Safety Data Sheet

Category 1A

Carcinogenicity, Category H350

1A

Reproductive toxicity, H360FD

Category 1B

Specific target organ H335

toxicity — Single exposure, Category 3, Respiratory tract irritation

Specific target organ H372

toxicity — Repeated exposure, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of H statements : see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45 Muta.Cat.1; R46 Repr.Cat.1; R60 Repr.Cat.1; R61 O: R8

Repr.Cat.1; O; R8 T+; R26 T; R25 T; R48/23 Xn; R21 R42 C; R34 R43 N; R50/53

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS08



GHS09

Signal word (CLP) Hazard statements (CLP) : Danger

: H272 - May intensify fire; oxidiser.

H301 - Toxic if swallowed.

H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction.

H330 - Fatal if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H340 - May cause genetic defects.

www.Labogens.com 18/02/2019 2/12

### Safety Data Sheet

H350 - May cause cancer.

H360FD - May damage fertility. May damage the unborn child.

H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

P273 - Avoid release to the environment. Precautionary statements (CLP)

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

Name : POTASSIUM DICHROMATE AR

CAS-No. : 7778-50-9 EC-No. 231-906-6 EC Index-No. : 024-002-00-6

Full text of R- and H-statements: see section 16

#### **Mixtures** 3.2.

Not applicable

#### **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing

respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation

occurs: Get medical advice/attention.

First-aid measures after eye contact Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion Rinse mouth out with water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

: Causes severe skin burns and eye damage. May damage fertility. May damage the Symptoms/effects

unborn child. Causes damage to organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if

inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Toxic if swallowed. Chronic symptoms : May cause cancer.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

18/02/2019 3/12 www.Labogens.com

### Safety Data Sheet

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Heating may cause a fire or explosion.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof

place.

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

www.Labogens.com 18/02/2019 4/12

### Safety Data Sheet

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 294.18 g/mol Colour : Orange Crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 4.04 (1% aq, solution)

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 398 °C

Freezing point : No data available

Boiling point : 500 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 2.676 g/cm³

Solubility : Water: 6.5 % at 20°C

Log Pow : 5

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

No additional information available

www.Labogens.com 18/02/2019 5/12

### Safety Data Sheet

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Air contact. Direct sunlight. Moisture. Heat. High temperature. Overheating. Open flame.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Harmful in contact with skin. Fatal if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 4.04 (1% aq, solution)

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 4.04 (1% aq, solution)

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : May damage fertility. May damage the unborn child.

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

www.Labogens.com 18/02/2019 6/12

### Safety Data Sheet

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

POTASSIUM DICHROMATE AR (7778-50-9)	
Log Pow	5

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

#### POTASSIUM DICHROMATE AR (7778-50-9)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

 UN-No. (ADR)
 : 3087

 UN-No. (IMDG)
 : 3087

 UN-No. (IATA)
 : 3087

 UN-No. (ADN)
 : 3087

 UN-No. (RID)
 : 3087

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : OXIDIZING SOLID, TOXIC, N.O.S.
Proper Shipping Name (IMDG) : OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (IATA) : Oxidizing solid, toxic, n.o.s.

Proper Shipping Name (ADN) : OXIDIZING SOLID, TOXIC, N.O.S.
Proper Shipping Name (RID) : OXIDIZING SOLID, TOXIC, N.O.S.

Transport document description (ADR) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3087 Oxidizing solid, toxic, n.o.s., 5.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (RID) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

**HAZARDOUS** 

www.Labogens.com 18/02/2019 7/12

### Safety Data Sheet

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 5.1 (6.1)
Danger labels (ADR) : 5.1, 6.1



### **IMDG**

Transport hazard class(es) (IMDG) : 5.1 (6.1)
Danger labels (IMDG) : 5.1, 6.1



#### **IATA**

Transport hazard class(es) (IATA) : 5.1 (6.1) Hazard labels (IATA) : 5.1, 6.1



#### **ADN**

Transport hazard class(es) (ADN) : 5.1 (6.1)
Danger labels (ADN) : 5.1, 6.1



### **RID**

Transport hazard class(es) (RID) : 5.1 (6.1)
Danger labels (RID) : 5.1, 6.1



### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

www.Labogens.com 18/02/2019 8/12

### Safety Data Sheet

#### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : OT2
Special provisions (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06

Mixed packing provisions (ADR) : MP2
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 56

Orange plates

56

: CV24, CV28

: TP33

3087

Tunnel restriction code (ADR) : E EAC code : 1W

#### - Transport by sea

Special provisions (IMDG) : 274, 900 Packing instructions (IMDG) : P002 : IBC06 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B21 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) : S-Q EmS-No. (Spillage) Stowage category (IMDG) : B

Segregation (IMDG) : SG38, SG49, SG60

Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by dust inhalation. Should be handled with

care to minimize exposure, particularly to dust.

MFAG-No : 141

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y543
PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 558

www.Labogens.com 18/02/2019 9/12

### Safety Data Sheet

PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 562
CAO max net quantity (IATA) : 25kg
Special provisions (IATA) : A3
ERG code (IATA) : 5P

#### - Inland waterway transport

Classification code (ADN) : OT2

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 1 kg

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

#### - Rail transport

Classification code (RID) : OT2
Special provisions (RID) : 274
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06

Mixed packing provisions (RID) : MP2
Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAN Special provisions for RID tanks (RID) : TU3

Transport category (RID) : 2

Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW24, CW28

: TP33

Colis express (express parcels) (RID) : CE10
Hazard identification number (RID) : 56

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Potassium dichromate is on the REACH Candidate List Potassium dichromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/09/2017	

### 15.1.2. National regulations

www.Labogens.com 18/02/2019 10/12

### Safety Data Sheet

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to

AwSV; ID No. 339)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : POTASSIUM DICHROMATE AR is listed SZW-lijst van mutagene stoffen : POTASSIUM DICHROMATE AR is listed NIET-limitatieve lijst van voor de : POTASSIUM DICHROMATE AR is listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: POTASSIUM DICHROMATE AR is listed

: POTASSIUM DICHROMATE AR is listed

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1A	Germ cell mutagenicity, Category 1A
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.

www.Labogens.com 18/02/2019 11/12

## Safety Data Sheet

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
May cause genetic defects.
May cause cancer.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life with long lasting effects.
Harmful in contact with skin
Toxic if swallowed
Very toxic by inhalation
Causes burns
May cause sensitization by inhalation
May cause sensitisation by skin contact
May cause cancer
May cause heritable genetic damage
Toxic: danger of serious damage to health by prolonged exposure through inhalation
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
May impair fertility
May cause harm to the unborn child
Contact with combustible material may cause fire
Corrosive
Dangerous for the environment
Oxidising
Toxic
Very toxic
Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.Labogens.com 18/02/2019 12/12