

CAS No: 10034-82-9 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier		
Product	t form	:	Substance
		:	
EC no		:	231-889-5
CAS No)	:	10034-82-9
Product	t code	:	05827
Chemic	al structure	:	Na ₂ CrO ₄ • 4H ₂ O

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3.	Details of the supplier of the safety data sheet
1st Floo Ludhiai +91 93	ens Fine Chem Industries or , Above Bank of India, Guru Vihar , Rahon Road, na Pb. (141007) 16777775, +91 7707855700 <u>Plabogens.com</u> - <u>www.Labogens.com</u>
1.4.	Emergency telephone number

Emergency number

: +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according	to Regulation (EC) No.	1272/2008 [CLP]
A	11004	

Acute toxicity (oral),	H301
Category 3	
Acute toxicity (dermal),	H312
Category 4	
Acute toxicity (inhal.),	H330
Category 2	
Skin corrosion/irritation,	H314
Category 1B	
Sensitisation —	H334
Respiratory, category 1	
Sensitisation — Skin,	H317
category 1	
Germ cell mutagenicity,	H340
Category 1A	
Carcinogenicity, Category	H350
1A	
Reproductive toxicity,	H360FD

www.Labogens.com

Safety Data Sheet

Category 1B Specific target organ H372 toxicity — Repeated exposure, Category 1 Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 Muta.Cat.1; R46 Repr.Cat.1; R60 Repr.Cat.1; R61 T+; R26 T; R25 T; R48/23 Xn; R21 R42 C; R34 R43 N; R50/53 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements		
Labelling according to Regulation	(EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS05 GHS06 GHS08 GHS09	
Signal word (CLP)	: Danger	
Hazard statements (CLP)	 H301 - Toxic if swallowed H312 - Harmful in contact with skin H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H330 - Fatal if inhaled H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H340 - May cause genetic defects H350 - May cause cancer H360FD - May damage fertility. May damage the unborn child H372 - Causes damage to organs through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects 	
Precautionary statements (CLP)	 P201 - Obtain special instructions before use P260 - Do not breathe dust/fume/gas/mist/vapours/spray P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P284 - [In case of inadequate ventilation] wear respiratory protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or 	
www.Labogens.com	09/04/2015	2/12

Safety Data Sheet

doctor/physician

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients		
3.1.	Substance	
Name		: SODIUM CHROMATE TETRAHYDRATE EXTRA PURE
CAS No	D	: 10034-82-9
EC no		: 231-889-5

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures	
4.4 Description of first sit	
4.1. Description of first aid measu	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: Immediately call a POISON CENTER or doctor/physician. Specific measures (see on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Do NOT induce vomiting.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
Symptoms/injuries after inhalation	: Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/injuries after skin contact	: Harmful in contact with skin. May cause an allergic skin reaction.
Symptoms/injuries after ingestion	: Toxic if swallowed.
4.3. Indication of any immediate m	nedical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Safety Data Sheet

Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from t	the substance or mixture	
No additional information available		
5.3. Advice for firefighters		
No additional information available		
SECTION 6: Accidental release measu	res	
6.1. Personal precautions, protect	ive equipment and emergency procedures	
6.1.1. For non-emergency personne	l de la constante de	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required.	
Emergency procedures	: Stop release.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for cont	tainment and cleaning up	
Methods for cleaning up	: Clear up rapidly by scoop or vacuum.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	 Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. 	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.	
7.2. Conditions for safe storage, in	ncluding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
on our parameters		

No additional information available

Safety Data Sheet

Hand protection	: protective gloves		
Eye protection	: Chemical goggles or face shield		
Skin and body protection	: Wear suitable protective clothing		
Respiratory protection	: In case of inadequate ventilation wear respiratory protection		
SECTION 9: Physical and chemical prop	erties		
9.1. Information on basic physical ar Physical state	nd chemical properties : Solid		
Colour	: Lemon yellow.		
Odour	: odourless.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Density Solubility	 2.723 g/cm³ Water: Soluble in cold water 		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: No data available		
9.2. Other information No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity Thermal decomposition generates : Corrosi			

Safety Data Sheet

10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reacti	ions
No additional information available	
10.4. Conditions to avoid	
Direct sunlight. Air contact. Moisture.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition pro	ducts
Thermal decomposition generates : Corro	
SECTION 11: Toxicological information	1
11.1. Information on toxicological et	ffects
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Fatal if inhaled.
Skin corrosion/irritation Serious eye damage/irritation	 Causes severe skin burns and eye damage. Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May
	cause an allergic skin reaction.
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: May damage fertility. May damage the unborn child.
Specific target organ toxicity (single	: Not classified
exposure)	
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful in contact with skin. Toxic if swallowed.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

12.2. Persistence and degradability		
SODIUM CHROMATE TETRAHYDRATE EXTRA PURE (10034-82-9)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
SODIUM CHROMATE TETRAHYDRATE EXTRA PURE (10034-82-9)		

12.6.	Other adverse effects	
No additional information available		
SECTI	ON 13: Disposal considerations	
13.1.	Waste treatment methods	

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
Ecology - waste materials	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 3288
UN-No. (IMDG)	: 3288
UN-No.(IATA)	: 3288
UN-No.(ADN)	: 3288
UN-No. (RID)	: 3288
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (IATA)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (ADN)	: TOXIC SOLID, INORGANIC, N.O.S.
Proper Shipping Name (RID)	: TOXIC SOLID, INORGANIC, N.O.S.
Transport document description (ADR)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

Safety Data Sheet

14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1
IMDG	
Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1
ADN	
Transport hazard class(es) (ADN)	: 6.1
Danger labels (ADN)	: 6.1
RID	
עוא Transport hazard class(es) (RID)	: 6.1
Danger labels (RID)	: 6.1
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	
Packing group (RID)	: 11

Safety Data Sheet

14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: T5
Special provision (ADR)	: 274
Limited quantities (ADR)	: 500g
Excepted quantities (ADR)	: E4
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAH, L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9, S19
Hazard identification number (Kemler No.)	: 60
Orange plates	
Orange plates	60 3288
	<u> </u>
Tunnel restriction code (ADR)	60 3288 : D/E
Tunnel restriction code (ADR) EAC code	<u> </u>
Tunnel restriction code (ADR) EAC code - Transport by sea	60 3288 : D/E : 2X
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG)	60 3288 : D/E : 2X : 274
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG)	60 3288 : D/E : 2X : 274 : 500 g
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08 : B2, B4
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08 : B2, B4 : T3
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08 : B2, B4 : T3 : TP33
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08 : B2, B4 : T3 : TP33 : F-A
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	60 3288 : D/E : 2X : 274 : 500 g : E4 : P002 : IBC08 : B2, B4 : T3 : TP33
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	60 3288 200 2
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) MFAG-No	60 3288 2 D/E 2 2X 2 274 2 500 g 2 E4 2 P002 2 IBC08 2 B2, B4 2 T3 2 TP33 2 F-A 2 S-A 2 B
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) MFAG-No - Air transport	60 3288 : D/E : 2X : 500 g : E4 : P002 : IBC08 : B2, B4 : T3 : F-A : S-A : B : 151
Tunnel restriction code (ADR) EAC code - Transport by sea Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) MFAG-No	60 3288 2 D/E 2 2X 2 274 2 500 g 2 E4 2 P002 2 IBC08 2 B2, B4 2 T3 2 TP33 2 F-A 2 S-A 2 B

Safety Data Sheet

PCA limited quantity max net quantity (IATA)	:	1kg
PCA packing instructions (IATA)	:	669
PCA max net quantity (IATA)	:	25kg
CAO packing instructions (IATA)	:	676
CAO max net quantity (IATA)	:	100kg
Special provision (IATA)	:	A3, A5
ERG code (IATA)	:	6L
- Inland waterway transport		
Classification code (ADN)	-	Т5
Special provisions (ADN)	:	274, 802
Limited quantities (ADN)	:	500 g
Excepted quantities (ADN)	:	E4
Equipment required (ADN)	:	PP, EP
Number of blue cones/lights (ADN)	:	2
- Rail transport		
Classification code (RID)	:	Т5
Special provision (RID)	:	274
Limited quantities (RID)	:	500g
Excepted quantities (RID)	:	E4
Packing instructions (RID)	:	P002, IBC08
Special packing provisions (RID)	:	B4
Mixed packing provisions (RID)	:	MP10
Portable tank and bulk container instructions (RID)	:	Т3
Portable tank and bulk container special provisions (RID)	:	ТР33
Tank codes for RID tanks (RID)	:	SGAH, L4BH
Special provisions for RID tanks (RID)	:	TU15
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W11
Special provisions for carriage – Loading and unloading (RID)	:	CW13, CW28, CW31
Colis express (express parcels) (RID)	:	CE9
Hazard identification number (RID)	:	60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Sodium chromate is on the REACH Candidate List Sodium chromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorization exemptions
	21/09/2017	

Safety Data Sheet

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK No 1032)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Denmark	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
	The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Carc. 1A	Carcinogenicity, Category 1A	
Muta. 1A	Germ cell mutagenicity, Category 1A	
Repr. 1B	Reproductive toxicity, Category 1B	
Resp. Sens. 1	Sensitisation — Respiratory, category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Sens. 1	Sensitisation — Skin, category 1	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	
H301	Toxic if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H330	Fatal if inhaled	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
H340	May cause genetic defects	
H350	May cause cancer	
H360FD	May damage fertility. May damage the unborn child	
H372	Causes damage to organs through prolonged or repeated exposure	
H410	Very toxic to aquatic life with long lasting effects	
R21	Harmful in contact with skin	
R25	Toxic if swallowed	
	00/04/0045	44/40

Safety Data Sheet

R26	Very toxic by inhalation
R34	Causes burns
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R60	May impair fertility
R61	May cause harm to the unborn child
С	Corrosive
N	Dangerous for the environment
Т	Toxic
T+	Very toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product