

CAS No: 13600-98-1 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier	
Product form		: Substance
		:
CAS	No	: 13600-98-1
Product code		: 05839
Cher	nical structure	[∶] Na₃Co(NO₂

Chemi	cal structure	$Na_3Co(NO_2)_6$
1.2.	Relevant identified uses of t	ne substance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Use of	the substance/mixture	: Laboratory chemicals, Manufacture of substances
1.2.2.	Uses advised against	
No add	litional information available	
1.3.	Details of the supplier of the	safety data sheet
Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com		
1.4.	Emergency telephone numb	er
Emerg	ency number	: +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2 Skin corrosion/irritation, H315 Category 2 Serious eye damage/eye H319 irritation, Category 2 Sensitisation -H334 Respiratory, category 1 Sensitisation — Skin, H317 category 1 Specific target organ H335 toxicity - Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 O; R8 R42 Xi; R36/37/38 R43 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS03 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H272 - May intensify fire; oxidiser H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H335 - May cause respiratory irritation
Precautionary statements (CLP)	 P220 - Keep/Store away from clothing//combustible materials P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients			
3.1.	Substance		
Name		: SODIUM COBALTINITRITE EXTRA PURE	
CAS N	C	: 13600-98-1	

Full text of R- and H-phrases: see section 16

Safety Data Sheet

3.2. Mixture

Not applicable

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. 		
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.		
4.2. Most important symptoms and e	ffects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.		
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
4.3. Indication of any immediate med	lical attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the			
Fire hazard	: May intensify fire; oxidiser.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
Emergency procedures	: Stop release.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Clear up rapidly by scoop or vacuum.		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling	· De net get in even en ekin er en slatting		
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing.		

Safety Data Sheet

Hygiei	ne measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2.	Conditions for safe storage, including any incompatibilities	
Storag	ge conditions	: Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.
7.3.	Specific end use(s)	
No ad	ditional information available	
SECTION 8: Exposure controls/personal protection		
8.1.	Control parameters	
No additional information available		

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	
9.1. Information on basic physical a Physical state	: Solid
-	
Molecular mass Colour	: 403.94 g/mol : Brownish yellow.
Odour	: odourless.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 220 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available

Safety Data Sheet

Relative density	: No data available
Solubility	: Water: Soluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 2.
Explosive limits	: No data available

9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
May cause or intensify fire; oxidizer.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reaction	S		
No additional information available			
10.4. Conditions to avoid			
Direct sunlight. Overheating. Open flame. He	eat Sparks Air contact Moisture		
Direct sumight. Overheating. Open hame. He			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition produ	cts		
No additional information available			
SECTION 11: Toxicological information			
11.1. Information on toxicological effe	cts		
_	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May			
cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified		
Carcinogenicity : Not classified			
Reproductive toxicity : Not classified			
Specific target organ toxicity (single : May cause respiratory irritation.			
exposure)			

Safety Data Sheet

Specific target organ toxicity (repeated	: Not classified
exposure)	

Aspiration hazard : Not classified

SECTION 12: Ecological informatio	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradabi	ity
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB a	scoremont
No additional information available	5565511611
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG	
In accordance with ADR / RID / IMDG	
14.1. UN number	
UN-No. (ADR)	: 1479
UN-No. (IMDG)	: 1479
UN-No.(IATA)	: 1479
UN-No.(ADN)	: 1479
UN-No. (RID)	: 1479
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IMDG)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IATA)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (ADN)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (RID)	

: OXIDIZING SOLID, N.O.S.

S

Safety Data Sheet		
Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 : UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II, (E) : UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II 	
14.3. Transport hazard class(es)		
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 5.1 : 5.1	
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 5.1 : 5.1	



Transport hazard class(es) (IATA) Hazard labels (IATA)

:	5.1	
:	5.1	
•		~
		Z.4.

:



Transport hazard class(es) (ADN) Danger labels (ADN)



: 5.1

: 5.1

: 5.1

: 5.1

RID

Transport hazard class(es) (RID) Danger labels (RID)



Safety Data Sheet

14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 02
Special provision (ADR)	: 274
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP2
Portable tank and bulk container instructions (ADR)	: ТЗ
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	50
	1479
Tunnel restriction code (ADR)	: E
EAC code	: 1Y
- Transport by sea	
Special provision (IMDG)	: 274,900
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: B
Segregation (IMDG)	: SG38, SG49, SG60, SG61

Safety Data Sheet

Salety Data Sheet	
MFAG-No	: 140
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y544
PCA limited quantity max net quantity (IATA)	: 2.5kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
Special provision (IATA)	: A3
ERG code (IATA)	: 5L
- Inland waterway transport	
Classification code (ADN)	: 02
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: 02
Special provision (RID)	: 274
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage – Loading and unloading (RID)	: CW24
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM COBALTINITRITE EXTRA PURE is not on the REACH Candidate List SODIUM COBALTINITRITE EXTRA PURE is not on the REACH Annex XIV List

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
R36/37/38	Irritating to eyes, respiratory system and skin
R40	Limited evidence of a carcinogenic effect
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R8	Contact with combustible material may cause fire
0	Oxidising
Xi	Irritant

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product