SODIUM METAPERIODATE EXTRA PURE MSDS

CAS-No.: 7990-28-5 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS-No. : 7990-28-5 Product code : 05967

Synonyms : Sodium periodate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H271

Category 1

Skin corrosion/irritation, H314

Category 1

Specific target organ H372

toxicity — Repeated exposure, Category 1

Hazardous to the aquatic H400

environment — Acute Hazard, Category 1

Full text of H statements: see section 16

www.Labogens.com 26/03/2019 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; Xn; R36-37-38-8

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS03

GHS05

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H271 - May cause fire or explosion; strong oxidiser.

H314 - Causes severe skin burns and eye damage.

H372 - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight

fire remotely due to the risk of explosion.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : SODIUM METAPERIODATE Extra pure

CAS-No. : 7990-28-5

Full text of R- and H-statements; see section 16

3.2. Mixtures

Not applicable

www.Labogens.com 26/03/2019 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. Causes damage to organs through

prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder.
Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser. Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Large spills:

scoop solid spill into closing containers. Mechanically recover the product. Clear up

rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

www.Labogens.com 26/03/2019 3/10

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a well-ventilated

place. Keep away from ignition sources.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Incompatible materials : combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 213.89 g/mol Colour : White crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 3.5 - 5.5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 300 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

www.Labogens.com 26/03/2019 4/10

Safety Data Sheet

Relative density : No data available

Density : 3.8 g/cm³

Solubility : Water: 107 g/l at 20 °C - completely soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : The substance or mixture is classified as oxidizing with the subcategory 2.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 3.5 - 5.5

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 3.5 - 5.5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

www.Labogens.com 26/03/2019 5/10

Safety Data Sheet

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3085 UN-No. (IMDG) : 3085 UN-No. (IATA) : 3085 UN-No. (ADN) : 3085 UN-No. (RID) : 3085

14.2. UN proper shipping name

Proper Shipping Name (ADR) : OXIDIZING SOLID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : OXIDIZING SOLID, CORROSIVE, N.O.S.

Proper Shipping Name (IATA) : Oxidizing solid, corrosive, n.o.s.

Proper Shipping Name (ADN) : OXIDIZING SOLID, CORROSIVE, N.O.S. Proper Shipping Name (RID) : OXIDIZING SOLID, CORROSIVE, N.O.S.

www.Labogens.com 26/03/2019 6/10

Safety Data Sheet

Transport document description (ADR) : UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, (E),

ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3085 Oxidizing solid, corrosive, n.o.s., 5.1, I, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN) : UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1 (8)
Danger labels (ADR) : 5.1, 8



IMDG

Transport hazard class(es) (IMDG) : 5.1 (8)
Danger labels (IMDG) : 5.1, 8



IATA

Transport hazard class(es) (IATA) : 5.1 (8) Hazard labels (IATA) : 5.1, 8



ADN

Transport hazard class(es) (ADN) : 5.1 (8)
Danger labels (ADN) : 5.1, 8



RID

Transport hazard class(es) (RID) : 5.1 (8)
Danger labels (RID) : 5.1, 8

www.Labogens.com 26/03/2019 7/10

Safety Data Sheet



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : OC2 Special provisions (ADR) : 274 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P503 Mixed packing provisions (ADR) : MP2 Transport category (ADR) : 1 Special provisions for carriage - Loading, : CV24

unloading and handling (ADR)

Special provisions for carriage - Operation : S20

(ADR)

Tunnel restriction code (ADR) : E EAC code : 1W

- Transport by sea

Special provisions (IMDG) : 274
Packing instructions (IMDG) : P503
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : D
Stowage and handling (IMDG) : H1

Segregation (IMDG) : SG38, SG49, SG60

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes. Particular care in handling

should be exercised if packages have become wetted.

MFAG-No : 141

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 557
PCA max net quantity (IATA) : 1kg
CAO packing instructions (IATA) : 561
CAO max net quantity (IATA) : 15kg

www.Labogens.com 26/03/2019 8/10

Safety Data Sheet

Special provisions (IATA) : A3, A803 ERG code (IATA) : 5C

- Inland waterway transport

Classification code (ADN) : OC2 : 274 Special provisions (ADN) Limited quantities (ADN) : 0 Excepted quantities (ADN) : E0 Equipment required (ADN) : PP, EP Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : OC2 Special provisions (RID) : 274 Limited quantities (RID) : 0 Excepted quantities (RID) : E0 Packing instructions (RID) : P503 Mixed packing provisions (RID) : MP2 Transport category (RID) : 1 Special provisions for carriage - Loading, : CW24

unloading and handling (RID)

Hazard identification number (RID) : 558

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM METAPERIODATE Extra pure is not on the REACH Candidate List SODIUM METAPERIODATE Extra pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: The substance is not listed

26/03/2019 9/10 www.Labogens.com

Safety Data Sheet

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: The substance is not listed

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
0	Oxidising

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.Labogens.com 26/03/2019 10/10