

CAS-No.: 7990-28-5 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS-No. : 7990-28-5
Product code : 05968

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H271
Category 1
Skin corrosion/irritation, H314
Category 1
Specific target organ H372
toxicity — Repeated
exposure, Category 1
Hazardous to the aquatic H400
environment — Acute
Hazard, Category 1

Full text of H statements : see section 16

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R8
Xn; R22
Xi; R36/37/38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03



GHS05



GHS08



GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H271 - May cause fire or explosion; strong oxidiser.
H314 - Causes severe skin burns and eye damage.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : SODIUM (META) PERIODATE AR/ACS
CAS-No. : 7990-28-5

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage. Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : May cause fire or explosion; strong oxidiser.
- Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

6.2. Environmental precautions

Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not breathe dust. Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 213.89 g/mol
Colour	: White crystalline.
Odour	: odourless.
Odour threshold	: No data available
pH	: 3.5 - 5.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 300 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 3.8 g/cm ³
Solubility	: Water: 107 g/l at 20 °C - completely soluble
Log Pow	: No data available

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 2.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Moisture. Air contact. Overheating. Open flame. Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 3.5 - 5.5
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 3.5 - 5.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

Potential adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3085
UN-No. (IMDG)	: 3085
UN-No. (IATA)	: 3085
UN-No. (ADN)	: 3085
UN-No. (RID)	: 3085

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: OXIDIZING SOLID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	: OXIDIZING SOLID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: Oxidizing solid, corrosive, n.o.s.
Proper Shipping Name (ADN)	: OXIDIZING SOLID, CORROSIVE, N.O.S.
Proper Shipping Name (RID)	: OXIDIZING SOLID, CORROSIVE, N.O.S.
Transport document description (ADR)	: UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, (E), ENVIRONMENTALLY HAZARDOUS

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

Transport document description (IMDG)	: UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3085 Oxidizing solid, corrosive, n.o.s., 5.1, I, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1 (8)
Danger labels (ADR)	: 5.1, 8



IMDG

Transport hazard class(es) (IMDG)	: 5.1 (8)
Danger labels (IMDG)	: 5.1, 8



IATA

Transport hazard class(es) (IATA)	: 5.1 (8)
Hazard labels (IATA)	: 5.1, 8



ADN

Transport hazard class(es) (ADN)	: 5.1 (8)
Danger labels (ADN)	: 5.1, 8



RID

Transport hazard class(es) (RID)	: 5.1 (8)
Danger labels (RID)	: 5.1, 8



SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

14.4. Packing group

Packing group (ADR)	: I
Packing group (IMDG)	: I
Packing group (IATA)	: I
Packing group (ADN)	: I
Packing group (RID)	: I

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: OC2
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P503
Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Special provisions for carriage - Operation (ADR)	: S20
Tunnel restriction code (ADR)	: E
EAC code	: 1W

- Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P503
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG38, SG49, SG60
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes. Particular care in handling should be exercised if packages have become wetted.
MFAG-No	: 141

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 557
PCA max net quantity (IATA)	: 1kg
CAO packing instructions (IATA)	: 561
CAO max net quantity (IATA)	: 15kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 5C

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

- Inland waterway transport

Classification code (ADN)	: OC2
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: OC2
Special provisions (RID)	: 274
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P503
Mixed packing provisions (RID)	: MP2
Transport category (RID)	: 1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Hazard identification number (RID)	: 558

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM (META) PERIODATE AR/ACS is not on the REACH Candidate List

SODIUM (META) PERIODATE AR/ACS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

SODIUM (META) PERIODATE AR/ACS

Safety Data Sheet

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R8	Contact with combustible material may cause fire
O	Oxidising
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.