

SODIUM PEROXIDE (GRANULAR) AR/ACS MSDS



CAS-No.: 1313-60-6 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC Index-No. : 011-003-00-1
EC-No. : 215-209-4
CAS-No. : 1313-60-6
Product code : 05970
Synonyms : Sodium superoxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H271
Category 1
Skin corrosion/irritation, H314
Category 1A

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R8
C; R35

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H271 - May cause fire or explosion; strong oxidiser.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing and other combustible materials.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : SODIUM PEROXIDE (GRANULAR) AR/ACS
CAS-No. : 1313-60-6
EC-No. : 215-209-4
EC Index-No. : 011-003-00-1

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: May cause fire or explosion; strong oxidiser.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions	: In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: No open flames. No smoking.
------------------	-------------------------------

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.

6.2. Environmental precautions

Do not allow contact with water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clear up rapidly by scoop or vacuum.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Hazardous waste due to potential risk of explosion.
Precautions for safe handling	: Take any precaution to avoid mixing with combustibles... Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep in fireproof place. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Heat sources. combustible materials.

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment	: Wear fire/flamm resistant/retardant clothing.
Hand protection	: protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 77.98 g/mol
Colour	: Pale yellow.
Odour	: odourless.
Odour threshold	: No data available
pH	: 12.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 460 °C
Freezing point	: No data available
Boiling point	: 657 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.81 g/cm ³
Solubility	: Water: Soluble in water

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Heat. Sparks. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12.8
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 12.8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1504
UN-No. (IMDG) : 1504
UN-No. (IATA) : 1504
UN-No. (ADN) : 1504
UN-No. (RID) : 1504

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM PEROXIDE
Proper Shipping Name (IMDG) : SODIUM PEROXIDE
Proper Shipping Name (IATA) : Sodium peroxide
Proper Shipping Name (ADN) : SODIUM PEROXIDE
Proper Shipping Name (RID) : SODIUM PEROXIDE
Transport document description (ADR) : UN 1504 SODIUM PEROXIDE, 5.1, I, (E)
Transport document description (IMDG) : UN 1504 SODIUM PEROXIDE, 5.1, I

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

Transport document description (IATA) : UN 1504 Sodium peroxide, 5.1, I
Transport document description (ADN) : UN 1504 SODIUM PEROXIDE, 5.1, I
Transport document description (RID) : UN 1504 SODIUM PEROXIDE, 5.1, I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1



IMDG

Transport hazard class(es) (IMDG) : 5.1
Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1
Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

Packing group (IATA)	: I
Packing group (ADN)	: I
Packing group (RID)	: I

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P503, IBC05
Mixed packing provisions (ADR)	: MP2
Transport category (ADR)	: 1
Special provisions for carriage - Packages (ADR)	: V10
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Special provisions for carriage - Operation (ADR)	: S20
Tunnel restriction code (ADR)	: E
EAC code	: 1W

- Transport by sea

Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P503
IBC packing instructions (IMDG)	: IBC05
IBC special provisions (IMDG)	: B1
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: C
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG16, SG35, SG59, SG26, SG36
MFAG-No	: 144

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 561
CAO max net quantity (IATA)	: 15kg
Special provisions (IATA)	: A1
ERG code (IATA)	: 5L

- Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 0

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

Excepted quantities (ADN) : E0
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : O2
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P503, IBC05
Mixed packing provisions (RID) : MP2
Transport category (RID) : 1
Special provisions for carriage – Packages (RID) : W10
Special provisions for carriage - Loading, unloading and handling (RID) : CW24
Hazard identification number (RID) : 55

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM PEROXIDE (GRANULAR) AR/ACS is not on the REACH Candidate List

SODIUM PEROXIDE (GRANULAR) AR/ACS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 383)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

SODIUM PEROXIDE (GRANULAR) AR/ACS

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
R35	Causes severe burns
R8	Contact with combustible material may cause fire
C	Corrosive
O	Oxidising

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product