SODIUM PERSULPHATE EXTRA PURE **MSDS**

CAS No: 7775-27-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance Trade name : Sodium persulfate EC no : 231-892-1 CAS No : 7775-27-1 : 5970C

Product code : Na2O8S2 Formula

Chemical structure

 $Na_2S_2O_8$

Synonyms : Sodium peroxodisulfate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries

1st Floor, Above Bank of India, Guru Vihar, Rahon Road,

Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272

Category 2

Acute toxicity (oral),

H302

Category 4

Skin corrosion/irritation,

H315

Category 2

irritation, Category 2

Serious eye damage/eye H319

Sensitisation — H334

Respiratory, category 1

08/11/2017 1/11 www.Labogens.com Version: 1

Safety Data Sheet

Sensitisation — Skin,

H317

category 1

Specific target organ

H335

toxicity - Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8 Xn; R22 R42 Xi; R36/37/38

R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS03

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) H272 - May intensify fire; oxidiser

H302 - Harmful if swallowed H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Precautionary statements (CLP) : P220 - Keep/Store away from clothing/.../combustible materials

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician

2.3. Other hazards

No additional information available

08/11/2017 2/11 www.Labogens.com Version: 1

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : SODIUM PERSULPHATE Extra Pure

CAS No : 7775-27-1 EC no : 231-892-1

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation

occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

www.Labogens.com Version: 1 08/11/2017 3/11

Safety Data Sheet

Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

Methods and material for containment and cleaning up

Methods for cleaning up

: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Additional hazards when processed

Hygiene measures Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

: Hazardous waste due to potential risk of explosion.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. combustible materials.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid

Colour : White crystalline.

Odour : odourless.

Odour threshold : No data available

08/11/2017 4/11 www.Labogens.com Version: 1

Safety Data Sheet

pH : 2.5 - 4

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 1800 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Non flammable.

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 2.4 g/cm³

Solubility : Water: 238.1 g/l at 20 °C - completely soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : May intensify fire; oxidiser.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

May intensify fire; oxidiser.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Do not allow contact with water. Moisture. Air contact. Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

www.Labogens.com Version: 1 08/11/2017 5/11

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes skin irritation.

pH: 2.5 - 4

Serious eye damage/irritation : Causes serious eye irritation.

pH: 2.5 - 4

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

Additional information

: Not classified

: Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects

and symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Sodium persulfate (7775-27-1)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Sodium persulfate (7775-27-1)	
Bioaccumulative potential	Not established.

www.Labogens.com Version: 1 08/11/2017 6/11

Safety Data Sheet

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to ...

Additional information : Hazardous waste due to potential risk of explosion.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1505 UN-No. (IMDG) : 1505 UN-No.(IATA) : 1505 UN-No.(ADN) : 1505 UN-No. (RID) : 1505

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM PERSULPHATE
Proper Shipping Name (IMDG) : SODIUM PERSULPHATE
Proper Shipping Name (IATA) : SODIUM PERSULPHATE
Proper Shipping Name (ADN) : SODIUM PERSULPHATE
Proper Shipping Name (RID) : SODIUM PERSULPHATE

Transport document description (ADR) : UN 1505 SODIUM PERSULPHATE, 5.1, III, (E)
Transport document description (IMDG) : UN 1505 SODIUM PERSULPHATE, 5.1, III
Transport document description (ADN) : UN 1505 SODIUM PERSULPHATE, 5.1, III
Transport document description (ADN) : UN 1505 SODIUM PERSULPHATE, 5.1, III
Transport document description (RID) : UN 1505 SODIUM PERSULPHATE, 5.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1

:



IMDG

Transport hazard class(es) (IMDG) : 5.1

www.Labogens.com Version: 1 08/11/2017 7/11

Safety Data Sheet

Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1 Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1 Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2 Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

www.Labogens.com Version: 1 08/11/2017 8/11

Safety Data Sheet

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk

(ADR)

: VC1, VC2, AP6, AP7

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV24

: TP33

Hazard identification number (Kemler No.) :

Orange plates

50 1505

Tunnel restriction code (ADR) : E EAC code : 1Z

- Transport by sea

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : A

Segregation (IMDG) : SG39, SG49

MFAG-No : 140

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y546
PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 559
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 563
CAO max net quantity (IATA) : 100kg
ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : O2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : O2

www.Labogens.com Version: 1 08/11/2017 9/11

Safety Data Sheet

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAV Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3

Special provisions for carriage – Bulk : VC1, VC2, AP6, AP7

(RID)

Special provisions for carriage – Loading and unloading (RID)

: CW24

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Sodium persulfate is not on the REACH Candidate List

Sodium persulfate is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 1352)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

www.Labogens.com Version: 1 08/11/2017 10/11

Safety Data Sheet

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixturejs, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-phrases:

Full text of R-, n- and Eon-philases.		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Resp. Sens. 1	Sensitisation — Respiratory, category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Sensitisation — Skin, category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H272	May intensify fire; oxidiser	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
H335	May cause respiratory irritation	
R22	Harmful if swallowed	
R36/37/38	Irritating to eyes, respiratory system and skin	
R42	May cause sensitization by inhalation	
R43	May cause sensitisation by skin contact	
R8	Contact with combustible material may cause fire	
0	Oxidising	
Xi	Irritant	
Xn	Harmful	
ΛΠ	Haiiiiui	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 08/11/2017 11/11